

grain	$^{207}\text{Pb}^{\text{a}}$ (cps)	U <sup>b</sup> (ppm)	Pb <sup>b</sup> ppm	Th <sup>b</sup> U	$^{206}\text{Pb}^{\text{c}}$ (%)	$\frac{^{206}\text{Pb}^{\text{d}}}{^{238}\text{U}}$ (%)	$\pm 2\sigma$	$\frac{^{207}\text{Pb}^{\text{d}}}{^{235}\text{U}}$ (%)	$\pm 2\sigma$	$\frac{^{207}\text{Pb}^{\text{d}}}{^{206}\text{Pb}}$ (%)	$\pm 2\sigma$	$\rho_{\text{o}}^{\text{e}}$ (%)	$\frac{^{206}\text{Pb}^{\text{d}}}{^{238}\text{U}}$ (Ma)	$\pm 2\sigma$	$\frac{^{207}\text{Pb}^{\text{d}}}{^{235}\text{U}}$ (Ma)	$\pm 2\sigma$	$\frac{^{207}\text{Pb}^{\text{d}}}{^{206}\text{Pb}}$ (Ma)	$\pm 2\sigma$	conc. (%)
<b>KB8_14</b>																			
A848	4376	201	11	0.69	0.5	0.05121	2.2	0.3737	4.1	0.05293	3.4	0.54	322	7	322	11	326	78	99
A847	8468	380	22	0.46	0.6	0.05504	2.2	0.4075	3.3	0.05371	2.5	0.66	345	7	347	10	359	56	96
A845	3681	174	11	0.72	0.3	0.05564	2.2	0.4123	3.7	0.05375	3.0	0.58	349	7	351	11	360	69	97
A849	6851	305	19	0.83	0.3	0.05592	2.1	0.4121	3.6	0.05345	2.9	0.59	351	7	350	11	348	65	101
A825	3398	165	10	0.65	0.1	0.05666	2.3	0.4118	3.6	0.05351	2.8	0.63	355	8	355	11	350	64	101
A844	3646	179	11	0.67	0.4	0.05688	2.1	0.4218	3.8	0.05379	3.1	0.56	357	7	357	11	362	70	98
A829	4826	204	15	1.13	0.5	0.06128	2.1	0.46	4.1	0.05444	3.5	0.52	383	8	384	13	389	79	99
A836	6405	292	21	0.80	0.0	0.06356	2.1	0.4767	3.1	0.0544	2.3	0.68	397	8	396	10	388	51	102
A846	11821	360	30	0.67	0.0	0.07421	2.2	0.5821	2.9	0.05689	2.0	0.74	461	10	466	11	487	44	95
A831	21136	292	52	1.16	0.3	0.14450	2.1	1.364	2.4	0.06846	1.2	0.87	870	17	873	14	883	24	99
A827	6201	301	18	0.81	0.0	0.05018	2.1	0.3787	2.9	0.05474	2.0	0.74	316	7	326	8	402	44	79
A835	3471	152	9	0.54	0.7	0.05720	2.3	0.4501	3.8	0.05707	3.1	0.59	359	8	377	12	494	68	73
A826	4004	184	11	0.71	b.d.	0.05042	2.1	0.3978	3.4	0.05722	2.6	0.63	317	7	340	10	500	58	63
A828	3951	174	11	0.67	0.0	0.05448	2.2	0.4397	4.3	0.05854	3.7	0.52	342	7	370	13	550	81	62
A837	4836	225	14	0.34	0.3	0.06165	2.3	0.453	3.1	0.05329	2.1	0.74	386	9	379	10	341	47	113

KB8 14

