

Tropical Bryology 22: 1-46, 2002

Tropical Bryology, index to vols. 1-21

compiled by Jan-Peter Frahm

II. Index to authors.....	15
III. Index by subjects.....	29
I. Index by volumes	

Volume 1, 1989

- Delgadillo M., C. 1989.** A Guide to fieldstations in the tropics I., Mexico. *Tropical Bryology* 1: 1-4.
- Salazar Allen, N. 1989.** A Guide to fieldstations in the tropics II. Panama. *Tropical Bryology* 1: 5-8.
- Frahm, J.-P. 1989.** *Bryohumbertia subcomosa* (Dix.) J.-P. Frahm, a new name for *Bryohumbertia walkeri* (Mitt.) J.-P. Frahm. *Tropical Bryology* 1: 9-10.
- Frahm, J.-P. 1989.** The genus *Chorisodontium* (Musci, Dicranaceae) in the Neotropics. *Tropical Bryology* 1: 11-24.
- Gradstein, S.R., Florschütz-de Waard, J. 1989.** Results of a botanical expedition to Mount Roraima, Guayana. I. Bryophytes. *Tropical Bryology* 1: 25-54.
- Een, G. 1989.** Mosses from the Mascarenes - 3. *Tropical Bryology* 1: 55-62.
- Allen, B. 1989.** A preliminary treatment of the genus *Campylopus* (Musci:

Dicranaceae) in Central America. *Tropical Bryology* 1: 63-94.

Churchill, S.P. 1989. Nuevo Catalogo de los Musgos de Colombia. *Tropical Bryology* 1: 95ff.

Volume 2:

- Allen, B. 1990.** A Revision of the genus *Crossomitrium* (Musci: Hookeriaceae). *Tropical Bryology* 2:3-34.
- Buck, W.R. 1990.** Biogeography of the Greater Antillean Mosses. *Tropical Bryology* 2: 35-48.
- Delgadillo, C. 1990.** Advances in Mexican Bryology. *Tropical Bryology* 2: 49-52.
- De Luna, E. 1990.** Developmental Evidence of Acrocary in *Hedwigia ciliata* (Musci, Hedwigiaceae). *Tropical Bryology* 2: 53-60
- Enroth, J. 1990.** Altitudinal Zonation of Bryophytes on the Huon Peninsula, Papua New Guinea. *Tropical Bryology* 2: 61-90.
- Frahm, J.-P. 1990.** *Campylopus*, a modern and successful genus ?. *Tropical Bryology* 2: 91-102.
- Glime, J.M., P.S.Hudy & S. Hattori 1990.** Diversity and altitudinal niche

- width characteristics for 35 taxa of the Papua New Guinea *Frullania* flora with consideration of sibling pairs. *Tropical Bryology* 2: 103-116.
- Gradstein, S.R. , D. Montfoort & J.H.C. Cornelissen 1990.** Species richness and phytogeography of the bryophyte flora of the Guianas, with special reference to the lowland rainforest.. *Tropical Bryology* 2: 117-126.
- Griffin, S.R.1990.** Floristics of the south American Páramo mossflora. *Tropical Bryology* 2: 127-132.
- Hu, R.1990.** Distribution of bryophytes in China . *Tropical Bryology* 2: .133
- Iwatsuki, Z. 1990.** Origin of the New Caledonian bryophyte flora. *Tropical Bryology* 2: 139-148.
- Koponen, T. 1990.** Bryophyte flora of Western Melanesia. *Tropical Bryology* 2: 149-160
- Luo, J.-S. 1990.** A synopsis of chinese epiphyllous liverworts. *Tropical Bryology* 2: 161-166.
- Miller, H. & H.O.Whittier 1990.** Bryophyte floras of tropical pacific islands. *Tropical Bryology* 2: 167-176.
- Pócs, T. 1990.** The exploration of the East African bryoflora. *Tropical Bryology* 2: 177-192.
- Pursell, R. 1990.** *Fissidens* in the Neotropics. *Tropical Bryology* 2: 193-200.
- Redfearn, P. 1990.** Tropical component in the moss flora of China. *Tropical Bryology* 2: 201-222.
- Robinson, H. 1990.** A functional evolution of the Leucobryaceae. *Tropical Bryology* 2: 223-238.
- Schuster, R.M. 1990.** Origins of neotropical Leafy Hepaticae. *Tropical Bryology* 2: 239-264.
- Tan, B., Engel, J.J. 1990.** A preliminary study of the affinities of Philippine, Bornean and New Guinean Hepatics. *Tropical Bryology* 2: 265-272
- Thiers, B.M. 1990.** An overview of the Lejeuneaceae in Australia. *Tropical Bryology* 2: 273 ff.
- Volume 3, 1990**
- Frahm, J.-P. 1990.** The origin and distribution of Neotropical species of *Campylopus*. *Tropical Bryology* 3: 1-18.
- Ochyra, R. 1990.** *Gradsteinia andicola*, a remarkable aquatic moss from South America. *Tropical Bryology* 3: 19-28.
- Cornelissen, J.H.C. & Gradstein, S.R. 1990.** On the occurrence of bryophytes and macrolichens in different lowland rain forest types at Mabura Hill, Guyana. *Tropical Bryology* 3: 29-36.
- Bruggeman-Nannenga, M.A. 1990.** On the anatomy of the costa in *Fissidens*. *Tropical Bryology* 3: 37-44.
- Gradstein, S.R. 1990.** A Key to the New World species of holostipous Lejeuneaceae. *Tropical Bryology* 3: 45-58.
- Allen, B. H. 1990.** A preliminary treatment of the *Holomitrium* complex (Musci: Dicranaceae) in Central America. *Tropical Bryology* 3: 59-72.
- Touw, A. 1990.** Additional notes on *Neckeropsis*. 3. On the identity of *Thamnum quisumbingii* Veloira. *Tropical Bryology* 3: 73-74.
- Frahm, J.-P. & Gradstein, S.R. 1990.** Ecology of tropical bryophytes: a bibliography. *Tropical Bryology* 3: 75-77.
- Vitt, D.H. 1990.** *Desmotheca* (Orthotrichaceae): Gondwanan fragmentation and the origin of a Southeast Asian genus. *Tropical Bryology* 3: 78-88.
- Florschütz - de Waard, J. 1990.** A Catalogue of the Bryophytes of the Guianas. II. Musci. *Tropical Bryology* 3: 89 ff.
- Volume 4, 1991**
- Gradstein, S.R. 1991.** Diversity and distribution of Asian Lejeuneaceae subfamily Ptychanthoideae. *Tropical Bryology* 4: 1-16.
- But, P. P.-H. & Gao, C.-H. 1991.** Epiphyllous Hepaticae of Kowloon Peninsula (Hong Kong). *Tropical Bryology* 4: 17-22.

- Vital, D.H., Giancotti, C. & Pursell, R.A. 1991.** The Bryoflora of Fernando de Noronha, Brasil. *Tropical Bryology* 4: 23-24.
- Morales Z., M.I. 1991.** Las Hepaticas comunicadas para Costa Rica *Tropical Bryology* 4: 25-58.
- Frahm, J.-P. 1991.** Taxonomische Notizen zur Gattung *Campylopus* XV. *Tropical Bryology* 4: 59-62.
- Gradstein, S.R. & Yamada, K. 1991.** The Genus *Radula* (Hepaticae) in the Galapagos Islands. *Tropical Bryology* 4: 63-68.
- Pócs, T. & O'Shea, B.J. 1991.** Quick Reference List of Basic Literature to Identify Tropical African Bryophytes. *Tropical Bryology* 4: 69-854
- SalazarAllen, N. 1991.** A preliminary treatment of the Central American species of *Octoblepharum* (Musci, Calymperaceae). *Tropical Bryology* 4: 85 ff.
- Volume 5, 1992**
- Arrocha, C. 1992.** Musgos de Costa Rica: nuevos registros. *Tropical Bryology* 5: 1-4.
- Enroth, J. 1992.** Identity of *Porotrichum perplexans* (Neckeraceae, Musci) from China. *Tropical Bryology* 5: 56.
- Piippo, S. 1992.** On the asexual reproduction of *Plagiochila pluma* Steph. *Tropical Bryology* 5: 79.
- Thiers, B. 1992.** A Re-evaluation of *Cheilolejeunea* subgenus *Xenolejeunea*. *Tropical Bryology* 5: 10-22.
- Frahm, J.-P. 1992.** A Guide to Fieldstations in the Tropics III. Colombia. *Tropical Bryology* 5: 23-26.
- Wu, P. 1992.** The Mossflora of Xishuangbanna, Southern Yunnan, China. *Tropical Bryology* 5: 27-34.
- Lewis, M. 1992.** *Meteoridium* and *Zelometeorium* in Bolivia. *Tropical Bryology* 5: 35-54.
- Griffin III, D. 1992.** The distribution and synonyms of *Breutelia microdonta* (Mitt.) Broth. with additional notes on certain taxa of *Breutelia*. *Tropical Bryology* 5: 55-60.
- Gradstein, S.R. & Salazar Allen, N. 1992.** Bryophyte diversity along an altitudinal gradient in Darién National Park, Panama. *Tropical Bryology* 5: 61-74.
- Wolfe, J. & McQueen, C.B. 1992.** Biogeochemical Ecology of six Species of *Sphagnum* in Costa Rica. *Tropical Bryology* 5: 73-78.
- Sipman, H.J.M. & Aptroot, A. 1992.** Results of a botanical expedition to Mount Roraima, Guyana. II. Lichens. *Tropical Bryology* 5: 79-108.
- Florschütz - de Waard, J. 1992.** A Revision of the Genus *Potamium* (Musci: Sematophyllaceae). *Tropical Bryology* 5: 109 ff.
- Volume 6, 1992**
- Sipman, H.J.M. 1992.** Results of a lichenological and bryological exploration of Cerro Guaiquinima (Guayana Highland, Venezuela). *Tropical Bryology* 6: 1-34.
- Bello y Bello, B. 1992.** La colección briológica del Herbario Nacional de México (MEXU). *Tropical Bryology* 6: 35-38.
- Bourell, M. 1992.** A checklist of the bryophytes of Chiapas, Mexico. *Tropical Bryology* 6: 39-56.
- Cárdenas S., A. 1992.** Situación de la enseñanza de la briología en México. *Tropical Bryology* 6: 57-60.
- Delgadillo M., C. 1992.** El banco de datos de los musgos neotropicales. *Tropical Bryology* 6: 61-64.
- Pinheiro da Costa, D. 1992.** Morphology of *Metzgeria conjugata* Lindb. (Metzgeriales, Hepaticopsida). *Tropical Bryology* 6: 65-70.
- Durán D., A., Cisneros C., A.E. & Vargas V., A. 1992.** Evaluación briológica de los efectos de la contaminación atmosférica en la Ciudad de México. *Tropical Bryology* 6: 71-82.

- Gradstein, S.R. 1992.** Threatened bryophytes of the neotropical rain forest: a status report. *Tropical Bryology* 6: 83-94.
- Granzow-de la Cerda, I. 1992.** Análisis cladístico de la familia Anomodontaceae. *Tropical Bryology* 6: 95-104.
- Hoffmann, A. & Riverón, R. 1992.** Biorelaciones entre los musgos y su acarofauna en México. *Tropical Bryology* 6: 105-110.
- Ireland, R.R. 1992.** The moss genus *Isopterygium* (Hypnaceae) in Latin America. *Tropical Bryology* 6: 111-132.
- Morales Z., M.I. 1992.** La identidad de *Aphanolejeunea heterophylla* Schuster. *Tropical Bryology* 6: 133-138.
- Moreno, E.J. 1992.** Revisión histórica de la briología en Venezuela. *Tropical Bryology* 6: 139-146.
- Moreno, E.J. 1992.** Aproximación al conocimiento de las briofitas de Venezuela. *Tropical Bryology* 6: 147-156.
- Motito, A., Potrony, M.E. & Reyes M., D. 1992.** Estado actual y perspectivas futuras del estudio de los musgos cubanos. *Tropical Bryology* 6: 157-160.
- Moyá, M.T. 1992.** Phenological observations and sex ratios in *Marchantia chenopoda* L. (Hepaticae: Marchantiaceae). *Tropical Bryology* 6: 161-168.
- Mustelier, K. & Reyes M., D. 1992.** La familia Lejeuneaceae (Hepaticopsida) en Cuba. *Tropical Bryology* 6: 169-170.
- Salazar Allen, N. 1992.** Notas para la revisión de las especies de *Octoblepharum* del neotrópico. *Tropical Bryology* 6: 171-180.
- Sastre-De Jesús, I. 1992.** Estudios preliminares sobre comunidades de briofitas en troncos en descomposición en el bosque subtropical lluvioso de Puerto Rico. *Tropical Bryology* 6: 181-192.
- Spjut, R.W., Kingston, D.G.I. & Cassady, J.M. 1992.** Systematic screening of bryophytes for antitumor agents. *Tropical Bryology* 6: 193-202.
- Reyes M., D. 1992.** Acerca de la flora briológica de Cuba. *Tropical Bryology* 6: 203 ff.
- Volume 7, 1993**
- Hicks, M.L.** A new species of *Cronisia* Berkeley (Corsiaceae) from Mexico. *Tropical Bryology* 7: 1-6.
- Delgadillo M., C.** The Antillean Arc and the distribution of neotropical mosses. *Tropical Bryology* 7: 7-12.
- Reiner-Drehwald, M.E.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina I. Las especies holostipas. *Tropical Bryology* 7: 13-46.
- Een, G.** Mosses from the Mascarenes - 4. *Tropical Bryology* 7: 47-54.
- Ahti, T., Stenroos, S., Xavier Filho, L.** The lichen family Cladoniaceae in Paraíba, Pernambuco and Sergipe, Northeast Brazil. *Tropical Bryology* 7: 55-70.
- Lumbsch, H.T., Elix, J.A.** Notes on the circumscription of the lichens *Lecanora leprosa* and *L. sulphurescens* (Lecanoraceae, lichenised Ascomycotina). *Tropical Bryology* 7: 71-76.
- Gradstein, S.R.** A decade of neotropical exsiccates. *Tropical Bryology* 7: 77-86.
- Galloway, D.J.** Nomenclatural notes on *Pseudocyphellaria* V: Some Brazilian taxa. *Tropical Bryology* 7: 87-92.
- Farkas, E.E. & Sipman, H.J.M.** Bibliography and checklist of foliicolous lichenized fungi up to 1992. *Tropical Bryology* 7: 93-148.
- Goffinet, B.** Taxonomic and floristic notes on neotropical Macromitrioideae (Orthotrichaceae). *Tropical Bryology* 7: 149ff.
- Volume 8, 1993**
- Frahm, J.-P. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 1. Introduction. *Tropical Bryology* 8: 1-4.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 2. History of Bryological Exploration of Zaire and Rwanda. *Tropical Bryology* 8: 5-12.

- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 3. Description of Collecting Sites. The Vegetation of Kahuzi-Biega-National Park/Zaire, Nyungwe Forest and Virunga volcanoes/Rwanda. *Tropical Bryology* 8: 13-38.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 4. A preliminary check-list of the Hepaticae and Anthocerotae from Central Africa (Zaire, Rwanda, Burundi). *Tropical Bryology* 8: 39-50.
- Hasegawa, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 5. Anthocerotae. *Tropical Bryology* 8: 51-52.
- Bischler-Causse, H. & Long, D.G. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 6. Aytoniaceae, Marchantiaceae. *Tropical Bryology* 8: 53-54.
- Perold, S.M. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 7. Ricciaceae. *Tropical Bryology* 8: 55-68.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 8. *Riccia vulcanicola* E. Fischer (subgenus *Ricciella*, sectio *Cavernosae*), a new species from the Virunga volcanoes, Rwanda. *Tropical Bryology* 8: 69-74.
- Grolle, R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 9. Pallaviciniaceae, Haplomitriaceae. *Tropical Bryology* 8: 75-82.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 10. Trichocoleaceae, Geocalycaceae, Acrobolbaceae, Balantiopsidaceae, Lepidoziaceae (Teleranea, Arachniopsis), Calypogeiaceae, Adelanthaceae, Porellaceae, Jubulaceae, Marchantiaceae (Dumortiera), Polytrichaceae. *Tropical Bryology* 8: 83-98.
- Vana, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 11. Cephaloziaceae, Cephaloziellaceae, Gymnomitriaceae, Jungermanniaceae, Lophoziaceae. *Tropical Bryology* 8: 99-104.
- Pócs, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 12. Metzgeriaceae, Plagiochilaceae, Lejeuneaceae (the non-epiphyllous collections). *Tropical Bryology* 8: 105-126.
- Yamada, K. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 13. Radulaceae. *Tropical Bryology* 8: 127-130.
- Eddy, A. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 14. Sphagnaceae. *Tropical Bryology* 8: 131-140.
- Bruggeman-Nannenga, M.A. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 15. Fissidentaceae. *Tropical Bryology* 8: 141-148.
- Salazar Allen, N. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 16. Leucophanaceae. *Tropical Bryology* 8: 149-152.
- Frahm, J.-P. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 17. Andreaeaceae, Bruchiaceae, Dicranaceae, Rhizogoniaceae, Bartramiaceae, Rhacocarpaceae, Hedwigiaceae, Cryphaeaceae, Leucodontaceae. *Tropical Bryology* 8: 153-170.
- Orbán, S. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 18. Calymperaceae. *Tropical Bryology* 8: 171-174.
- Sollman, Ph. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda. 19. Pottiaceae. *Tropical Bryology* 8: 175-180.
- Ochyra, R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 20. Grimmiaceae, Funariaceae, Bartramiaceae (Philonotis), Amblystegiaceae, Plagiotheciaceae p.pt. *Tropical Bryology* 8: 181-188.

- Koponen, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 21. Mniaceae. Tropical Bryology 8: 189-190.
- Lewinsky, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 22. Orthotrichum. Tropical Bryology 8: 191-192.
- Enroth, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 23. Neckeraceae, Pterobyaceae, Hypopterygiaceae. Tropical Bryology 8: 193-198.
- Buck, W.R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 24. Leskeaceae, Brachytheciaceae, Stereophyllaceae, Plagiotheciaceae, Entodontaceae, Sematophyllaceae, Hypnaceae (except Hypnum). Tropical Bryology 8: 199-218.
- Ando, H. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 25. Hypnum. Tropical Bryology 8: 219-222.
- Born, S., Frahm, J.-P. & Pócs, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 26. A new checklist of the mosses of Central Africa. Tropical Bryology 8: 223-274.
- Stenroos, S., Smith, C.W. 1993.** Notes on the amphipacific relations of Hawaiian Cladoniaceae. Tropical Bryology 8: 275-280.
- Sipman, H.J.M. 1993.** Lichens from Mount Kinabalu. Tropical Bryology 8: 281 ff.
- Volume 9, 1994**
- Churchill, S.P. 1994.** New Synonyms and deletions for the Moss Floras of Colombia and Ecuador. Tropical Bryology 9: 1-4.
- Reiner-Drehwald, M.E. 1994.** El género *Radula* Dum. (Radulaceae, Hepaticae) en el Noreste de Argentina.. Tropical Bryology 9: 5-22.
- Enroth, J. 1994.** Notes on the Neckeraceae (Musci). 19. The identity of *Porothamnium ceylonense*. Tropical Bryology 9: 23-24.
- Enroth, J. 1994.** Additions to the moss floras of Solomon Islands and several countries of tropical Asia. Tropical Bryology 9: 25-30.
- Gradstein, S.R., Vana, J. 1994.** A boreal bryophyte community in a tropical montane forest of Mexico. Tropical Bryology 9: 31-34.
- Li, Z.-H., Piippo, S. 1994.** Preliminary list of bryophytes of Heishiding Nature Reserve, Guangdong Province. Tropical Bryology 9: 35-42.
- Piippo, S. 1994.** On the bryogeography of Western Melanesian Lejeuneaceae, with comments on their epiphyllous occurrence. Tropical Bryology 9: 43-58.
- Frahm, J.-P., Porembski, S. 1994.** Moose von Inselbergen aus Westafrika.. Tropical Bryology 9: 59-68.
- Vital, D.M., Visnadi, S.R. 1994.** Bryophytes of Rio Branco Municipality, Acre, Brazil.. Tropical Bryology 9: 69-74.
- Sollman, P. 1994.** New and noteworthy records and new synonyms in pottiaceous mosses, mostly from SE-Asia. Tropical Bryology 9: 75-78.
- Reiner-Drehwald, M.E. 1994.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina II. *Cololejeunea*. Tropical Bryology 9: 79-88.
- Frahm, J.-P. 1994.** A contribution to the bryoflora of the Chocó region, Colombia. I. Mosses. Tropical Bryology 9: 89-110.
- Newton, A.E., Robinson, H. 1994.** The structure of the leaf and peristome of *Holomitriopsis laevifolia* (Broth.) H. Robins. illustrated with scanning electron microscopy. Tropical Bryology 9: 111-116.
- Streimann, H. 1994.** Conservation Status of Bryophytes in Eastern Australia. Tropical Bryology 9: 117-122.
- Pócs, T. 1994.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 27. Lepidoziaceae II.. Tropical Bryology 9: 123-130.
- Pócs, T. 1994.** Taxonomic Results of the

- BRYOTROP Expedition to Zaire and Rwanda 28. Lejeuneaceae, a ramicolous collection. *Tropical Bryology* 9: 131-136.
- Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 1. The ecology of epiphytic bryophytes on Mt. Kahuzi (Zaire). *Tropical Bryology* 9: 137-152.
- Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 2. The altitudinal zonation of the bryophytes on Mt. Kahuzi, Zaire. *Tropical Bryology* 9: 153-168.
- Lösch, R., Mülders, P., Fischer, E., Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 3. Photosynthetic gas exchange of bryophytes from tropical lowland and mountain forests of eastern Central Africa. *Tropical Bryology* 9: 169-186.
- Marcano, V., Morales Méndez, A. 1994.** El Grupo de *Ramalina cochlearis* Zahlbr. con especial referencia al trópico Americano. *Tropical Bryology* 9: 187-200.
- Morales Méndez, A., Marcano, V. 1994.** *Ramalina subfraxinea* Nyl. var. *confirmata* (Nyl.) N. Stevens (Ascomycete liquenizado, Ramalinaceae) en America. *Tropical Bryology* 9: 201ff.
- Volume 10, 1995**
- Delgadillo M., C. 1995.** Neotropical moss floras: Species common to North and South America. *Tropical Bryology* 10: 1-6.
- So, S.Y., So, M.L. 1995.** Mosses New to Hong Kong (I). *Tropical Bryology* 10: 7-10.
- So, M.L. & Yip, K.L. 1995.** Mosses New to Hong Kong (II). *Tropical Bryology* 10: 11-14.
- So, M.L. & Yip, K.L. 1995.** Mosses New to Hong Kong (III). *Tropical Bryology* 10: 15-20.
- Reiner-Drehwald, M.E. 1995.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. III. *Drepanolejeunea y Leptolejeunea*. *Tropical Bryology* 10:21-28.
- Reiner-Drehwald, M.E. 1995.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. IV. *Aphanolejeunea*. *Tropical Bryology* 10: 29-40.
- Chuah-Petiot, M.S. 1995.** Data to the bryoflora of Mount Kenya, Kenya. *Tropical Bryology* 10: 41-54.
- Tan, B.C., Lin, P. 1995.** Three new and remarkable species of mosses from China and the Philippines. *Tropical Bryology* 10: 55-64.
- Redfearn, P.L., Tan, B.C. 1995.** New Combinations for the Moss Flora of China. *Tropical Bryology* 10: 65-68.
- Visnadi, S. R., Vital, D.M. 1995.** Bryophytes from restinga in Setiba State Park, Espirito Santo State, Brazil. *Tropical Bryology* 10: 69-74.
- Morales, M.I., Gradstein, S.R. 1995.** *Diplasiolejeunea involuta* Winkler, una especie poco conocida. *Tropical Bryology* 10: 75-80.
- Müller, F. 1995.** Neue und bemerkenswerte Moosfunde aus Zaire. *Tropical Bryology* 10: 81-90.
- O'Shea, B. 1995.** Checklist of the mosses of sub-Saharan Africa. *Tropical Bryology* 10: 91-198.
- Touw, A. 1995.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda. 29. Thuidiaceae, *Thuidium*. *Tropical Bryology* 10:199-200.
- Honda, N.K., Devincenzi, I.A.A., Xavier Filho, L. 1995.** Secalonic Acid A from *Pseudoparmelia sphaerospora* (Nyl.) Hale and *P. hypomilta* (Fée) Hale (Parmeliaceae). *Tropical Bryology* 10: 201-204.
- Makhija, U., Patwardhan, P.G. 1995.** Nomenclatural notes on some species of *Arthothelium* (Lichenized Ascomycotina). *Tropical Bryology* 10: 205-214.
- Marcano, V., Morales Mendez, A., Mohali, S., Galiz, L., Palacios-Prü, E.** El genero *Coccocarpia* (Ascomicetes liquenizados) en Venezuela. *Tropical Bryology* 10: 215 ff.

Volume 11, 1995

So, M.L. 1995. Mosses new to Hong Kong (IV). *Tropical Bryology* 11: 1-4.

Monge-Najera, J. & Blanco, M.A. 1995. The influence of leaf characteristics on epiphyllic cover: a test of hypotheses with artificial leaves. *Tropical Bryology* 11: 5-10.

Tixier, P. 1995. Résultats taxonomiques de l'expédition BRYOTROP au Zaïre et Rwanda. 30. Bryophytes épiphyllies (récoltes de E. Fischer). *Tropical Bryology* 11: 11-76.

Kürschner, H. 1995. Wissenschaftliche Ergebnisse der BRYOTROP-Expedition nach Zaïre und Rwanda. 5. Höhengliederung epiphytischer Moose im östlichen Kongobecken und den angrenzenden Gebirgsstöcken (Parc National de Kahuzi-Biega/Zaïre, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 77-86.

Kürschner, H., Seifert U.H. 1995. Wissenschaftliche Ergebnisse der BRYOTROP-Expedition nach Zaïre und Rwanda. 6. Lebensformen und Adaptationen zur Wasserleitung und Wasserspeicherung in epiphytischen Moosgesellschaften im östlichen Kongobecken und den angrenzenden Gebirgsstöcken (Parc National de Kahuzi-Biega/Zaïre, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 87-118.

McQueen, C.B. 1995. Niche Breadth and Overlap of *Sphagnum* Species in Costa Rica. *Tropical Bryology* 11: 119-128.

Frey, W., Kürschner, H., Seifert, U.H. 1995. Scientific results of the BRYOTROP expedition to Zaïre and Rwanda. 7. Life strategies of epiphytic bryophytes from tropical lowland and montane forests, ericaceous woodlands and the *Dendrosenecio* subpáramo of the eastern Congo basin and the adjacent mountains (Parc National de Kahuzi-Biega/Zaïre, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 129-150.

Ramsay, H.P., Streimann, H., Vitt, D.H. 1995. Cytological Studies on mosses from Papua New Guinea. 1. Introduction and the family Orthotrichaceae. *Tropical Bryology* 11: 151-160.

Elix, J.A., Nash III, T.H. 1995. New Species of Parmeliaceae (lichenized Ascomycotina) from South America. *Tropical Bryology* 11: 161-168.

Vol. 12, 1996

Sollman, Ph., Een, G. 1996. Mosses from the Mascarenes - 5. *Tropical Bryology* 12: 1-4

So, M.L., Zhu, R.L. 1996. Studies on Hong Kong *Cheilolejeunea* with two species new to China. *Tropical Bryology* 12: 5-10.

So, M.L., Zhu, R.L. 1996. Studies on Hong Kong Hepatics II. Notes on Some newly Recorded Liverworts from Hong Kong. *Tropical Bryology* 12: 11-20.

Rangel Germano, S., Cavalcanti Porto, K. 1996. Floristic Survey of Epixylic Bryophytes of an Area Remnant of the Atlantic Forest (Timbaúba -PE, Brazil). 1. Hepaticopsida (except Lejeuneaceae) and Bryopsida. *Tropical Bryology* 12: 21-28.

Seaward, M.R.D. 1996. Bryophytes and Lichens of Aldabra. *Tropical Bryology* 12: 29-34.

Kis, G. 1996. Taxonomic Results of the BRYOTROP-Expedition to Zaïre and Rwanda 31. The Andean *Daltonia limbata* Borth. in Herz. in Africa. *Tropical Bryology* 12: 35-40.

Heras Pérez, P., Infante Sánchez, M. 1996. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). I. Introduction and preliminary checklist. *Tropical Bryology* 12: 41-58.

Chuah-Petiot, M.S. 1996. Taxonomic results of the BRYOTROP Expedition to Zaïre and Rwanda. 32. Bryaceae. *Tropical Bryology* 12: 59-62.

Chuah-Petiot, M.S. 1996. Bryophytes from Saiwa Swamp National Park, Kenya. *Tropical Bryology* 12: 63-74.

- Müller, F. 1996.** Beitrag zur Moosflora der Insel Bioko (=Fernando Po), Aequatorial Guinea. *Tropical Bryology* 12: 75-98.
- Frahm, J.-P., H. Börner, N. Streiber, B. Wal-lau, S. Weitkus 1996.** Revision der Gattung *Conostomum* (Musci, Bartramiaceae). *Tropical Bryology* 12: 97-114.
- Kuc, M.** The Discovery of a Second Locality in Peru for *Pleuridium andinum* Herz. (Ditrichaceae, Musci). *Tropical Bryology* 12: 115-118.
- Koponen, T., Buck, W.R. 1996.** On the variation of the leaf border in *Rhizomnium* (Cinclidiaceae). *Tropical Bryology* 12:119-122.
- Frahm, J.-P., A. Lindlar, P. Sollman, E. Fischer 1996.** Bryophytes from the Cape Verde Islands. *Tropical Bryology* 12: 123-154.
- Frahm, J.-P. 1996.** Lektotypification von *Rhacocarpus purpurascens* (Brid.) C. Müll. *Tropical Bryology* 12: 155.
- Akiyama, H. 1996.** Taxonomic studies of mosses of Seram and Ambon (Moluccas, East Malesia) collected by Indonesian-Japanese Botanical Expeditions, IX. Pottiaceae. *Tropical Bryology* 12: 157-168.
- O'Shea, B.J., Frahm, J.-P., S. Porembski 1996.** Die Laubmoosflora der Seychellen. *Tropical Bryology* 12: 169-192.
- Marcano, V., Morales Méndez, A., Sipman, H., Calderon, L. 1996.** A first checklist of the lichen-forming fungi of the Venezuelan Andes. *Tropical Bryology* 12: 193-236.
- Vol. 13, 1997**
- Pócs, T. 1997.** New or little known epiphyllous liverworts, VI. *Papillolejeunea* gen. nov. from Papua New Guinea. *Tropical Bryology* 13: 1-18.
- Schiavone, M.M. 1997.** Sobre la presencia de *Pyrrhobryum spiniforme* (Rhizogoniaceae) en el noroeste de Argentina. *Tropical Bryology* 13: 19-20.
- Een, G. 1997.** Mosses from the Mascarenes - 6. *Tropical Bryology* 13: 21-34.
- Dilg, C., Frahm, J.-P. 1997.** Untersuchungen zur Flora der epiphytischen Moose der südlichen Drakensberge (Südafrika). *Tropical Bryology* 13: 35-46.
- Marcano, V., Galiz, L., Mohali, S., Morales Méndez, A., Palacios-Prü, E. 1997.** Revision del genero *Leprocaulon* Nyl. ex Lamy (Lichenes Imperfecti) en Venezuela. *Tropical Bryology* 13: 47-56.
- Chuah-Petiot, M.S. 1997.** Contributions toward a Bryoflora of the Aberdare Range, Kenya. *Tropical Bryology* 13: 57-64.
- McQueen, C.B. 1997.** Niche Diversification of *Sphagnum* in Bolivia. *Tropical Bryology* 13: 65-74.
- O'Shea, B.J. 1997.** The mosses of sub-Saharan-Africa 2. Endemism and biodiversity. *Tropical Bryology* 13: 75-86.
- Lücking, R. 1997.** Estado actual de las investigaciones sobre líquenes foliícolas en la región Neotropical, con un análisis biogeográfico preliminar. *Tropical Bryology* 13:87-114.
- Mohali, S., Marcano, V., Palacios-Prü, E. 1997.** La microscopia electronica aplicada al estudio de los líquenes en Venezuela. *Tropical Bryology* 13: 115-124.
- O'Shea, B.J. 1997.** A revision of *Acanthorrhynchium* (Sematophyllaceae) in Africa. *Tropical Bryology* 13: 125-130.
- Infante, M., Heras, P., Buck, W.R. 1997.** Bryophytes from the Republic of Equatorial Guinea (West-Central Africa) II. Bryophytes collected by Emilio Guinea (1907-1985) in the Island of Bioco in 1947. *Tropical Bryology* 13: 131-136.
- Hastings, R.I. 1997.** *Grimmia pseudo-anodon* new to Bolivia. *Tropical Bryology* 13:137-140.
- Lücking, R. 1997.** Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The genus *Fellhanera*, with notes on *Bacidia pauciseptata*. *Tropical Bryology* 13: 141-174.
- O'Shea, B.J., Eggers, J., Pursell, R.A.,**

Sollman, P., Stevenson, C.R. 1997. New bryophyte taxon records for tropical countries I. *Tropical Bryology* 13: 175-174.

Vol. 14, 1998

Redfearn, P.L. 1998. *Trachyphyllum carinatum* new to China. *Tropical Bryology* 14: 1-2.

Frahm, J.-P., Porembski, S. 1998. Moose von Inselbergen in Benin. *Tropical Bryology* 14: 3-10.

Matteri, C.M., Schiavone, M.M. 1998. Sobre el género *Streptopogon* (Pottiaceae, Musci) en Argentina subtropical. *Tropical Bryology* 14: 11-20.

Sollman, P. 1998. Several mosses (Pottiaceae) new or rarely collected in Africa. *Tropical Bryology* 14: 21-24.

Apptroot, A. 1998. New lichens and lichen records from Papua New Guinea, with the description of *Crustospathula*, a new genus in the Bacidiaceae. *Tropical Bryology* 14: 25-35.

Reyes-Colón, C.M., Sastre-DJ, I. 1998. Bryophytes of Mona Island Natural Reserve, Puerto Rico. *Tropical Bryology* 14: 35-42.

Arts, T., Sollman, P. 1998. A contribution to the moss flora of Ecuador. *Tropical Bryology* 14: 43-52.

Reiner-Drehwald, M.E. 1998. Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. V. *Cheilolejeunea* y *Lepidolejeunea*. *Tropical Bryology* 14: 53-58.

Passos Bastos, C.D., Albertos, B., Vilas Bôas, S.B. 1998. Bryophytes from some Caatinga areas in the state of Bahia (Brazil). *Tropical Bryology* 14: 69-76.

León Vargas, Y. 1998. *Cryphaea hortonae*, a new species of mosses from Bolivia. *Tropical Bryology* 14: 77-80.

Eggers, J., Frahm, J.-P., Pursell, R.A. 1998. New bryophyte taxon records for tropical countries II. *Tropical Bryology* 14: 81-84.

Etayo, J. 1998. Aportación a la flora líquénica de las Islas Canarias. IV. Liqueues

epifitos de La Gomera (Islas Canarias). *Tropical Bryology* 14: 85-108.

Frahm, J.-P., Kunert, V., Franzen, I., Hoang, D.-T., Willmeroth, M. 1998. Revision der Gattung *Dichodontium* (Musci, Dicranaceae). *Tropical Bryology* 14: 109-118.

Frahm, J.-P., Buchbender, V., Lachmann, V., Reifenrath, K., Werner, F. 1998. Revision der Gattung *Oncophorus* (Musci, Dicranaceae). *Tropical Bryology* 14: 119-132.

Morales, M.I., Dauphin, G. 1998. A new species of *Cololejeunea* (Lejeuneaceae: Cololejeuneoideae) from Panama. *Tropical Bryology* 14: 133 ff.

Vol. 15, 1998

Infante Sánchez, M., Heras Pérez, P. 1998. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). III. Contribution to the bryoflora of Rio Muni (Continental Region). *Tropical Bryology* 15: 1-14.

Passos Bastos, C.J., Stradmann, M.T.S., Vilas Bôas-Bastos, S. 1998. Additional Contribution to the bryophyte flora of Chapada Diamantina National Park, State of Bahia, Brazil. *Tropical Bryology* 15: 15-20.

Ninh, T. 1998. Three Mosses New to Vietnam. *Tropical Bryology* 15: 21-22.

Li, X.-J., Zhang, D.-C. 1998. Three new synonyms of *Pohlia* (Bryaceae) from China. *Tropical Bryology* 15: 23-28.

Müller, U., Frahm, J.-P. 1998. Diversität epiphytischer Moose eines westandinen Bergregenwaldes in Ecuador. *Tropical Bryology* 15: 29-44.

Lücking, R. 1998. Follicolous lichens and their lichenicolous fungi collected during the Smithsonian International Cryptogamic Expedition to Guyana 1996. *Tropical Bryology* 15: 45-74.

O'Shea, B.J. 1998. Notes on Seychelles mosses. 3-4. A revision of *Papillidiopsis* (Broth.) Buck & Tan, *Rhaphidostichum* Fleisch.

- and *Warburgiella* Müll. Hal. ex Broth. (Sematophyllaceae, Bryopsida) in Africa. *Tropical Bryology* 15: 75-88.
- Townsend, C., Allen, B. 1998.** A Checklist of the Mosses of Belize. *Tropical Bryology* 15: 89-100.
- Vilas Bôas-Bastos, S.B., Passos Bastos C.J. 1998.** Briófitas de uma área de Cerrado no município de Alagoinhas, Bahia, Brazil. *Tropical Bryology* 15: 101-110.
- Passos Bastos, C.J., Vilas Bôas-Bastos, S.B. 1998.** Adições à brioflora (Bryopsida) do Estado da Bahia, Brasil. *Tropical Bryology* 15: 111-116.
- Galloway, D.J. 1998.** Studies on the lichen genus *Sticta* (Schreber) Ach.: V. Australian species. *Tropical Bryology* 15: 117-160.
- Kuc, M. 1998.** A Supplement to the Moss Flora of Paraguay. *Tropical Bryology* 15: 161-166.
- Stotler, R., Salazar Allen, N., Gradstein, S.R., McGuinness, W., Whittemore, A., Chung, C. 1998.** A Checklist of the Hepatics and Anthocerotales of Panama. *Tropical Bryology* 15: 167 ff.
- Vol. 16, 1999**
- Een, G., Thinggaard, K. 1999.** Mosses from the Mascarenes - 7. A small collection from Rodrigues. *Tropical Bryology* 16: 3-10.
- Yano-Melo, A.M., Vicente, C., Xavier-Filho, L. 1999.** Influence of *Cladonia substellata* Vainio extracts and usnic acid on germination and growth of *Allium cepa* L. seedlings. *Tropical Bryology* 16: 11-16.
- Frahm, J.-P. 1999.** A type catalogue of Campyloporoideae and Paraleucobryoideae (Musci, Dicranaceae), Part II, *Campylopus*. *Tropical Bryology* 16: 17-102.
- Elshafie, A.E., Sipman, H.J.M. 1999.** Mediterranean lichens in the tropics: lichens of the mist oasis of Erkwit, Sudan. *Tropical Bryology* 16: 103-108.
- Cárdenas S., A. 1999.** Los Musgos Pleurocárpicos del Valle de México, México. *Tropical Bryology* 16: 109-116.
- Bernecker-Lücking, A. 1999.** Key to Latin American species of *Bazzania* S.F. Gray. *Tropical Bryology* 16: 117-126.
- Heras Pérez, P., Infante Sánchez, M. 1999.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). IV. Notes on some *nomina nuda* from Annobon. *Tropical Bryology* 16: 127-130.
- Müller, F. 1999.** Contribution to the bryoflora and bryogeography of St. Helena (South Atlantic Ocean). *Tropical Bryology* 16: 131-138.
- Mattila, P., Koponen T. 1999.** Diversity of bryophyte flora and vegetation on rotten wood in rain and montane forests of northeastern Tanzania. *Tropical Bryology* 16: 139-164.
- Wigginton, M.J., Porley, R.D., Hodgetts, N.G. 1999.** Bryophytes of Uganda. 1. BBS Tropical Bryology Group expeditions, 1996-1998. Introduction and collection sites. *Tropical Bryology* 16: 165-178.
- Porley, R.D., O'Shea, B.J., Wigginton, M.J., Matcham, H.W., Hodgetts, N.G., Stevenson, C.R. 1999.** Bryophytes of Uganda. 2. New and interesting records. *Tropical Bryology* 16: 179-194.
- Müller, F., Schäfer-Verwimp, A. 1999.** New bryophyte taxon records for tropical countries III. *Tropical Bryology* 16: 195-202.
- O'Shea, B.J. 1999.** Bryophytes of Uganda. 3. *Phyllodon truncatulus* (Müll. Hal.) Buck is replaced in Africa by *Phyllodon truncatus* (Welw. & Duby) Buck (Hypnaceae, Bryopsida). *Tropical Bryology* 16: 203-204.
- Fischer, E. 1999.** A new species of *Colura* (Lejeuneaceae) from the Aberdare Mountains/Kenya. *Tropical Bryology* 16: 205 ff.
- Vol. 17, 1999**
- Lara, F., Mazimpaka, V., Garilleti, R. 1999.** Some interesting *Orthotrichum* records

- from Venezuela. *Tropical Bryology* 17: 1-8.
- Infante, M., Heras, P., Pócs, T. 1999.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). V. *Diplasiolejeunea congoensis* sp. nov. *Tropical Bryology* 17: 9-12.
- Infante, M., Heras, P., Pócs, T. 1999.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). VI. *Cololejeunea iradieri* sp. nov., *Cololejeunea magna* stat. nov. and their relations to similar species. *Tropical Bryology* 17: 13-18.
- Frahm, J.-P. 1999.** Taxonomische Notizen zur Gattung *Campylopus* XVIII. *Tropical Bryology* 17: 19-20.
- Sollman, P. 1999.** *Dichodontium opacifolium* Dix. in Christ. and *Dichodontium brasiliense* Broth. are both identical with *Chrysoblastella chilensis* (Mont.) Reim. *Tropical Bryology* 17: 21-22.
- Pócs, T., Arnstein Lye, K. 1999.** New records and additions to the hepatic flora of Uganda 2. *Tropical Bryology* 17: 23-34.
- Een, G., Kristoferson, L. 1999.** A small collection of bryophytes from the Seychelles. *Tropical Bryology* 17: 35-38.
- Porto, K.C., Gradstein, S.R., Yano, O., Germano, S.R., Pinheiro da Costa, D. 1999.** New and interesting records of Brazilian bryophytes. *Tropical Bryology* 17: 39-46.
- Makhija, U., Adawadkar, B., Patwardhan, P.G. 1999.** The lichen genus *Coccocarpia* from the Andaman and Nikobar Islands, India. *Tropical Bryology* 17: 47-56.
- Aptroot, A., Seaward, M.R.D. 1999.** Annotated checklist of Hongkong Lichens. *Tropical Bryology* 17: 57-102.
- von Konrat, M.J., Braggins, J.E. 1999.** The epiphyllous habitat in the hepatic genus *Frullania*. *Tropical Bryology* 17: 103-114.
- Schumacker, R., Vana, J. 1999.** Two new liverworts for Europe in Macaronesia: *Odontoschisma prostratum* (Sw.) Trevis. on the Azores and *Jungermannia callithrix* Lindenb. & Gottsche on the Azores and Madeira. *Tropical Bryology* 17: 115-128.
- Olson, S.L. 1999.** Muscis Hawaiiensis Mantissae I: Two weedy species of *Bryum* new to the archipelago. *Tropical Bryology* 17: 129-130.
- Olson, S.L. 1999.** Muscis Hawaiiensis Mantissae II: *Neckeropsis obtusata* (Mont.) Fleisch. restored to the flora of the archipelago. *Tropical Bryology* 17: 131-132.
- Yano-Melo, A.M., Vicente, C., Xavier-Filho, L. 1999.** Allelopathic effect of the *Cladonia verticillata* lichen extracts and fumarproto-cetraric acid on the early growth of germinated seedlings in *Allium cepa* L. *Tropical Bryology* 17: 133-140.
- León-Vargas, Y. 1999.** El género *Cryphaea* Mohr (Musci) en los Andes tropicales. *Tropical Bryology* 17: 141 ff.
- Vol. 18, 2000**
- Passos Bastos, C.D., Vilas Bôas-Bastos, S.B. 2000.** Some New Additions to the Hepatic Flora (Jungermanniophyta) for the State of Bahia, Brazil. *Tropical Bryology* 18: 1-12.
- O'Brien, T.J. 2000.** A new synonym in *Leptotheca* Schwaegr. (Musci; Rhizogoniaceae). *Tropical Bryology* 18: 13-14.
- Cao, T., Zhang, Y., Yu, J. 2000.** Current Chinese Bryological Literature (IV). *Tropical Bryology* 18: 15-26.
- Tan, B.C., Lubos, L., Schwarz, U. 2000.** New and Biogeographically Noteworthy Records of Philippine Mosses from Mindanao Island. *Tropical Bryology* 18: 27-38.
- Kuc, M. 2000.** Altitudinal additamenta to the uppermost ranges of mosses in Ecuador. *Tropical Bryology* 18: 39-48.
- Kuc, M. 2000.** Adaptations of lowland jungle mosses to anthropogenic environments in Guayana. *Tropical Bryology* 18: 49-54.

- Kuc, M. 2000.** The distribution of *Hemiragus aurea* (Brid.) Ren. & Card. (Hookeriaceae, Musci) and related notes of interest. *Tropical Bryology* 18: 55-64.
- Vilas Bôas-Bastos, S.B., Passos Bastos, C.J. 2000.** New Occurrences of Pleurocarpous Mosses for the state of Bahia, Brazil. *Tropical Bryology* 18: 65-74.
- Stech, M., Frahm, J.-P. 2000.** The systematic position of *Gradsteinia andicola* Ochyra (Donrichardsiaceae, Bryopsida): evidence from nrDNA internal transcribed spacer sequences. *Tropical Bryology* 18: 75-84.
- Een, G. 2000.** Bryophytes collected in Mauritius by Gunnar Erdtman. *Tropical Bryology* 18: 87-90.
- Müller, F. 2000.** Additions to the bryophyte flora of Réunion (East African Islands). *Tropical Bryology* 18: 91-96.
- O'Shea, B.J. 2000.** Notes on Seychelles mosses. 6. A generic revision of *Clastobryophilum* M. Fleisch. (Sematophyllaceae, Bryopsida). *Tropical Bryology* 18: 97-106.
- Cavalcanti Pôrto, K., Rangel Germano, S., Mota de Oliveira, S. 2000.** New records of bryophytes for Pernambuco State, Brazil. *Tropical Bryology* 18: 107-114.
- Frahm, J.-P. 2000.** New combinations in the genera *Atractylocarpus* and *Metzleria*. *Tropical Bryology* 18: 115-118.
- O'Shea, B.J., Ochyra, R.** Families and genera of mosses no longer believed to occur in sub-Saharan Africa. *Tropical Bryology* 18: 119-128.
- Sollman, P. 2000.** A taxonomic revision of *Pseudosymblypharis* Broth. (Musci: Pottiaceae) in Asia. *Tropical Bryology* 18: 129-146.
- Ochyra, R., Kempa, R., Buck, W.R. 2000.** *Plagiothecium lucidum* (Hook. f. & Wils.) Paris in tropical Africa. *Tropical Bryology* 18: 147-152.
- Ochyra, R., Bednarek-Ochyra, H., Arts, T., Lewis Smith, R.I.** Occurrence of the neotropical moss *Dicranella hilariana* (Mont.) Mitt. in the Antarctic. *Tropical Bryology* 18: 153-160.
- Frahm, J.-P., Ahmed, J., Hagen, M., Peles, M. 2000.** Revision der Gattung *Rhabdoweisia* (Musci, Dicranaceae). *Tropical Bryology* 18: 161-172.
- Frahm, J.-P., Klöcker, T., Schmidt, R., Schöter, C. 2000.** Revision der Gattung *Amphidium* (Musci, Dicranaceae). *Tropical Bryology* 18: 173-184.
- Seaward, M.R.D., Aptroot, A. 2000.** The lichen flora of the Chagos Archipelago, including a comparison with other island and coastal tropical floras. *Tropical Bryology* 18: 185-198.
- Müller, F., Wigginton, M.J., O'Shea, B.J. 2000.** New bryophyte taxon records for tropical countries IV. *Tropical Bryology* 18: 199-202.
- Marcano, V., Palacios-Prü, E., Morales, A. 2000.** *Pseudohepatica duidensis*, a new lichen from the venezuelan Amazonas. *Tropical Bryology* 18: 203 ff.
- Vol. 19, 2000**
- Dilg, C., Frahm, J.-P. 2000.** Ein Beitrag zur Moosflora von Benin. *Tropical Bryology* 19: 1-6
- O'Shea, B.J. 2000.** Notes on Seychelles mosses. 5. Mosses of Frégate Island. *Tropical Bryology* 19: 7-10.
- Sollman, Ph. 2000.** Studies on some Australian pottiaceous mosses, including several nomina nuda. *Tropical Bryology* 19: 11-16.
- Sollman, Ph. 2000.** Studies on *Barbula consanguinea* (Thw. & Mitt.) Jaeg. sensu Eddy, a pantropical species. *Tropical Bryology* 19: 17-24.
- Sollman, Ph. 2000.** Some mosses (Pottiales) new or rarely collected in tropical Asia. *Tropical Bryology* 19: 25-26.
- But, P.P.P.H., Wu, P.-C., Wang, M.-Z. 2000.** Epiphyllous liverworts on rosette leaves of *Ardisia* species (Myrsiniaceae) in China. *Tropical Bryology* 19: 27-30.
- Vital, D.M., Capelari, M., Gugliotta, A.M., Bodoni, V.L.R. 2000.** Bryophytes on Fungi. *Tropical Bryology* 19: 31-40.

- Wigginton, M.J. 2000.** *Caudalejeunea yangambiensis* (Vanden Berghen) E.W. Jones (Lejeuneaceae) with mature perianths from Ghana. *Tropical Bryology* 19: 41-44.
- Passos Bastos, C.J., Vilas Bôas-Bastos, S.B. 2000.** Occurrence of some Lejeuneaceae (Jungermanniophyta) in Bahia, Brazil. *Tropical Bryology* 19: 45-54.
- Lücking, R., Sérusiaux, E., Sipman, H.J.M. 2000.** New species or interesting records of foliicolous lichens VII. *Calenia flava* (Ostropales: Gomphillaceae). *Tropical Bryology* 19: 55-58.
- Ferraro, L.I., Lücking, R. 2000.** Adiciones a la flora líquénica foliícola de Argentina, Paraguay Oriental y regiones limítrofes de Brasil. *Tropical Bryology* 19: 59-72.
- Sebastián, B., Fontaniella, B., Pereira, E.C., Vicente, C. 2000.** Oxidation reactions are required to produce atranorin from acetate by alginate-immobilized cells of *Cladonia verticillaris*. *Tropical Bryology* 19: 73-80.
- Reiner-Drehwald, M.E. 2000.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina VI. *Lejeunea* y *Taxilejeunea*. *Tropical Bryology* 19: 81 ff.
- Vol. 20, 2001**
- O'Shea, B.J., Wigginton, M.J., Bruggeman-Nannenga, M.A., Hodgetts, N.G., Porley, R.D. 2001.** British Bryological Society Expedition to Mulanje Mountain, Malawi. 13. New and other unpublished records. *Tropical Bryology* 20: 1-26.
- Wigginton, M.J. 2001.** A small collection of bryophytes from Ethiopia. *Tropical Bryology* 20: 27-30.
- Chuah-Petiot, M.S. 2001.** Contribution to the Bryoflora of Kenya. *Tropical Bryology* 20: 31-38.
- Frahm, J.-P. 2001.** New records of mosses from Dominican amber. *Tropical Bryology* 20: 39-42.
- O'Shea, B.J. 2001.** *Felipponea* (Leucodontaceae, Musci), a new genus for Africa, to include "*Leucodon maritimus*" and *L. assimilis*. *Tropical Bryology* 20: 43-50.
- Wigginton, M.J., Banwell, A.D. 2001.** A small collection of bryophytes from Mont Serrat, West Indies. *Tropical Bryology* 20: 51-54.
- Wigginton, M.J., O'Shea, B.J., Porley, R.D., Matcham, H.W. 2001.** Bryophytes of Uganda, 4. New and additional records, 2. *Tropical Bryology* 20: 55-62.
- Mervin, M.C., Gradstein, S.R., Nadkarni, N.M. 2001.** Epiphytic bryophytes of Monteverde, Costa Rica. *Tropical Bryology* 20: 63-70.
- Boecker, M. 2001.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 33, Splachnaceae, *Tayloria*. *Tropical Bryology* 20: 71-72.
- Sollman, P. 2001.** Studies on several Australian pottiaceous mosses, including some nomina nuda. *Tropical Bryology* 20: 73-78.
- Frahm, J.-P. 2001.** *Hypnodontopsis confertus* comb. nov. from Baltic amber. *Tropical Bryology* 20: 79-82.
- Wigginton, M.J. 2001.** British Bryological Society expedition to Mulanje Mountain, Malawi. 15. Lejeuneaceae, and the occurrence and frequency of foliicolous taxa. *Tropical Bryology* 20: 83-96.
- Eggers, J., Stevenson, C.R., Porley, R.D., Stech, M. 2001.** New bryophyte taxon records for tropical countries IV. *Tropical Bryology* 20: 97-100.
- Ellis, L.T. 2001.** The identity of *Calymperes campylopodoides* Müll.Hal. ex Besch. *Tropical Bryology* 20: 101-102.
- O'Shea, B.J., Buck, W.R. 2001.** Bryophytes of Uganda. 5. *Bryocrumia* L.E.Anderson (Hypnaceae), a monotypic moss genus new to Africa. *Tropical Bryology* 20: 103-108.
- Eggers, J. 2001.** Epiphyllous Lejeuneaceae in Costa Rica. Contributions to the altitudinal distribution of selected species. *Tropical Bryology* 20: 109-116.
- Frahm, J.-P., Ohlemüller, R. 2001.** Ecology of bryophytes along altitudinal and

longitudinal gradients in New Zealand. Studies in austral temperate rain forest bryophytes 15. Tropical Bryology 20: 117ff.

Vol. 21, 2002

Schäfer-Verwimp, A., Gruber, J.P. 2002. *Orthotrichum* (Orthotrichaceae, Bryopsida) in Pakistan. Tropical Bryology 21 : 1-10.

Ireland, R.R., Bellolio, G. 2002. The Mosses of Easter Island. Tropical Bryology 21 : 11-20.

Sollman, Ph. 2002. Studies on the type material of *Bryoerythrophyllum yichunense* C.H. Gao (Musci, Pottiaceae) from China. Tropical Bryology 21 : 21-22.

Ramirez P., B.R., Churchill, S.P. 2002. Las Briofitas del Departamento de Nariño, Colombia: I. Musgos. Tropical Bryology 21 : 23-46.

Müller, F. 2002. Additions to the bryophyte floras of Réunion and Mauritius (East African Islands). Tropical Bryology 21 : 47-50.

Sollman, Ph. 2002. Not located type material of Pottiales described from Australia. Tropical Bryology 21 : 51-52.

Frahm, J.-P. 2002. The taxonomic status of *Bryum arachnoideum* C. Müll. and *B. lanatum* (P. Beauv.) Brid. Tropical Bryology 21 : 53-56.

Suleiman, M., Edwards, S.R. 2002. Mosses of Mt. Trus Madi, Sabah, Malaysia. Tropical Bryology 21 : 57-64.

Sollman, Ph. 2002. Studies on some Asian species of the genus *Leptodontium* (Müll. Hal.) Hampe (Musci, Pottiaceae). Tropical Bryology 21 : 65-66.

Frahm, J.-P. 2002. Ecology of bryophytes along altitudinal and latitudinal gradients in Chile. Studies on austral temperate rain forest bryophytes 16. Tropical Bryology 21 : 67-80.

Blöcher, R., Frahm, J.-P. 2002. A comparison of the moss floras of Chile and New Zealand. Studies on austral temperate rain forest bryophytes 17. Tropical

Bryology 21 : 81-92.

Infante-Sánchez, M., Heras Pérez, P. 2002. Notes on Venezuelan Ricciaceae (Marchantiophyta). Tropical Bryology 21 : 93-96.

Mervin, M.C., Nadkarni, N.M. 2002. 100 years of tropical bryophyte and lichen ecology: a bibliographic guide to the literature from 1901 - 2000. Tropical Bryology 21 : 97-118.

Ellis, L. 2002. An unusual form of *Calymperes serratum* A. Braun ex Müll.Hal. (Calymperaceae, Musci). Tropical Bryology 21 : 119-120.

Nieva, M.M., Schiavone, M.M. 2002. El género *Metzgeria* (Metzgeriales-Hepatophytas) en los bosques montanos del Noroeste de Argentina. Tropical Bryology 21 : 123 ff.

II. Contents by authors

Ahti, T., Stenroos, S., Xavier Filho, L. The lichen family Cladoniaceae in Paraiba, Pernambuco and Sergipe, Northeast Brazil. Tropical Bryology 7: 55-70.

Akiyama, H. 1996. Taxonomic studies of mosses of Seram and Ambon (Moluccas, East Malesia) collected by Indonesian-Japanese Botanical Expeditions, IX. Pottiaceae. Tropical Bryology 12: 157-168.

Allen, B. 1990. A Revision of the genus *Crossomitrium* (Musci: Hookeriaceae). Tropical Bryology 2:3-34.

Allen, B. 1989. A preliminary treatment of the genus *Campylopus* (Musci: Dicranaceae) in Central America. Tropical Bryology 1: 63-94.

Allen, B. H. 1990. A preliminary treatment of the *Holomitrium* complex (Musci: Dicranaceae) in

Ando, H. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and

- Rwanda 25. Hypnum. Tropical Bryology 8: 219-222.
- Aptroot, A. 1998.** New lichens and lichen records from Papua New Guinea, with the description of *Crustospathula*, a new genus in the Bacidiaceae. Tropical Bryology 14: 25-35.
- Aptroot, A., Seaward, M.R.D. 1999.** Annotated checklist of Hongkong Lichens. Tropical Bryology 17: 57-102.
- Arrocha, C. 1992.** Musgos de Costa Rica: nuevos registros. Tropical Bryology 5: 1-4.
- Arts, T., Sollman, P. 1998.** A contribution to the moss flora of Ecuador. Tropical Bryology 14: 43-52.
- Bello y Bello, B. 1992.** La colección briológica del Herbario Nacional de México (MEXU). Tropical Bryology 6: 35-38.
- Bernecker-Lücking, A. 1999.** Key to Latin American species of *Bazzania* S.F. Gray. Tropical Bryology 16: 117-126.
- Bischler-Causse, H. & Long, D.G. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 6. Aytoniaceae, Marchantiaceae. Tropical Bryology 8: 53-54.
- Blöcher, R., Frahm, J.-P. 2002.** A comparison of the moss floras of Chile and New Zealand. Studies on austral temperate rain forest bryophytes 17. Tropical Bryology 21 : 81-92.
- Boecker, M. 2001.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 33, Splachnaceae, *Tayloria*. Tropical Bryology 20: 71-72.
- Born, S., Frahm, J.-P. & Pócs, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 26. A new checklist of the mosses of Central Africa. Tropical Bryology 8: 223-274.
- Bourell, M. 1992.** A checklist of the bryophytes of Chiapas, Mexico. Tropical Bryology 6: 39-56.
- Bruggeman-Nannenga, M.A. 1990.** On the anatomy of the costa in *Fissidens*. Tropical Bryology 3: 37-44.
- Bruggeman-Nannenga, M.A. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 15. Fissidentaceae. Tropical Bryology 8: 141-148.
- Buck, W.R. 1990.** Biogeography of the Greater Antillean Mosses. Tropical Bryology 2: 35-48.
- Buck, W.R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 24. Leskeaceae, Brachytheciaceae, Stereophyllaceae, Plagiotheciaceae, Entodontaceae, Sematophyllaceae, Hypnaceae (except Hypnum). Tropical Bryology 8: 199-218.
- But, P. P.-H. & Gao, C.-H. 1991.** Epiphyllous Hepaticae of Kowloon Peninsula (Hong Kong). Tropical Bryology 4: 17-22.
- But, P.P.P.H., Wu, P.-C., Wang, M.-Z. 2000.** Epiphyllous liverworts on rosette leaves of *Ardisia* species (Myrsiniaceae) in China. Tropical Bryology 19: 27-30.
- Cao, T., Zhang, Y., Yu, J. 2000.** Current Chinese Bryological Literature (IV). Tropical Bryology 18: 15-26.
- Cárdenas S., A. 1992.** Situación de la enseñanza de la briología en México. Tropical Bryology 6: 57-60.
- Cárdenas S., A. 1999.** Los Musgos Pleurocárpicos del Valle de México, México. Tropical Bryology 16: 109-116.
- Cavalcanti Pôrto, K., Rangel Germano, S., Mota de Oliveira, S. 2000.** New records of bryophytes for Pernambuco State, Brazil. Tropical Bryology 18: 107-114. Central America. Tropical Bryology 3: 59-72.
- Chuah-Petiot, M.S. 1995.** Data to the bryoflora of Mount Kenya, Kenya. Tropical Bryology 10: 41-54.
- Chuah-Petiot, M.S. 1996.** Bryophytes from Saiwa Swamp National Park, Kenya. Tropical Bryology 12: 63-74.
- Chuah-Petiot, M.S. 1996.** Taxonomic results of the BRYOTROP Expedition to Zaire and Rwanda. 32. Bryaceae. Tropical Bryology 12: 59-62.
- Chuah-Petiot, M.S. 1997.** Contributions toward a Bryoflora of the Aberdare Range, Kenya. Tropical Bryology 13: 57-64.
- Chuah-Petiot, M.S. 2001.** Contribution to the

- Bryoflora of Kenya. *Tropical Bryology* 20: 31-38.
- Churchill, S.P. 1989.** Nuevo Catalogo de los Musgos de Colombia. *Tropical Bryology* 1: 95ff.
- Churchill, S.P. 1994.** New Synonyms and deletions for the Moss Floras of Colombia and Ecuador. *Tropical Bryology* 9: 1-4.
- Cornelissen, J.H.C. & Gradstein, S.R. 1990.** On the occurrence of bryophytes and macrolichens in different lowland rain forest types at Mabura Hill, Guyana. *Tropical Bryology* 3: 29-36.
- De Luna, E. 1990.** Developmental Evidence of Acrocarpy in *Hedwigia ciliata* (Musci, Hedwigiaceae). *Tropical Bryology* 2: 53-60
- Delgadillo M., C. 1992.** El banco de datos de los musgos neotropicales. *Tropical Bryology* 6: 61-64.
- Delgadillo M., C. 1989.** A Guide to fieldstations in the tropics I., Mexico. *Tropical Bryology* 1: 1-4.
- Delgadillo M., C. 1995.** Neotropical moss floras: Species common to North and South America. *Tropical Bryology* 10: 1-6.
- Delgadillo M., C.** The Antillean Arc and the distribution of neotropical mosses. *Tropical Bryology* 7: 7-12.
- Delgadillo, C. 1990.** Advances in Mexican Bryology. *Tropical Bryology* 2: 49-52.
- Dilg, C., Frahm, J.-P. 1997.** Untersuchungen zur Flora der epiphytischen Moose der südlichen Drakensberge (Südafrika). *Tropical Bryology* 13: 35-46.
- Dilg, C., Frahm, J.-P. 2000.** Ein Beitrag zur Moosflora von Benin. *Tropical Bryology* 19: 1-6
- Durán D., A., Cisneros C., A.E. & Vargas V., A. 1992.** Evaluación briológica de los efectos de la contaminación atmosférica en la Ciudad de México. *Tropical Bryology* 6: 71-82.
- Eddy, A. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 14. Sphagnaceae. *Tropical Bryology* 8: 131-140.
- Een, G. 1989.** Mosses from the Mascarenes - 3. *Tropical Bryology* 1: 55-62.
- Een, G. 1997.** Mosses from the Mascarenes - 6. *Tropical Bryology* 13: 21-34.
- Een, G. 2000.** Bryophytes collected in Mauritius by Gunnar Erdtman. *Tropical Bryology* 18: 87-90.
- Een, G.** Mosses from the Mascarenes - 4. *Tropical Bryology* 7: 47-54.
- Een, G., Kristoferson, L. 1999.** A small collection of bryophytes from the Seychelles. *Tropical Bryology* 17: 35-38.
- Een, G., Thinggaard, K. 1999.** Mosses from the Mascarenes - 7. A small collection from Rodrigues. *Tropical Bryology* 16: 3-10.
- Eggers, J. 2001.** Epiphyllous Lejeuneaceae in Costa Rica. Contributions to the altitudinal distribution of selected species. *Tropical Bryology* 20: 109-116.
- Eggers, J., Frahm, J.-P., Pursell, R.A. 1998.** New bryophyte taxon records for tropical countries II. *Tropical Bryology* 14: 81-84.
- Eggers, J., Stevenson, C.R., Porley, R.D., Stech, M. 2001.** New bryophyte taxon records for tropical countries IV. *Tropical Bryology* 20: 97-100.
- Elix, J.A., Nash III, T.H. 1995.** New Species of Parmeliaceae (lichenized Ascomycotina) from South America. *Tropical Bryology* 11: 161-168.
- Ellis, L. 2002.** An unusual form of *Calymperes serratum* A. Braun ex Müll.Hal. (Calymperaceae, Musci). *Tropical Bryology* 21: 119-120.
- Ellis, L.T. 2001.** The identity of *Calymperes campylopodiioides* Müll.Hal. ex Besch. *Tropical Bryology* 20: 101-102.
- Elshafie, A.E., Sipman, H.J.M. 1999.** Mediterranean lichens in the tropics: lichens of the mist oasis of Erkwit, Sudan. *Tropical Bryology* 16: 103-108.
- Enroth, J. 1990.** Altitudinal Zonation of Bryophytes on the Huon Peninsula, Papua New Guinea. *Tropical Bryology* 2: 61-90.
- Enroth, J. 1992.** Identity of *Porotrichum perplexans* (Neckeraceae, Musci) from China. *Tropical Bryology* 5: 56.

- Enroth, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 23. Neckeraceae, Pterobyaceae, Hypopterygiaceae. *Tropical Bryology* 8: 193-198.
- Enroth, J. 1994.** Additions to the moss floras of Solomon Islands and several countries of tropical Asia. *Tropical Bryology* 9: 25-30.
- Enroth, J. 1994.** Notes on the Neckeraceae (Musci). 19. The identity of *Porothamnium ceylonense*. *Tropical Bryology* 9: 23-24.
- Etayo, J. 1998.** Aportación a la flora líquénica de las Islas Canarias. IV. Liqueños epifitos de La Gomera (Islas Canarias). *Tropical Bryology* 14: 85-108.
- Farkas, E.E. & Sipman, H.J.M.** Bibliography and checklist of foliicolous lichenized fungi up to 1992. *Tropical Bryology* 7: 93-148.
- Ferraro, L.I., Lücking, R. 2000.** Adiciones a la flora líquénica foliícola de Argentina, Paraguay Oriental y regiones limítrofes de Brasil. *Tropical Bryology* 19: 59-72.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 2. History of Bryological Exploration of Zaire and Rwanda. *Tropical Bryology* 8: 5-12.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 3. Description of Collecting Sites. The Vegetation of Kahuzi-Biega-National Park/Zaire, Nyungwe Forest and Virunga volcanoes/Rwanda. *Tropical Bryology* 8: 13-38.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 4. A preliminary check-list of the Hepaticae and Anthocerotae from Central Africa (Zaire, Rwanda, Burundi). *Tropical Bryology* 8: 39-50.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 8. *Riccia vulcanicola* E. Fischer (subgenus *Ricciella*, sectio *Cavernosae*), a new species from the Virunga volcanoes, Rwanda. *Tropical Bryology* 8: 69-74.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 10. Trichocoleaceae, Geocalyceae, Acrobolbaceae, Balantiopsidaceae, Lepidoziaceae (Teleranea, Arachniopsis), Calypogeiaceae, Adelanthaceae, Porellaceae, Jubulaceae, Marchantiaceae (Dumortiera), Polytrichaceae. *Tropical Bryology* 8: 83-98.
- Fischer, E. 1999.** A new species of *Colura* (Lejeuneaceae) from the Aberdare Mountains/Kenya. *Tropical Bryology* 16: 205 ff.
- Florschütz - de Waard, J. 1990.** A Catalogue of the Bryophytes of the Guianas. II. Musci. *Tropical Bryology* 3: 89 ff.
- Florschütz - de Waard, J. 1992.** A Revision of the Genus *Potamium* (Musci: Sematophyllaceae). *Tropical Bryology* 5: 109 ff.
- Frahm, J.-P. & Gradstein, S.R. 1990.** Ecology of tropical bryophytes: a bibliography. *Tropical Bryology* 3: 75-77.
- Frahm, J.-P. 1989.** *Bryohumbertia subcomosa* (Dix.) J.-P. Frahm, a new name for *Bryohumbertia walkeri* (Mitt.) J.-P. Frahm. *Tropical Bryology* 1: 9-10.
- Frahm, J.-P. 1989.** The genus *Chorisodontium* (Musci, Dicranaceae) in the Neotropics. *Tropical Bryology* 1: 11-24.
- Frahm, J.-P. 1990.** *Campylopus*, a modern and successful genus ?. *Tropical Bryology* 2: 91-102.
- Frahm, J.-P. 1990.** The origin and distribution of Neotropical species of *Campylopus*. *Tropical Bryology* 3: 1-18.
- Frahm, J.-P. 1991.** Taxonomische Notizen zur Gattung *Campylopus* XV. *Tropical Bryology* 4: 59-62.
- Frahm, J.-P. 1992.** A Guide to Fieldstations in the Tropics III. Colombia. *Tropical Bryology* 5: 23-26.
- Frahm, J.-P. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 1. Introduction. *Tropical Bryology* 8: 1-4.
- Frahm, J.-P. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and

- Rwanda 17. Andreaeaceae, Bruchiaceae, Dicranaceae, Rhizogoniaceae, Bartramiaceae, Rhacocarpaceae, Hedwigiaceae, Cryphaeaceae, Leucodontaceae. *Tropical Bryology* 8: 153-170.
- Frahm, J.-P. 1994.** A contribution to the bryoflora of the Chocó region, Colombia. I. Mosses. *Tropical Bryology* 9: 89-110.
- Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 1. The ecology of epiphytic bryophytes on Mt. Kahuzi (Zaire). *Tropical Bryology* 9: 137-152.
- Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 2. The altitudinal zonation of the bryophytes on Mt. Kahuzi, Zaire. *Tropical Bryology* 9: 153-168.
- Frahm, J.-P. 1996.** Lektotypification von *Rhacocarpus purpurascens* (Brid.) C. Müll. *Tropical Bryology* 12: 155.
- Frahm, J.-P. 1999.** A type catalogue of Campylopodioideae and Paraleucobryoideae (Musci, Dicranaceae), Part II, *Campylopus*. *Tropical Bryology* 16: 17-102.
- Frahm, J.-P. 1999.** Taxonomische Notizen zur Gattung *Campylopus* XVIII. *Tropical Bryology* 17: 19-20.
- Frahm, J.-P. 2000.** New combinations in the genera *Atractylocarpus* and *Metzleria*. *Tropical Bryology* 18: 115-118.
- Frahm, J.-P. 2001.** *Hypnodontopsis confertus* comb. nov. from Baltic amber. *Tropical Bryology* 20: 79-82.
- Frahm, J.-P. 2001.** New records of mosses from Dominican amber. *Tropical Bryology* 20: 39-42.
- Frahm, J.-P. 2002.** Ecology of bryophytes along altitudinal and latitudinal gradients in Chile. Studies on austral temperate rain forest bryophytes 16. *Tropical Bryology* 21 : 67-80.
- Frahm, J.-P. 2002.** The taxonomic status of *Bryum arachnoideum* C. Müll. and *B. lanatum* (P. Beauv.) Brid. *Tropical Bryology* 21 : 53-56.
- Frahm, J.-P., A. Lindlar, P. Sollman, E. Fischer 1996.** Bryophytes from the Cape Verde Islands. *Tropical Bryology* 12: 123-154.
- Frahm, J.-P., Ahmed, J., Hagen, M., Peles, M. 2000.** Revision der Gattung *Rhabdoweisia* (Musci, Dicranaceae). *Tropical Bryology* 18: 161-172.
- Frahm, J.-P., Buchbender, V., Lachmann, V., Reifenrath, K., Werner, F. 1998.** Revision der Gattung *Oncophorus* (Musci, Dicranaceae). *Tropical Bryology* 14: 119-132.
- Frahm, J.-P., H. Börner, N. Streiber, B. Wallau, S. Weitkus 1996.** Revision der Gattung *Conostomum* (Musci, Bartramiaceae). *Tropical Bryology* 12: 97-114.
- Frahm, J.-P., Klöcker, T., Schmidt, R., Schöter, C. 2000.** Revision der Gattung *Amphidium* (Musci, Dicranaceae). *Tropical Bryology* 18: 173-184.
- Frahm, J.-P., Kunert, V., Franzen, I., Hoang, D.-T., Willmeroth, M. 1998.** Revision der Gattung *Dichodontium* (Musci, Dicranaceae). *Tropical Bryology* 14: 109-118.
- Frahm, J.-P., Ohlemüller, R. 2001.** Ecology of bryophytes along altitudinal and longitudinal gradients in New Zealand. Studies in austral temperate rain forest bryophytes 15. *Tropical Bryology* 20: 117ff.
- Frahm, J.-P., Porembski, S. 1994.** Moose von Inselbergen aus Westafrika. *Tropical Bryology* 9: 59-68.
- Frahm, J.-P., Porembski, S. 1998.** Moose von Inselbergen in Benin. *Tropical Bryology* 14: 3-10.
- Frey, W., Kürschner, H., Seifert, U.H. 1995.** Scientific results of the BRYOTROP expedition to Zaire and Rwanda. 7. Life strategies of epiphytic bryophytes from tropical lowland and montane forests, ericaceous woodlands and the *Dendrosenecio* subpáramo of the eastern Congo basin and the adjacent mountains (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 129-150.

- Galloway, D.J. 1998.** Studies on the lichen genus *Sticta* (Schreber) Ach.: V. Australian species. *Tropical Bryology* 15: 117-160.
- Galloway, D.J.** Nomenclatural notes on *Pseudocyphellaria* V: Some Brazilian taxa. *Tropical Bryology* 7: 87-92.
- Glime, J.M., P.S.Hudy & S. Hattori 1990.** Diversity and altitudinal niche width characteristics for 35 taxa of the Papua New Guinea *Frullania* flora with consideration of sibling pairs. *Tropical Bryology* 2: 103-116.
- Goffinet, B.** Taxonomic and floristic notes on neotropical Macromitrioideae (Orthotrichaceae). *Tropical Bryology* 7: 149ff.
- Gradstein, S.R. & Salazar Allen, N. 1992.** Bryophyte diversity along an altitudinal gradient in Darién National Park, Panama. *Tropical Bryology* 5: 61-74.
- Gradstein, S.R. & Yamada, K. 1991.** The Genus *Radula* (Hepaticae) in the Galapagos Islands. *Tropical Bryology* 4: 63-68.
- Gradstein, S.R. , D. Montfoort & J.H.C. Cornelissen 1990.** Species richness and phytogeography of the bryophyte flora of the Guianas, with special reference to the lowland rainforest.. *Tropical Bryology* 2: 117-126.
- Gradstein, S.R. 1990.** A Key to the New World species of holostipous Lejeuneaceae. *Tropical Bryology* 3: 45-58.
- Gradstein, S.R. 1991.** Diversity and distribution of Asian Lejeuneaceae subfamily Ptychanthoideae. *Tropical Bryology* 4: 1-16.
- Gradstein, S.R. 1992.** Threatened bryophytes of the neotropical rain forest: a status report. *Tropical Bryology* 6: 83-94.
- Gradstein, S.R.** A decade of neotropical exsiccates. *Tropical Bryology* 7: 77-86.
- Gradstein, S.R., Florschütz-de Waard, J. 1989.** Results of a botanical expedition to Mount Roraima, Guayana. I. Bryophytes. *Tropical Bryology* 1: 25-54.
- Gradstein, S.R., Vana, J. 1994.** A boreal bryophyte community in a tropical montane forest of Mexico. *Tropical Bryology* 9: 31-34.
- Granzow-de la Cerda, I. 1992.** Análisis cladístico de la familia Anomodontaceae. *Tropical Bryology* 6: 95-104.
- Griffin III, D. 1992.** The distribution and synonyms of *Breutelia microdonta* (Mitt.) Broth. with additional notes on certain taxa of *Breutelia*. *Tropical Bryology* 5: 55-60.
- Griffin, S.R. 1990.** Floristics of the south American Páramo mossflora. *Tropical Bryology* 2: 127-132.
- Grolle, R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 9. Pallaviciniaceae, Haplomitriaceae. *Tropical Bryology* 8: 75-82.
- Hasegawa, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 5. Anthocerotae. *Tropical Bryology* 8: 51-52.
- Hastings, R.I. 1997.** *Grimmia pseudo-anodon* new to Bolivia. *Tropical Bryology* 13:137-140.
- Hepatics. *Tropical Bryology* 2: 265-272
- Heras Pérez, P., Infante Sánchez, M. 1996.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). I. Introduction and preliminary checklist. *Tropical Bryology* 12: 41-58.
- Heras Pérez, P., Infante Sánchez, M. 1999.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). IV. Notes on some *nomina nuda* from Annobon. *Tropical Bryology* 16: 127-130.
- Hicks, M.L.** A new species of *Cronisia* Berkeley (Corsiaceae) from Mexico. *Tropical Bryology* 7: 1-6.
- Hoffmann, A. & Riverón, R. 1992.** Biorelaciones entre los musgos y su acarofauna en México. *Tropical Bryology* 6: 105-110.
- Honda, N.K., Devincenzi, I.A.A., Xavier Filho, L. 1995.** Secalonic Acid A from *Pseudoparmelia sphaerospora* (Nyl.) Hale and *P. hypomilta* (Fée) Hale

- (Parmeliaceae). *Tropical Bryology* 10: 201-204.
- Hu, R. 1990.** Distribution of bryophytes in China. *Tropical Bryology* 2: 133
- Infante Sánchez, M., Heras Pérez, P. 1998.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). III. Contribution to the bryoflora of Rio Muni (Continental Region). *Tropical Bryology* 15: 1-14.
- Infante, M., Heras, P., Buck, W.R. 1997.** Bryophytes from the Republic of Equatorial Guinea (West-Central Africa) II. Bryophytes collected by Emilio Guinea (1907-1985) in the Island of Bioco in 1947. *Tropical Bryology* 13: 131-136.
- Infante, M., Heras, P., Pócs, T. 1999.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). V. *Diplasiolejeunea congoensis* sp. nov. *Tropical Bryology* 17: 9-12.
- Infante, M., Heras, P., Pócs, T. 1999.** Bryophytes from the Republic of Equatorial Guinea (West Central Africa). VI. *Cololejeunea iradieri* sp. nov., *Cololejeunea magna* stat. nov. and their relations to similar species. *Tropical Bryology* 17: 13-18.
- Infante-Sánchez, M., Heras Pérez, P. 2002.** Notes on Venezuelan Ricciaceae (Marchantiophyta). *Tropical Bryology* 21: 93-96.
- Ireland, R.R. 1992.** The moss genus *Isopterygium* (Hypnaceae) in Latin America. *Tropical Bryology* 6: 111-132.
- Ireland, R.R., Bellolio, G. 2002.** The Mosses of Easter Island. *Tropical Bryology* 21: 11-20.
- Iwatsuki, Z. 1990.** Origin of the New Caledonian bryophyte flora. *Tropical Bryology* 2: 139-148.
- Kis, G. 1996.** Taxonomic Results of the BRYOTROP-Expedition to Zaire and Rwanda 31. The Andean *Daltonia limbata* Borth. in Herz. in Africa. *Tropical Bryology* 12: 35-40.
- Koponen, T. 1990.** Bryophyte flora of Western Melanesia. *Tropical Bryology* 2: 149-160
- Koponen, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 21. Mniaceae. *Tropical Bryology* 8: 189-190.
- Koponen, T., Buck, W.R. 1996.** On the variation of the leaf border in *Rhizomnium* (Cinclidiaceae). *Tropical Bryology* 12: 119-122.
- Kuc, M. 1998.** A Supplement to the Moss Flora of Paraguay. *Tropical Bryology* 15: 161-166.
- Kuc, M. 2000.** Adaptations of lowland jungle mosses to anthropogenic environments in Guayana. *Tropical Bryology* 18: 49-54.
- Kuc, M. 2000.** Altitudinal additamenta to the uppermost ranges of mosses in Ecuador. *Tropical Bryology* 18: 39-48.
- Kuc, M. 2000.** The distribution of *Hemiragus aurea* (Brid.) Ren. & Card. (Hookeriaceae, Musci) and related notes of interest. *Tropical Bryology* 18: 55-64.
- Kuc, M.** The Discovery of a Second Locality in Peru for *Pleuridium andinum* Herz. (Ditrichaceae, Musci). *Tropical Bryology* 12: 115-118.
- Kürschner, H. 1995.** Wissenschaftliche Ergebnisse der BRYOTROP-Expedition nach Zaire und Rwanda. 5. Höhengliederung epiphytischer Moose im östlichen Kongobecken und den angrenzenden Gebirgsstöcken (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 77-86.
- Kürschner, H., Seifert U.H. 1995.** Wissenschaftliche Ergebnisse der BRYOTROP-Expedition nach Zaire und Rwanda. 6. Lebensformen und Adaptationen zur Wasserleitung und Wasserspeicherung in epiphytischen Moosgesellschaften im östlichen Kongobecken und den angrenzenden Gebirgsstöcken (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 87-118.
- Lara, F., Mazimpaka, V., Garilleti, R. 1999.** Some interesting *Orthotrichum* records from Venezuela. *Tropical Bryology* 17: 1-8.

- León Vargas, Y. 1998.** *Cryphaea hortonae*, a new species of mosses from Bolivia. *Tropical Bryology* 14: 77-80.
- León-Vargas, Y. 1999.** El género *Cryphaea* Mohr (Musci) en los Andes tropicales. *Tropical Bryology* 17: 141 ff.
- Lewinsky, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 22. *Orthotrichum*. *Tropical Bryology* 8: 191-192.
- Lewis, M. 1992.** *Meteoridium* and *Zelometeorium* in Bolivia. *Tropical Bryology* 5: 35-54.
- Li, X.-J., Zhang, D.-C. 1998.** Three new synonyms of *Pohlia* (Bryaceae) from China. *Tropical Bryology* 15: 23-28.
- Li, Z.-H., Piippo, S. 1994.** Preliminary list of bryophytes of Heishiding Nature Reserve, Guangdong Province. *Tropical Bryology* 9: 35-42.
- Lösch, R., Mülders, P., Fischer, E., Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 3. Photosynthetic gas exchange of bryophytes from tropical lowland and mountain forests of eastern Central Africa. *Tropical Bryology* 9: 169-186.
- Lücking, R. 1997.** Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The genus *Fellhanera*, with notes on *Bacidia pauciseptata*. *Tropical Bryology* 13: 141-174.
- Lücking, R. 1997.** Estado actual de las investigaciones sobre líquenes foliícolas en la región Neotropical, con un análisis biogeográfico preliminar. *Tropical Bryology* 13: 87-114.
- Lücking, R. 1998.** Foliicolous lichens and their lichenicolous fungi collected during the Smithsonian International Cryptogamic Expedition to Guyana 1996. *Tropical Bryology* 15: 45-74.
- Lücking, R., Sérusiaux, E., Sipman, H.J.M. 2000.** New species or interesting records of foliicolous lichens VII. *Calenia flava* (Ostropales: Gomphillaceae). *Tropical Bryology* 19: 55-58.
- Lumbsch, H.T., Elix, J.A.** Notes on the circumscription of the lichens *Lecanora leprosa* and *L. sulphurescens* (Lecanoraceae, lichenised Ascomycotina). *Tropical Bryology* 7: 71-76.
- Luo, J.-S. 1990.** A synopsis of chinese epiphyllous liverworts. *Tropical Bryology* 2: 161-166.
- Luo, J.-S. 1995.** A synopsis of chinese epiphyllous liverworts. *Tropical Bryology* 11: 161-166.
- Makhija, U., Adawadkar, B., Patwardhan, P.G. 1999.** The lichen genus *Coccocarpia* from the Andaman and Nikobar Islands, India. *Tropical Bryology* 17: 47-56.
- Makhija, U., Patwardhan, P.G. 1995.** Nomenclatural notes on some species of *Arthothelium* (Lichenized Ascomycotina). *Tropical Bryology* 10: 205-214.
- Marcano, V., Galiz, L., Mohali, S., Morales Méndez, A., Palacios-Prü, E. 1997.** Revision del genero *Leprocaulon* Nyl. ex Lamy (Lichenes Imperfecti) en Venezuela. *Tropical Bryology* 13: 47-56.
- Marcano, V., Morales Méndez, A. 1994.** El Grupo de *Ramalina cochlearis* Zahlbr. con especial referencia al trópico Americano. *Tropical Bryology* 9: 187-200.
- Marcano, V., Morales Mendez, A., Mohali, S., Galiz, L., Palacios-Prü, E. 1997.** El genero *Coccocarpia* (Ascomycetes liquenizados) en Venezuela. *Tropical Bryology* 10: 215 ff.
- Marcano, V., Morales Méndez, A., Sipman, H., Calderon, L. 1996.** A first checklist of the lichen-forming fungi of the Venezuelan Andes. *Tropical Bryology* 12: 193-236.
- Marcano, V., Palacios-Prü, E., Morales, A. 2000.** *Pseudohepatica duidensis*, a new lichen from the Venezuelan Amazonas. *Tropical Bryology* 18: 203 ff.
- Matteri, C.M., Schiavone, M.M. 1998.** Sobre el género *Streptopogon* (Pottiaceae, Musci) en Argentina subtropical. *Tropical Bryology* 14: 11-20.

- Mattila, P., Koponen T. 1999.** Diversity of bryophyte flora and vegetation on rotten wood in rain and montane forests of northeastern Tanzania. *Tropical Bryology* 16: 139-164.
- McQueen, C.B. 1995.** Niche Breadth and Overlap of *Sphagnum* Species in Costa Rica. *Tropical Bryology* 11: 119-128.
- McQueen, C.B. 1997.** Niche Diversification of *Sphagnum* in Bolivia. *Tropical Bryology* 13: 65-74.
- Mervin, M.C., Gradstein, S.R., Nadkarni, N.M. 2001.** Epiphytic bryophytes of Monteverde, Costa Rica. *Tropical Bryology* 20: 63-70.
- Mervin, M.C., Nadkarni, N.M. 2002.** 100 years of tropical bryophyte and lichen ecology: a bibliographic guide to the literature from 1901 - 2000. *Tropical Bryology* 21 : 97-118.
- Miller, H. & H.O.Whittier 1990.** Bryophyte floras of tropical pacific islands. *Tropical Bryology* 2: 167-176.
- Miller, H. & H.O.Whittier 1995.** Bryophyte floras of tropical pacific islands. *Tropical Bryology* 11: 167-176.
- Mohali, S., Marcano, V., Palacios-Prü, E. 1997.** La microscopia electronica aplicada al estudio de los liquenes en Venezuela. *Tropical Bryology* 13: 115-124.
- Monge-Najera, J. & Blanco, M.A. 1995.** The influence of leaf characteristics on epiphyllic cover: a test of hypotheses with artificial leaves. *Tropical Bryology* 11: 5-10.
- Morales Méndez, A., Marcano, V. 1994.** *Ramalina subfraxinea* Nyl. var. *confirmata* (Nyl.) N. Stevens (Ascomicete liquenizado, Ramalinaceae) en America. *Tropical Bryology* 9: 201ff.
- Morales Z., M.I. 1991.** Las Hepaticas comunicadas para Costa Rica *Tropical Bryology* 4: 25-58.
- Morales Z., M.I. 1992.** La identidad de *Aphanolejeunea heterophylla* Schuster. *Tropical Bryology* 6: 133-138.
- Morales, M.I., Dauphin, G. 1998.** A new species of *Cololejeunea* (Lejeuneaceae: Cololejeuneoideae) from Panama. *Tropical Bryology* 14: 133 ff.
- Morales, M.I., Gradstein, S.R. 1995.** *Diplasiolejeunea involuta* Winkler, una especie poco conocida. *Tropical Bryology* 10: 75-80.
- Moreno, E.J. 1992.** Aproximación al conocimiento de las briofitas de Venezuela. *Tropical Bryology* 6: 147-156.
- Moreno, E.J. 1992.** Revisión histórica de la briología en Venezuela. *Tropical Bryology* 6: 139-146.
- Motito, A., Potrony, M.E. & Reyes M., D. 1992.** Estado actual y perspectivas futuras del estudio de los musgos cubanos. *Tropical Bryology* 6: 157-160.
- Moyá, M.T. 1992.** Phenological observations and sex ratios in *Marchantia chenopoda* L. (Hepaticae: Marchantiaceae). *Tropical Bryology* 6: 161-168.
- Müller, F. 1995.** Neue und bemerkenswerte Moosfunde aus Zaire. *Tropical Bryology* 10: 81-90.
- Müller, F. 1996.** Beitrag zur Moosflora der Insel Bioko (=Fernando Po), Aequatorial Guinea. *Tropical Bryology* 12: 75-98.
- Müller, F. 1999.** Contribution to the bryoflora and bryogeography of St. Helena (South Atlantic Ocean). *Tropical Bryology* 16: 131-138.
- Müller, F. 2000.** Additions to the bryophyte flora of Réunion (East African Islands). *Tropical Bryology* 18: 91-96.
- Müller, F. 2002.** Additions to the bryophyte floras of Réunion and Mauritius (East African Islands). *Tropical Bryology* 21 : 47-50.
- Müller, F., Schäfer-Verwimp, A. 1999.** New bryophyte taxon records for tropical countries III. *Tropical Bryology* 16: 195-202.
- Müller, F., Wigginton, M.J., O'Shea, B.J. 2000.** New bryophyte taxon records for tropical countries IV. *Tropical Bryology* 18: 199-202.
- Müller, U., Frahm, J.-P. 1998.** Diversität epiphytischer Moose eines westandinen Bergregenwaldes in Ecuador. *Tropical Bryology* 15: 29-44.

- Mustelier, K. & Reyes M., D. 1992.** La familia Lejeuneaceae (Hepatopsida) en Cuba. *Tropical Bryology* 6: 169-170.
- Newton, A.E., Robinson, H. 1994.** The structure of the leaf and peristome of *Holomitriopsis laevifolia* (Broth.) H. Robins. illustrated with scanning electron microscopy. *Tropical Bryology* 9: 111-116.
- Nieva, M.M., Schiavone, M.M. 2002.** El género *Metzgeria* (Metzgeriales-Hepatophytas) en los bosques montanos del Noroeste de Argentina. *Tropical Bryology* 21 : 123 ff.
- Ninh, T. 1998.** Three Mosses New to Vietnam. *Tropical Bryology* 15: 21-22.
- O'Brien, T.J. 2000.** A new synonym in *Leptotheca* Schwaegr. (Musci; Rhizogoniaceae). *Tropical Bryology* 18: 13-14.
- O'Shea, B.J., Frahm, J.-P., S. Porembski 1996.** Die Laubmoosflora der Seychellen. *Tropical Bryology* 12: 169-192.
- O'Shea, B. 1995.** Checklist of the mosses of sub-Saharan Africa. *Tropical Bryology* 10: 91-198.
- O'Shea, B.J. 1997.** A revision of *Acantorrhynchium* (Sematophyllaceae) in Africa. *Tropical Bryology* 13: 125-130.
- O'Shea, B.J. 1997.** The mosses of sub-Saharan Africa 2. Endemism and biodiversity. *Tropical Bryology* 13: 75-86.
- O'Shea, B.J. 1998.** Notes on Seychelles mosses. 3-4. A revision of *Papillidiopsis* (Broth.) Buck & Tan, *Rhaphidostichum* Fleisch. and *Warburgiella* Müll. Hal. ex Broth. (Sematophyllaceae, Bryopsida) in Africa. *Tropical Bryology* 15: 75-88.
- O'Shea, B.J. 1999.** Bryophytes of Uganda. 3. *Phyllocladon truncatulus* (Müll. Hal.) Buck is replaced in Africa by *Phyllocladon truncatus* (Welw. & Duby) Buck (Hypnaceae, Bryopsida). *Tropical Bryology* 16: 203-204.
- O'Shea, B.J. 2000.** Notes on Seychelles mosses. 5. Mosses of Frégate Island. *Tropical Bryology* 19: 7-10.
- O'Shea, B.J. 2000.** Notes on Seychelles mosses. 6. A generic revision of *Clastobryophilum* M. Fleisch. (Sematophyllaceae, Bryopsida). *Tropical Bryology* 18: 97-106.
- O'Shea, B.J. 2001.** *Felipponea* (Leucodontaceae, Musci), a new genus for Africa, to include "*Leucodon maritimus*" and *L. assimilis*. *Tropical Bryology* 20: 43-50.
- O'Shea, B.J., Wigginton, M.J., Bruggeman-Nannenga, M.A., Hodgetts. N.G., Porley, R.D. 2001.** British Bryological Society Expedition to Mulanje Mountain, Malawi. 13. New and other unpublished records. *Tropical Bryology* 20: 1-26.
- O'Shea, B.J., Buck, W.R. 2001.** Bryophytes of Uganda. 5. *Bryocrumia* L.E. Anderson (Hypnaceae), a monotypic moss genus new to Africa. *Tropical Bryology* 20: 103-108.
- O'Shea, B.J., Eggers, J., Pursell, R.A., Sollman, P., Stevenson, C.R. 1997.** New bryophyte taxon records for tropical countries I. *Tropical Bryology* 13: 175-174.
- O'Shea, B.J., Ochyra, R.** Families and genera of mosses no longer believed to occur in sub-Saharan Africa. *Tropical Bryology* 18 : 119-128.
- Ochyra, R. 1990.** *Gradsteinia andicola*, a remarkable aquatic moss from South America. *Tropical Bryology* 3: 19-28.
- Ochyra, R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 20. Grimmiaceae, Funariaceae, Bartramiaceae (Philonotis), Amblystegiaceae, Plagiotheciaceae p.pte. *Tropical Bryology* 8: 181-188.
- Ochyra, R., Bednarek-Ochyra, H., Arts, T., Lewis Smith, R.I.** Occurrence of the neotropical moss *Dicranella hilariana* (Mont.) Mitt. in the Antarctic. *Tropical Bryology* 18: 153-160.
- Ochyra, R., Kempa, R., Buck, W.R. 2000.** *Plagiothecium lucidum* (Hook. f. & Wils.) Paris in tropical Africa. *Tropical Bryology* 18: 147-152.
- Olson, S.L. 1999.** Muscis Hawaiiensis Mantissae I: Two weedy species of *Bryum* new to the archipelago. *Tropical Bryology* 17:

- 129-130.
- Olson, S.L. 1999.** Muscis Hawaiiensis Mantissae II: *Neckeropsis obtusata* (Mont.) Fleisch. restored to the flora of the archipelago. *Tropical Bryology* 17: 131-132.
- Orbán, S. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 18. Calymperaceae. *Tropical Bryology* 8: 171-174.
- Passos Bastos, C.D., Albertos, B., Vilas Bôas, S.B. 1998.** Bryophytes from some Caatinga areas in the state of Bahia (Brazil). *Tropical Bryology* 14: 69-76.
- Passos Bastos, C.D., Vilas Bôas-Bastos, S.B. 2000.** Some New Additions to the Hepatic Flora (Jungermanniophyta) for the State of Bahia, Brazil. *Tropical Bryology* 18: 1-12.
- Passos Bastos, C.J., Stradmann, M.T.S., Vilas Bôas-Bastos, S. 1998.** Additional Contribution to the bryophyte flora of Chapada Diamantina National Park, State of Bahia, Brazil. *Tropical Bryology* 15: 15-20.
- Passos Bastos, C.J., Vilas Bôas-Bastos, S.B. 1998.** Adições à brioflora (Bryopsida) do Estado da Bahia, Brasil. *Tropical Bryology* 15: 111-116.
- Passos Bastos, C.J., Vilas Bôas-Bastos, S.B. 2000.** Occurrence of some Lejeuneaceae (Jungermanniophyta) in Bahia, Brazil. *Tropical Bryology* 19: 45-54.
- Perold, S.M. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 7. Ricciaceae. *Tropical Bryology* 8: 55-68.
- Piippo, S. 1992.** On the asexual reproduction of *Plagiochila pluma* Steph. *Tropical Bryology* 5: 79.
- Piippo, S. 1994.** On the bryogeography of Western Melanesian Lejeuneaceae, with comments on their epiphyllous occurrence. *Tropical Bryology* 9: 43-58.
- Pinheiro da Costa, D. 1992.** Morphology of *Metzgeria conjugata* Lindb. (Metzgeriales, Hepaticopsida). *Tropical Bryology* 6: 65-70.
- Pócs, T. & O'Shea, B.J. 1991.** Quick Reference List of Basic Literature to Identify Tropical African Bryophytes. *Tropical Bryology* 4: 69-854
- Pócs, T. 1990.** The exploration of the East African bryoflora. *Tropical Bryology* 2: 177-192.
- Pócs, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 12. Metzgeriaceae, Plagiochilaceae, Lejeuneaceae (the non-epiphyllous collections). *Tropical Bryology* 8: 105-126.
- Pócs, T. 1994.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 27. Lepidoziaceae II. *Tropical Bryology* 9: 123-130.
- Pócs, T. 1994.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 28. Lejeuneaceae, a ramicolous collection. *Tropical Bryology* 9: 131-136.
- Pócs, T. 1995.** The exploration of the East African bryoflora. *Tropical Bryology* 11: 177-192.
- Pócs, T. 1997.** New or little known epiphyllous liverworts, VI. *Papillolejeunea* gen. nov. from Papua New Guinea. *Tropical Bryology* 13: 1-18.
- Pócs, T., Arnstein Lye, K. 1999.** New records and additions to the hepatic flora of Uganda 2. *Tropical Bryology* 17: 23-34.
- Porley, R.D., O'Shea, B.J., Wigginton, M.J., Matcham, H.W., Hodgetts, N.G., Porto, K.C., Gradstein, S.R., Yano, O., Germano, S.R., Pinheiro da Costa, D. 1999.** New and interesting records of Brazilian bryophytes. *Tropical Bryology* 17: 39-46.
- Pursell, R. 1990.** *Fissidens* in the Neotropics. *Tropical Bryology* 2: 193-200.
- Pursell, R. 1995.** *Fissidens* in the Neotropics. *Tropical Bryology* 11: 193-200.
- Ramirez P., B.R., Churchill, S.P. 2002.** Las Briofitas del Departamento de Nariño, Colombia: I. Musgos. *Tropical Bryology* 21: 23-46.
- Ramsay, H.P., Streimann, H., Vitt, D.H. 1995.** Cytological Studies on mosses from Papua New Guinea. 1. Introduction and the family Orthotrichaceae. *Tropical Bryology* 11: 151-160.

- Rangel Germano, S., Cavalcanti Porto, K. 1996.** Floristic Survey of Epixylic Bryophytes of an Area Remnant of the Atlantic Forest (Timbaúba -PE, Brazil). 1. Hepaticopsida (except Lejeuneaceae) and Bryopsida. *Tropical Bryology* 12: 21-28.
- Redfearn, P. 1990.** Tropical component in the moss flora of China. *Tropical Bryology* 2: 201-222.
- Redfearn, P. 1995.** Tropical component in the moss flora of China. *Tropical Bryology* 11: 201-222.
- Redfearn, P.L. 1998.** *Trachyphyllum carinatum* new to China. *Tropical Bryology* 14: 1-2.
- Redfearn, P.L., Tan, B.C. 1995.** New Combinations for the Moss Flora of China. *Tropical Bryology* 10: 65-68.
- Reiner-Drehwald, M.E. 1994.** El género *Radula* Dum. (Radulaceae, Hepaticae) en el Noreste de Argentina. *Tropical Bryology* 9: 5-22.
- Reiner-Drehwald, M.E. 1994.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina II. *Cololejeunea*. *Tropical Bryology* 9: 79-88.
- Reiner-Drehwald, M.E. 1995.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. III. *Drepanolejeunea* y *Leptolejeunea*. *Tropical Bryology* 10: 21-28.
- Reiner-Drehwald, M.E. 1995.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. IV. *Aphanolejeunea*. *Tropical Bryology* 10: 29-40.
- Reiner-Drehwald, M.E. 1998.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. V. *Cheilolejeunea* y *Lepidolejeunea*. *Tropical Bryology* 14: 53-58.
- Reiner-Drehwald, M.E. 2000.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina VI. *Lejeunea* y *Taxilejeunea*. *Tropical Bryology* 19: 81 ff.
- Reiner-Drehwald, M.E.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina I. Las especies holostipas. *Tropical Bryology* 7: 13-46.
- Reyes M., D. 1992.** Acerca de la flora briológica de Cuba. *Tropical Bryology* 6: 203 ff.
- Reyes-Colón, C.M., Sastre-DJ, I. 1998.** Bryophytes of Mona Island Natural Reserve, Puerto Rico. *Tropical Bryology* 14: 35-42.
- Robinson, H. 1990.** A functional evolution of the Leucobryaceae. *Tropical Bryology* 2: 223-238.
- Robinson, H. 1995.** A functional evolution of the Leucobryaceae. *Tropical Bryology* 11: 223-238.
- Salazar Allen, N. 1989.** A Guide to fieldstations in the tropics II. Panama. *Tropical Bryology* 1: 5-8.
- Salazar Allen, N. 1992.** Notas para la revisión de las especies de *Octoblepharum* del neotrópico. *Tropical Bryology* 6: 171-180.
- Salazar Allen, N. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 16. Leucophanaceae. *Tropical Bryology* 8: 149-152.
- Salazar Allen, N. 1991.** A preliminary treatment of the Central American species of *Octoblepharum* (Musci, Calymperaceae). *Tropical Bryology* 4: 85 ff.
- Sastre-De Jesús, I. 1992.** Estudios preliminares sobre comunidades de briofitas en troncos en descomposición en el bosque subtropical lluvioso de Puerto Rico. *Tropical Bryology* 6: 181-192.
- Schäfer-Verwimp, A., Gruber, J.P. 2002.** *Orthotrichum* (Orthotrichaceae, Bryopsida) in Pakistan. *Tropical Bryology* 21 : 1-10.
- Schiavone, M.M. 1997.** Sobre la presencia de *Pyrrhobryum spiniforme* (Rhizogoniaceae) en el noroeste de Argentina. *Tropical Bryology* 13: 19-20.
- Schumacker, R., Vana, J. 1999.** Two new liverworts for Europe in Macaronesia: *Odontoschisma prostratum* (Sw.) Trevis. on the Azores and *Jungermannia callithrix* Lindenb. & Gottsche on the Azores and Madeira. *Tropical Bryology* 17: 115-128.
- Schuster, R.M. 1990.** Origins of neotropical

- Leafy Hepaticae. *Tropical Bryology* 2: 239-264.
- Schuster, R.M. 1995.** Origins of neotropical Leafy Hepaticae. *Tropical Bryology* 11: 239-264.
- Seaward, M.R.D. 1996.** Bryophytes and Lichens of Aldabra. *Tropical Bryology* 12: 29-34.
- Seaward, M.R.D., Aptroot, A. 2000.** The lichen flora of the Chagos Archipelago, including a comparison with other island and coastal tropical floras. *Tropical Bryology* 18: 185-198.
- Sebastián, B., Fontaniella, B., Pereira, E.C., Vicente, C. 2000.** Oxidation reactions are required to produce atranorin from acetate by alginate-immobilized cells of *Cladonia verticillaris*. *Tropical Bryology* 19: 73-80.
- Sipman, H.J.M. & Aptroot, A. 1992.** Results of a botanical expedition to Mount Roraima, Guyana. II. Lichens. *Tropical Bryology* 5: 79-108.
- Sipman, H.J.M. 1992.** Results of a lichenological and bryological exploration of Cerro Guaiquinima (Guayana Highland, Venezuela). *Tropical Bryology* 6: 1-34.
- Sipman, H.J.M. 1993.** Lichens from Mount Kinabalu. *Tropical Bryology* 8: 281 ff.
- So, M.L. & Yip, K.L. 1995.** Mosses New to Hong Kong (II). *Tropical Bryology* 10: 11-14.
- So, M.L. & Yip, K.L. 1995.** Mosses New to Hong Kong (III). *Tropical Bryology* 10: 15-20.
- So, M.L. 1995.** Mosses new to Hong Kong (IV). *Tropical Bryology* 11: 1-4.
- So, M.L., Zhu, R.L. 1996.** Studies on Hong Kong *Cheilolejeunea* with two species new to China. *Tropical Bryology* 12: 5-10.
- So, M.L., Zhu, R.L. 1996.** Studies on Hong Kong Hepatics II. Notes on Some newly Recorded Liverworts from Hong Kong. *Tropical Bryology* 12: 11-20.
- So, S.Y., So, M.L. 1995.** Mosses New to Hong Kong (I). *Tropical Bryology* 10: 7-10.
- Sollman, P. 1994.** New and noteworthy records and new synonyms in pottiaceous mosses, mostly from SE-Asia. *Tropical Bryology* 9: 75-78.
- Sollman, P. 1998.** Several mosses (Pottiaceae) new or rarely collected in Africa. *Tropical Bryology* 14: 21-24.
- Sollman, P. 1999.** *Dichodontium opacifolium* Dix. in Christ. and *Dichodontium brasiliense* Broth. are both identical with *Chrysoblastella chilensis* (Mont.) Reim. *Tropical Bryology* 17: 21-22.
- Sollman, P. 2000.** A taxonomic revision of *Pseudosymblypharis* Broth. (Musci: Pottiaceae) in Asia. *Tropical Bryology* 18: 129-146.
- Sollman, P. 2001.** Studies on several Australian pottiaceous mosses, including some nomina nuda. *Tropical Bryology* 20: 73-78.
- Sollman, Ph. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda. 19. Pottiaceae. *Tropical Bryology* 8: 175-180.
- Sollman, Ph. 2000.** Some mosses (Pottiales) new or rarely collected in tropical Asia. *Tropical Bryology* 19: 25-26.
- Sollman, Ph. 2000.** Studies on *Barbula consanguinea* (Thw. & Mitt.) Jaeg. sensu Eddy, a pantropical species. *Tropical Bryology* 19: 17-24.
- Sollman, Ph. 2000.** Studies on some Australian pottiaceous mosses, including several nomina nuda. *Tropical Bryology* 19: 11-16.
- Sollman, Ph. 2002.** Not located type material of Pottiales described from Australia. *Tropical Bryology* 21: 51-52.
- Sollman, Ph. 2002.** Studies on some Asian species of the genus *Leptodontium* (Müll. Hal.) Hampe (Musci, Pottiaceae). *Tropical Bryology* 21: 65-66.
- Sollman, Ph. 2002.** Studies on the type material of *Bryoerythrophyllum yichunense* C.H. Gao (Musci, Pottiaceae) from China. *Tropical Bryology* 21: 21-22.
- Sollman, Ph., Een, G. 1995.** Mosses from the Mascarenes - 5. *Tropical Bryology* 11: 169-148.
- Sollman, Ph., Een, G. 1996.** Mosses from the Mascarenes - 5. *Tropical Bryology* 12:

- 1-4
Southeast Asian genus. *Tropical Bryology* 3: 78-88.
- Spjut, R.W., Kingston, D.G.I. & Cassady, J.M. 1992.** Systematic screening of bryophytes for antitumor agents. *Tropical Bryology* 6: 193-202.
- Stech, M., Frahm, J.-P. 2000.** The systematic position of *Gradsteinia andicola* Ochyra (Donrichardsiaceae, Bryopsida): evidence from nrDNA internal transcribed spacer sequences. *Tropical Bryology* 18: 75-84.
- Stenroos, S., Smith, C.W. 1993.** Notes on the amphipacific relations of Hawaiian Cladoniaceae. *Tropical Bryology* 8: 275-280.
- Stevenson, C.R. 1999.** Bryophytes of Uganda. 2. New and interesting records. *Tropical Bryology* 16: 179-194.
- Stotler, R., Salazar Allen, N., Gradstein, S.R., McGuinness, W., Whittemore, A., Chung, C. 1998.** A Checklist of the Hepatics and Anthocerotales of Panama. *Tropical Bryology* 15: 167 ff.
- Streimann, H. 1994.** Conservation Status of Bryophytes in Eastern Australia. *Tropical Bryology* 9: 117-122.
- Suleiman, M., Edwards, S.R. 2002.** Mosses of Mt. Trus Madi, Sabah, Malaysia. *Tropical Bryology* 21 : 57-64.
- Tan, B., Engel, J.J. 1990.** A preliminary study of the affinities of Philippine, Bornean and New Guinean
- Tan, B., Engel, J.J. 1995.** A preliminary study of the affinities of Philippine, Bornean and New Guinean Hepatics. *Tropical Bryology* 11: 265-272.
- Tan, B.C., Lin, P. 1995.** Three new and remarkable species of mosses from China and the Philippines. *Tropical Bryology* 10: 55-64.
- Tan, B.C., Lubos, L., Schwarz, U. 2000.** New and Biogeographically Noteworthy Records of Philippine Mosses from Mindanao Island. *Tropical Bryology* 18: 27-38.
- Thiers, B. 1992.** A Re-evaluation of *Cheilolejeunea* subgenus *Xenolejeunea*. *Tropical Bryology* 5: 10-22.
- Thiers, B.M. 1990.** An overview of the Lejeuneaceae in Australia. *Tropical Bryology* 2: 273 ff.
- Thiers, B.M. 1995.** An overview of the Lejeuneaceae in Australia. *Tropical Bryology* 11: 273 ff.
- Tixier, P. 1995.** Résultats taxonomiques de l'expédition BRYOTROP au Zaïre et Rwanda. 30. Bryophytes épiphyllés (récoltes de E. Fischer). *Tropical Bryology* 11: 11-76.
- Touw, A. 1990.** Additional notes on *Neckeropsis*. 3. On the identity of *Thamnum quisumbingii*
- Touw, A. 1995.** Taxonomic Results of the BRYOTROP Expedition to Zaïre and Rwanda. 29. Thuidiaceae, *Thuidium*. *Tropical Bryology* 10: 199-200.
- Townsend, C., Allen, B. 1998.** A Checklist of the Mosses of Belize. *Tropical Bryology* 15: 89-100.
- Vana, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaïre and Rwanda 11. Cephaloziaceae, Cephaloziellaceae, Gymnomitriaceae, Jungermanniaceae, Lophoziaceae. *Tropical Bryology* 8: 99-104. Veloir. *Tropical Bryology* 3: 73-74.
- Vilas Bôas-Bastos, S.B., Passos Bastos C.J. 1998.** Briófitas de uma área de Cerrado no município de Alagoinhas, Bahia, Brazil. *Tropical Bryology* 15: 101-110.
- Vilas Bôas-Bastos, S.B., Passos Bastos, C.J. 2000.** New Occurrences of Pleurocarpous Mosses for the state of Bahia, Brazil. *Tropical Bryology* 18: 65-74.
- Visnadi, S. R., Vital, D.M. 1995.** Bryophytes from restinga in Setiba State Park, Espírito Santo State, Brazil. *Tropical Bryology* 10: 69-74.
- Vital, D.H., Giancotti, C. & Pursell, R.A. 1991.** The Bryoflora of Fernando de Noronha, Brasil. *Tropical Bryology* 4: 23-24.
- Vital, D.M., Capelari, M., Gugliotta, A.M., Bodoni, V.L.R. 2000.** Bryophytes on Fungi. *Tropical Bryology* 19: 31-40.
- Vital, D.M., Visnadi, S.R. 1994.** Bryophytes of

- Rio Branco Municipality, Acre, Brazil.
Tropical Bryology 9: 69-74.
- Vitt, D.H. 1990.** *Desmotheca* (Orthotrichaceae): Gondwanan fragmentation and the origin of a Southeast Asian genus. Tropical Bryology 3: 78-88.
- von Konrat, M.J., Braggins, J.E. 1999.** The epiphyllous habitat in the hepatic genus *Frullania*. Tropical Bryology 17: 103-114.
- Wigginton, M.J. 2000.** *Caudalejeunea yangambiensis* (Vanden Berghen) E.W. Jones (Lejeuneaceae) with mature perianths from Ghana. Tropical Bryology 19: 41-44.
- Wigginton, M.J. 2001.** A small collection of bryophytes from Ethiopia. Tropical Bryology 20: 27-30.
- Wigginton, M.J. 2001.** British Bryological Society expedition to Mulanje Mountain, Malawi. 15. Lejeuneaceae, and the occurrence and frequency of foliicolous taxa. Tropical Bryology 20: 83-96.
- Wigginton, M.J., Banwell, A.D. 2001.** A small collection of bryophytes from Mont Serrat, West Indies. Tropical Bryology 20: 51-54.
- Wigginton, M.J., O'Shea, B.J., Porley, R.D., Matcham, H.W. 2001.** Bryophytes of Uganda, 4. New and additional records, 2. Tropical Bryology 20: 55-62.
- Wigginton, M.J., Porley, R.D., Hodgetts, N.G. 1999.** Bryophytes of Uganda. 1. BBS Tropical Bryology Group expeditions, 1996-1998. Introduction and collection sites. Tropical Bryology 16: 165-178.
- Wolfe, J. & McQueen, C.B. 1992.** Biogeochemical Ecology of six Species of *Sphagnum* in Costa Rica. Tropical Bryology 5: 73-78.
- Wu, P. 1992.** The Mossflora of Xishuangbanna, Southern Yunnan, China. Tropical Bryology 5: 27-34.
- Yamada, K. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 13. Radulaceae. Tropical Bryology 8: 127-130.
- Yano-Melo, A.M., Vicente, C., Xavier-Filho, L. 1999.** Allelopathic effect of the *Cladonia verticillata* lichen extracts and fumarproto-cetraric acid on the early growth of germinated seedlings in *Allium cepa* L. Tropical Bryology 17: 133-140.
- Yano-Melo, A.M., Vicente, C., Xavier-Filho, L. 1999.** Influence of *Cladonia substellata* Vainio extracts and usnic acid on germination and growth of *Allium cepa* L. seedlings. Tropical Bryology 16: 11-16.

III. Contents by subjects

LICHENOLOGY

- Ahti, T., Stenroos, S., Xavier Filho, L.** The lichen family Cladoniaceae in Paraiba, Pernambuco and Sergipe, Northeast Brazil. Tropical Bryology 7: 55-70.
- Aptroot, A. 1998.** New lichens and lichen records from Papua New Guinea, with the description of *Crustospathula*, a new genus in the Bacidiaceae. Tropical Bryology 14: 25-35.
- Aptroot, A., Seaward, M.R.D. 1999.** Annotated checklist of Hongkong Lichens. Tropical Bryology 17: 57-102.
- Elix, J.A., Nash III, T.H. 1995.** New Species of Parmeliaceae (lichenized Ascomycotina) from South America. Tropical Bryology 11: 161-168.
- Elshafie, A.E., Sipman, H.J.M. 1999.** Mediterranean lichens in the tropics: lichens of the mist oasis of Erkwit, Sudan. Tropical Bryology 16: 103-108.
- Etayo, J. 1998.** Aportación a la flora líquénica de las Islas Canarias. IV. Liqueenes epifitos de La Gomera (Islas Canarias). Tropical Bryology 14: 85-108.
- Farkas, E.E. & Sipman, H.J.M.** Bibliography and checklist of foliicolous lichenized fungi up to 1992. Tropical Bryology 7: 93-148.
- Ferraro, L.I., Lücking, R. 2000.** Adiciones a la flora líquénica foliícola de Argentina,

- Paraguay Oriental y regiones limítrofes de Brasil. *Tropical Bryology* 19: 59-72.
- Galloway, D.J. 1998.** Studies on the lichen genus *Sticta* (Schreber) Ach.: V. Australian species. *Tropical Bryology* 15: 117-160.
- Galloway, D.J.** Nomenclatural notes on *Pseudocyphellaria* V: Some Brazilian taxa. *Tropical Bryology* 7: 87-92.
- Honda, N.K., Devincenzi, I.A.A., Xavier Filho, L. 1995.** Secalonic Acid A from *Pseudoparmelia sphaerospora* (Nyl.) Hale and *P. hypomilta* (Fée) Hale (Parmeliaceae). *Tropical Bryology* 10: 201-204.
- Lücking, R. 1997.** Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The genus *Fellhanera*, with notes on *Bacidia pauciseptata*. *Tropical Bryology* 13: 141-174.
- Lücking, R. 1997.** Estado actual de las investigaciones sobre líquenes foliícolas en la región Neotropical, con un análisis biogeográfico preliminar. *Tropical Bryology* 13:87-114.
- Lücking, R. 1998.** Foliicolous lichens and their lichenicolous fungi collected during the Smithsonian International Cryptogamic Expedition to Guyana 1996. *Tropical Bryology* 15: 45-74.
- Lücking, R., Sérusiaux, E., Sipman, H.J.M. 2000.** New species or interesting records of foliicolous lichens VII. *Calenia flava* (Ostropales: Gomphillaceae). *Tropical Bryology* 19: 55-58.
- Lumbsch, H.T., Elix, J.A.** Notes on the circumscription of the lichens *Lecanora leprosa* and *L. sulphurescens* (Lecanoraceae, lichenised Ascomycotina). *Tropical Bryology* 7: 71-76.
- Makhija, U., Adawadkar, B., Patwardhan, P.G. 1999.** The lichen genus *Coccocarpia* from the Andaman and Nikobar Islands, India. *Tropical Bryology* 17: 47-56.
- Makhija, U., Patwardhan, P.G. 1995.** Nomenclatural notes on some species of *Arthothelium* (Lichenized Ascomycotina). *Tropical Bryology* 10: 205-214.
- Marcano, V., Galiz, L., Mohali, S., Morales Méndez, A., Palacios-Prü, E. 1997.** Revision del genero *Leprocaulon* Nyl. ex Lamy (Lichenes Imperfecti) en Venezuela. *Tropical Bryology* 13: 47-56.
- Marcano, V., Morales Méndez, A. 1994.** El Grupo de *Ramalina cochlearis* Zahlbr. con especial referencia al trópico Americano. *Tropical Bryology* 9: 187-200.
- Marcano, V., Morales Mendez, A., Mohali, S., Galiz, L., Palacios-Prü, E.** El genero *Coccocarpia* (Ascomicetes liquenizados) en Venezuela. *Tropical Bryology* 10: 215 ff.
- Marcano, V., Morales Méndez, A., Sipman, H., Calderon, L. 1996.** A first checklist of the lichen-forming fungi of the Venezuelan Andes. *Tropical Bryology* 12: 193-236.
- Marcano, V., Palacios-Prü, E., Morales, A. 2000.** *Pseudohepatica duidensis*, a new lichen from the venezuelan Amazonas. *Tropical Bryology* 18: 203 ff.
- Mervin, M.C., Nadkarni, N.M. 2002.** 100 years of tropical bryophyte and lichen ecology: a bibliographic guide to the literature from 1901 - 2000. *Tropical Bryology* 21 : 97-118.
- Mohali, S., Marcano, V., Palacios-Prü, E. 1997.** La microscopia electronica aplicada al estudio de los líquenes en Venezuela. *Tropical Bryology* 13: 115-124.
- Morales Méndez, A., Marcano, V. 1994.** *Ramalina subfraxinea* Nyl. var. *confirmata* (Nyl.) N. Stevens (Ascomicete liquenizado, Ramalinaceae) en America. *Tropical Bryology* 9: 201ff.
- Seaward, M.R.D. 1996.** Bryophytes and Lichens of Aldabra. *Tropical Bryology* 12: 29-34.
- Seaward, M.R.D., Aptroot, A. 2000.** The lichen flora of the Chagos Archipelago, including a comparison with other island and coastal tropical floras. *Tropical*

Bryology 18: 185-198.

Sebastián, B., Fontaniella, B., Pereira, E.C., Vicente, C. 2000. Oxidation reactions are required to produce atranorin from acetate by alginate-immobilized cells of *Cladonia verticillaris*. Tropical Bryology 19: 73-80.

Sipman, H.J.M. & Aptroot, A. 1992. Results of a botanical expedition to Mount Roraima, Guyana. II. Lichens. Tropical Bryology 5: 79-108.

Sipman, H.J.M. 1992. Results of a lichenological and bryological exploration of Cerro Guaiquinima (Guayana Highland, Venezuela). Tropical Bryology 6: 1-34.

Sipman, H.J.M. 1993. Lichens from Mount Kinabalu. Tropical Bryology 8: 281 ff.

Stenroos, S., Smith, C.W. 1993. Notes on the amphipacific relations of Hawaiian Cladoniaceae. Tropical Bryology 8: 275-280.

Yano-Melo, A.M., Vicente, C., Xavier-Filho, L. 1999. Allelopathic effect of the *Cladonia verticillata* lichen extracts and fumarprotocetraric acid on the early growth of germinated seedlings in *Allium cepa* L. Tropical Bryology 17: 133-140.

Yano-Melo, A.M., Vicente, C., Xavier-Filho, L. 1999. Influence of *Cladonia substellata* Vainio extracts and usnic acid on germination and growth of *Allium cepa* L. seedlings. Tropical Bryology 16: 11-16.

ANATOMY, MORPHOLOGY

Bruggeman-Nannenga, M.A. 1990. On the anatomy of the costa in *Fissidens*. Tropical Bryology 3: 37-44.

De Luna, E. 1990. Developmental Evidence of Acrocarpy in *Hedwigia ciliata* (Musci, Hedwigiaceae). Tropical Bryology 2: 53-60

Koponen, T., Buck, W.R. 1996. On the variation of the leaf border in *Rhizomnium*

(Cinclidiaceae). Tropical Bryology 12: 119-122.

Newton, A.E., Robinson, H. 1994. The structure of the leaf and peristome of *Holomitriopsis laevifolia* (Broth.) H. Robins. illustrated with scanning electron microscopy. Tropical Bryology 9: 111-116.

Piippo, S. 1992. On the asexual reproduction of *Plagiochila pluma* Steph. Tropical Bryology 5: 79.

Pinheiro da Costa, D. 1992. Morphology of *Metzgeria conjugata* Lindb. (Metzgeriales, Hepaticopsida). Tropical Bryology 6: 65-70.

Robinson, H. 1990. A functional evolution of the Leucobryaceae. Tropical Bryology 2: 223-238.

APPLIED BRYOLOGY

Spjut, R.W., Kingston, D.G.I. & Cassady, J.M. 1992. Systematic screening of bryophytes for antitumor agents. Tropical Bryology 6: 193-202.

BRYOGEOGRAPHY

Blöcher, R., Frahm, J.-P. 2002. A comparison of the moss floras of Chile and New Zealand. Studies on austral temperate rain forest bryophytes 17. Tropical Bryology 21: 81-92.

Buck, W.R. 1990. Biogeography of the Greater Antillean Mosses. Tropical Bryology 2: 35-48.

Delgadillo M., C. 1992. El banco de datos de los musgos neotropicales. Tropical Bryology 6: 61-64.

Delgadillo M., C. 1995. Neotropical moss floras: Species common to North and South America. Tropical Bryology 10: 1-6.

Delgadillo M., C. The Antillean Arc and the distribution of neotropical mosses. Tropical Bryology 7: 7-12.

Frahm, J.-P. 1990. The origin and distribution of Neotropical species of *Campylopus*. Tropical Bryology 3: 1-18.

- Gradstein, S.R. , D. Montfoort & J.H.C. Cornelissen 1990.** Species richness and phytogeography of the bryophyte flora of the Guianas, with special reference to the lowland rainforest.. *Tropical Bryology* 2: 117-126.
- Gradstein, S.R. 1991.** Diversity and distribution of Asian Lejeuneaceae subfamily Ptychanthoideae. *Tropical Bryology* 4: 1-16.
- Hu, R. 1990.** Distribution of bryophytes in China . *Tropical Bryology* 2: .133
- Iwatsuki, Z. 1990.** Origin of the New Caledonian bryophyte flora. *Tropical Bryology* 2: 139-148.
- Kuc, M. 2000.** The distribution of *Hemiragus aurea* (Brid.) Ren. & Card. (Hookeriaceae, Musci) and related notes of interest. *Tropical Bryology* 18: 55-64.
- O'Shea, B.J. 1997.** The mosses of sub-Saharan-Africa 2. Endemism and biodiversity. *Tropical Bryology* 13: 75-86.
- O'Shea, B.J., Ochyra, R.** Families and genera of mosses no longer believed to occur in sub-Saharan Africa. *Tropical Bryology* 18 : 119-128.
- Ochyra, R., Bednarek-Ochyra, H., Arts, T., Lewis Smith, R.I.** Occurrence of the neotropical moss *Dicranella hilariana* (Mont.) Mitt. in the Antarctic. *Tropical Bryology* 18: 153-160.
- Ochyra, R., Kempa, R., Buck, W.R. 2000.** *Plagiothecium lucidum* (Hook. f. & Wils.) Paris in tropical Africa. *Tropical Bryology* 18: 147-152.
- Piippo, S. 1994.** On the bryogeography of Western Melanesian Lejeuneaceae, with comments on their epiphyllous occurrence. *Tropical Bryology* 9: 43-58.
- Redfearn, P. 1990.** Tropical component in the moss flora of China. *Tropical Bryology* 2: 201-222.
- Schuster, R.M. 1990.** Origins of neotropical Leafy Hepaticae. *Tropical Bryology* 2: 239-264.
- Tan, B., Engel, J.J. 1990.** A preliminary study of the affinities of Philippine, Bornean and New Guinean
- Tan, B., Engel, J.J. 1995.** A preliminary study of the affinities of Philippine, Bornean and New Guinean Hepaticae. *Tropical Bryology* 11: 265-272.

CHECKLISTS

- Born, S., Frahm, J.-P. & Pócs, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 26. A new checklist of the mosses of Central Africa. *Tropical Bryology* 8: 223-274.
- Bourell, M. 1992.** A checklist of the bryophytes of Chiapas, Mexico. *Tropical Bryology* 6: 39-56.
- Churchill, S.P. 1989.** Nuevo Catalogo de los Musgos de Colombia. *Tropical Bryology* 1: 95ff.
- Li, Z.-H., Piippo, S. 1994.** Preliminary list of bryophytes of Heishiding Nature Reserve, Guangdong Province. *Tropical Bryology* 9: 35-42.
- Morales Z., M.I. 1991.** Las Hepaticas comunicadas para Costa Rica *Tropical Bryology* 4: 25-58.
- O'Shea, B. 1995.** Checklist of the mosses of sub-Saharan Africa. *Tropical Bryology* 10: 91-198.
- Stotler, R., Salazar Allen, N., Gradstein, S.R., McGuinness, W., Whittemore, A., Chung, C. 1998.** A Checklist of the Hepaticae and Anthocerotae of Panama. *Tropical Bryology* 15: 167 ff.
- Townsend, C., Allen, B. 1998.** A Checklist of the Mosses of Belize. *Tropical Bryology* 15: 89-100.

CONSERVATION

- Gradstein, S.R. 1992.** Threatened bryophytes of the neotropical rain forest: a status report. *Tropical Bryology* 6: 83-94.
- Streimann, H. 1994.** Conservation Status of Bryophytes in Eastern Australia. *Tropical Bryology* 9: 117-122.

CYTOLOGY

- Ramsay, H.P., Streimann, H., Vitt, D.H. 1995.** Cytological Studies on mosses from Papua New Guinea. 1. Introduction and the family Orthotrichaceae. *Tropical Bryology* 11: 151-160.

ECOLOGY

- Cornelissen, J.H.C. & Gradstein, S.R. 1990.** On the occurrence of bryophytes and macrolichens in different lowland rain forest types at Mabura Hill, Guyana. *Tropical Bryology* 3: 29-36.
- Eggers, J. 2001.** Epiphyllous Lejeuneaceae in Costa Rica. Contributions to the altitudinal distribution of selected species. *Tropical Bryology* 20: 109-116.
- Enroth, J. 1990.** Altitudinal Zonation of Bryophytes on the Huon Peninsula, Papua New Guinea. *Tropical Bryology* 2: 61-90.
- Frahm, J.-P. & Gradstein, S.R. 1990.** Ecology of tropical bryophytes: a bibliography. *Tropical Bryology* 3: 75-77.
- Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 1. The ecology of epiphytic bryophytes on Mt. Kahuzi (Zaire). *Tropical Bryology* 9: 137-152.
- Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 2. The altitudinal zonation of the bryophytes on Mt. Kahuzi, Zaire. *Tropical Bryology* 9: 153-168.
- Frahm, J.-P., Ohlemüller, R. 2001.** Ecology of bryophytes along altitudinal and longitudinal gradients in New Zealand. Studies in austral temperate rain forest bryophytes 15. *Tropical Bryology* 20: 117ff.
- Frahm, J.-P., Porembski, S. 1994.** Moose von Inselbergen aus Westafrika.. *Tropical Bryology* 9: 59-68.
- Frey, W., Kürschner, H., Seifert, U.H. 1995.** Scientific results of the BRYOTROP expedition to Zaire and Rwanda. 7. Life strategies of epiphytic bryophytes from tropical lowland and montane forests, ericaceous woodlands and the *Dendrosenecio* subpáramo of the eastern Congo basin and the adjacent mountains (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 129-150.
- Glime, J.M., P.S.Hudy & S. Hattori 1990.** Diversity and altitudinal niche width characteristics for 35 taxa of the Papua New Guinea *Frullania* flora with consideration of sibling pairs. *Tropical Bryology* 2: 103-116.
- Gradstein, S.R. & Salazar Allen, N. 1992.** Bryophyte diversity along an altitudinal gradient in Darién National Park, Panama. *Tropical Bryology* 5: 61-74.
- Hoffmann, A. & Riverón, R. 1992.** Biorelaciones entre los musgos y su acarofauna en México. *Tropical Bryology* 6: 105-110.
- Kuc, M. 2000.** Adaptations of lowland jungle mosses to anthropogenic environments in Guayana. *Tropical Bryology* 18: 49-54.
- Kürschner, H. 1995.** Wissenschaftliche Ergebnisse der BRYOTROP-Expedition nach Zaire und Rwanda. 5. Höhengliederung epiphytischer Moose im östlichen Kongobecken und den angrenzenden Gebirgsstöcken (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 77-86.
- Kürschner, H., Seifert U.H. 1995.** Wissenschaftliche Ergebnisse der BRYOTROP-Expedition nach Zaire und Rwanda. 6. Lebensformen und Adaptationen zur Wasserleitung und Wasserspeicherung in epiphytischen Moosgesellschaften im östlichen Kongobecken und den angrenzenden Gebirgsstöcken (Parc National de Kahuzi-Biega/Zaire, Forêt de Nyungwe/Rwanda). *Tropical Bryology* 11: 87-118.
- Lösch, R., Mülders, P., Fischer, E., Frahm, J.-P. 1994.** Scientific Results of the BRYOTROP Expedition to Zaire and Rwanda 3. Photosynthetic gas exchange

- of bryophytes from tropical lowland and mountain forests of eastern Central Africa. *Tropical Bryology* 9: 169-186.
- Mattila, P., Koponen T. 1999.** Diversity of bryophyte flora and vegetation on rotten wood in rain and montane forests of northeastern Tanzania. *Tropical Bryology* 16: 139-164.
- McQueen, C.B. 1995.** Niche Breadth and Overlap of *Sphagnum* Species in Costa Rica. *Tropical Bryology* 11: 119-128.
- McQueen, C.B. 1997.** Niche Diversification of *Sphagnum* in Bolivia. *Tropical Bryology* 13: 65-74.
- Mervin, M.C., Nadkarni, N.M. 2002.** 100 years of tropical bryophyte and lichen ecology: a bibliographic guide to the literature from 1901 - 2000. *Tropical Bryology* 21 : 97-118.
- Monge-Najera, J. & Blanco, M.A. 1995.** The influence of leaf characteristics on epiphyllic cover: a test of hypotheses with artificial leaves. *Tropical Bryology* 11: 5-10.
- Moyá, M.T. 1992.** Phenological observations and sex ratios in *Marchantia chenopoda* L. (Hepaticae: Marchantiaceae). *Tropical Bryology* 6: 161-168.
- Müller, U., Frahm, J.-P. 1998.** Diversität epiphytischer Moose eines westandinen Bergregenwaldes in Ecuador. *Tropical Bryology* 15: 29-44.
- Sastre-De Jesús, I. 1992.** Estudios preliminares sobre comunidades de briofitas en troncos en descomposición en el bosque subtropical lluvioso de Puerto Rico. *Tropical Bryology* 6: 181-192.
- Vital, D.M., Capelari, M., Gugliotta, A.M., Bodoni, V.L.R. 2000.** Bryophytes on Fungi. *Tropical Bryology* 19: 31-40.
- von Konrat, M.J., Braggins, J.E. 1999.** The epiphyllous habitat in the hepatic genus *Frullania*. *Tropical Bryology* 17: 103-114.
- Wolfe, J. & McQueen, C.B. 1992.** Biogeochemical Ecology of six Species of *Sphagnum* in Costa Rica. *Tropical Bryology* 5: 73-78.
- Frahm, J.-P. 2002.** Ecology of bryophytes along altitudinal and latitudinal gradients in Chile. Studies on austral temperate rain forest bryophytes 16. *Tropical Bryology* 21 : 67-80.

FLORISTICS

Eggers, J., Frahm, J.-P., Pursell, R.A. 1998. New bryophyte taxon records for tropical countries II. *Tropical Bryology* 14: 81-84.

Eggers, J., Stevenson, C.R., Porley, R.D., Stech, M. 2001. New bryophyte taxon records for tropical countries IV. *Tropical Bryology* 20: 97-100.

Müller, F., Schäfer-Verwimp, A. 1999. New bryophyte taxon records for tropical countries III. *Tropical Bryology* 16: 195-202.

Müller, F., Wigginton, M.J., O'Shea, B.J. 2000. New bryophyte taxon records for tropical countries IV. *Tropical Bryology* 18: 199-202.

O'Shea, B.J., Eggers, J., Pursell, R.A., Sollman, P., Stevenson, C.R. 1997. New bryophyte taxon records for tropical countries I. *Tropical Bryology* 13: 175-174.

Pócs, T. & O'Shea, B.J. 1991. Quick Reference List of Basic Literature to Identify Tropical African Bryophytes. *Tropical Bryology* 4: 69-854

Pócs, T. 1990. The exploration of the East African bryoflora. *Tropical Bryology* 2: 177-192.

Pócs, T. 1995. The exploration of the East African bryoflora. *Tropical Bryology* 11: 177-192.

Aldabra

Seaward, M.R.D. 1996. Bryophytes and Lichens of Aldabra. *Tropical Bryology* 12: 29-34.

Argentina

Matteri, C.M., Schiavone, M.M. 1998. Sobre el género *Streptopogon* (Pottiaceae, Musci) en Argentina subtropical.

Tropical Bryology 14: 11-20.

Reiner-Drehwald, M.E. 1994. El género *Radula* Dum. (Radulaceae, Hepaticae) en el Noroeste de Argentina.. Tropical Bryology 9: 5-22.

Reiner-Drehwald, M.E. 1994. Las Lejeuneaceae (Hepaticae) de Misiones, Argentina II. *Cololejeunea*. Tropical Bryology 9: 79-88.

Reiner-Drehwald, M.E. 1995. Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. III. *Drepanolejeunea* y *Leptolejeunea*. Tropical Bryology 10:21-28.

Reiner-Drehwald, M.E. 1995. Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. IV. *Aphanolejeunea*. Tropical Bryology 10: 29-40.

Reiner-Drehwald, M.E. 1998. Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. V. *Cheilolejeunea* y *Lepidolejeunea*. Tropical Bryology 14: 53-58.

Reiner-Drehwald, M.E. 2000. Las Lejeuneaceae (Hepaticae) de Misiones, Argentina VI. *Lejeunea* y *Taxilejeunea*.. Tropical Bryology 19: 81 ff.

Reiner-Drehwald, M.E. Las Lejeuneaceae (Hepaticae) de Misiones, Argentina I. Las especies holostipas. Tropical Bryology 7: 13-46.

Schiavone, M.M. 1997. Sobre la presencia de *Pyrrhobryum spiniforme* (Rhizogoniaceae) en el noroeste de Argentina. Tropical Bryology 13: 19-20.

Nieva, M.M., Schiavone, M.M. 2002. El género *Metzgeria* (Metzgeriales-Hepatophyta) en los bosques montanos del Noroeste de Argentina. Tropical Bryology 21 : 123 ff.

Australia

Thiers, B.M. 1990. An overview of the Lejeuneaceae in Australia. Tropical Bryology 2: 273 ff.

Sollman, Ph. 2002. Not located type material of Pottiales described from Australia. Tropical Bryology 21 : 51-52.

Benin

Dilg, C., Frahm, J.-P. 2000. Ein Beitrag zur

Moosflora von Benin. Tropical Bryology 19: 1-6.

Frahm, J.-P., Porembski, S. 1998. Moose von Inselbergen in Benin. Tropical Bryology 14: 3-10.

Bolivia

Hastings, R.I. 1997. *Grimmia pseudo-anodon* new to Bolivia. Tropical Bryology 13:137-140.

Hepatics. Tropical Bryology 2: 265-272

León Vargas, Y. 1998. *Cryphaea hortonae*, a new species of mosses from Bolivia. Tropical Bryology 14: 77-80.

Lewis, M. 1992. *Meteoridium* and *Zelometeorium* in Bolivia. Tropical Bryology 5: 35-54.

McQueen, C.B. 1997. Niche Diversification of *Sphagnum* in Bolivia. Tropical Bryology 13: 65-74.

Brazil

Cavalcanti Pôrto, K., Rangel Germano, S., Mota de Oliveira, S. 2000. New records of bryophytes for Pernambuco State, Brazil. Tropical Bryology 18: 107-114.

Passos Bastos, C.D., Albertos, B., Vilas Bôas, S.B. 1998. Bryophytes from some Caatinga areas in the state of Bahia (Brazil). Tropical Bryology 14: 69-76.

Passos Bastos, C.D., Vilas Bôas-Bastos, S.B. 2000. Some New Additions to the Hepatic Flora (Jungermanniophyta) for the State of Bahia, Brazil. Tropical Bryology 18: 1-12.

Passos Bastos, C.J., Stradmann, M.T.S., Vilas Bôas-Bastos, S. 1998. Additional Contribution to the bryophyte flora of Chapada Diamantina National Park, State of Bahia, Brazil. Tropical Bryology 15: 15-20.

Passos Bastos, C.J., Vilas Bôas-Bastos, S.B. 1998. Adições à brioflora (Bryopsida) do Estado da Bahia, Brasil. Tropical Bryology 15: 111-116.

Passos Bastos, C.J., Vilas Bôas-Bastos, S.B. 2000. Occurrence of some Lejeuneaceae (Jungermanniophyta) in Bahia, Brazil. Tropical Bryology 19: 45-54.

- Porley, R.D., O'Shea, B.J., Wigginton, M.J., Matcham, H.W., Hodgetts, N.G., Porto, K.C., Gradstein, S.R., Yano, O., Germano, S.R., Pinheiro da Costa, D. 1999.** New and interesting records of Brazilian bryophytes. *Tropical Bryology* 17: 39-46.
- Rangel Germano, S., Cavalcanti Porto, K. 1996.** Floristic Survey of Epixylic Bryophytes of an Area Remnant of the Atlantic Forest (Timbaúba -PE, Brazil). 1. Hepaticopsida (except Lejeuneaceae) and Bryopsida. *Tropical Bryology* 12: 21-28.
- Vilas Bôas-Bastos, S.B., Passos Bastos C.J. 1998.** Briófitas de uma área de Cerrado no município de Alagoinhas, Bahia, Brazil. *Tropical Bryology* 15: 101-110.
- Vilas Bôas-Bastos, S.B., Passos Bastos, C.J. 2000.** New Occurrences of Pleurocarpous Mosses for the state of Bahia, Brazil. *Tropical Bryology* 18: 65-74.
- Visnadi, S. R., Vital, D.M. 1995.** Bryophytes from restinga in Setiba State Park, Espírito Santo State, Brazil. *Tropical Bryology* 10: 69-74.
- Vital, D.H., Giancotti, C. & Pursell, R.A. 1991.** The Bryoflora of Fernando de Noronha, Brasil. *Tropical Bryology* 4: 23-24.
- Vital, D.M., Visnadi, S.R. 1994.** Bryophytes of Rio Branco Municipality, Acre, Brazil. *Tropical Bryology* 9: 69-74.
- Caledonia*
- Iwatsuki, Z. 1990.** Origin of the New Caledonian bryophyte flora. *Tropical Bryology* 2: 139-148.
- Cape Verde Islands*
- Frahm, J.-P., A. Lindlar, P. Sollman, E. Fischer 1996.** Bryophytes from the Cape Verde Islands. *Tropical Bryology* 12: 123-154.
- Chile*
- Ireland, R.R., Belloio, G. 2002.** The Mosses of Easter Island. *Tropical Bryology* 21 : 11-20.
- Frahm, J.-P. 2002.** Ecology of bryophytes along altitudinal and latitudinal gradients in Chile. Studies on austral temperate rain forest bryophytes 16. *Tropical Bryology* 21 : 67-80.
- China*
- But, P.P.P.H., Wu, P.-C., Wang, M.-Z. 2000.** Epiphyllous liverworts on rosette leaves of *Ardisia* species (Myrsiniaceae) in China. *Tropical Bryology* 19: 27-30.
- Cao, T., Zhang, Y., Yu, J. 2000.** Current Chinese Bryological Literature (IV). *Tropical Bryology* 18: 15-26.
- Hu, R. 1990.** Distribution of bryophytes in China . *Tropical Bryology* 2: .133
- Li, X.-J., Zhang, D.-C. 1998.** Three new synonyms of *Pohlia* (Bryaceae) from China. *Tropical Bryology* 15: 23-28.
- Li, Z.-H., Piippo, S. 1994.** Preliminary list of bryophytes of Heishiding Nature Reserve, Guangdong Province. *Tropical Bryology* 9: 35-42.
- Luo, J.-S. 1990.** A synopsis of chinese epiphyllous liverworts. *Tropical Bryology* 2: 161-166.
- Luo, J.-S. 1995.** A synopsis of chinese epiphyllous liverworts. *Tropical Bryology* 11: 161-166.
- Redfearn, P. 1990.** Tropical component in the moss flora of China. *Tropical Bryology* 2: 201-222.
- Redfearn, P.L. 1998.** *Trachyphyllum carinatum* new to China. *Tropical Bryology* 14: 1-2.
- Redfearn, P.L., Tan, B.C. 1995.** New Combinations for the Moss Flora of China. *Tropical Bryology* 10: 65-68.
- Tan, B.C., Lin, P. 1995.** Three new and remarkable species of mosses from China and the Philippines. *Tropical Bryology* 10: 55-64.
- Wu, P. 1992.** The Mossflora of Xishuangbanna, Southern Yunnan, China. *Tropical Bryology* 5: 27-34.
- Sollman, Ph. 2002.** Studies on the type material of *Bryoerythrophyllum yichunense* C.H. Gao (Musci, Pottiaceae) from China. *Tropical Bryology* 21 : 21-22.

Colombia

- Churchill, S.P. 1994.** New Synonyms and deletions for the Moss Floras of Colombia and Ecuador. *Tropical Bryology* 9: 1-4.
- Frahm, J.-P. 1992.** A Guide to Fieldstations in the Tropics III. Colombia. *Tropical Bryology* 5: 23-26.
- Frahm, J.-P. 1994.** A contribution to the bryoflora of the Chocó region, Colombia. I. Mosses. *Tropical Bryology* 9: 89-110.
- Ramirez P., B.R., Churchill, S.P. 2002.** Las Briofitas del Departamento de Nariño, Colombia: I. Musgos. *Tropical Bryology* 21 : 23-46.

Costa Rica

- Arrocha, C. 1992.** Musgos de Costa Rica: nuevos registros. *Tropical Bryology* 5: 1-4.
- Eggers, J. 2001.** Epiphyllous Lejeuneaceae in Costa Rica. Contributions to the altitudinal distribution of selected species. *Tropical Bryology* 20: 109-116.
- McQueen, C.B. 1995.** Niche Breadth and Overlap of *Sphagnum* Species in Costa Rica. *Tropical Bryology* 11: 119-128.
- Mervin, M.C., Gradstein, S.R., Nadkarni, N.M. 2001.** Epiphytic bryophytes of Monteverde, Costa Rica. *Tropical Bryology* 20: 63-70.

Cuba

- Motito, A., Potrony, M.E. & Reyes M., D. 1992.** Estado actual y perspectivas futuras del estudio de los musgos cubanos. *Tropical Bryology* 6: 157-160.
- Mustelier, K. & Reyes M., D. 1992.** La familia Lejeuneaceae (Hepaticopsida) en Cuba. *Tropical Bryology* 6: 169-170.
- Reyes M., D. 1992.** Acerca de la flora briológica de Cuba. *Tropical Bryology* 6: 203 ff.

Ecuador

- Arts, T., Sollman, P. 1998.** A contribution to the moss flora of Ecuador. *Tropical Bryology* 14: 43-52.

Churchill, S.P. 1994. New Synonyms and deletions for the Moss Floras of Colombia and Ecuador. *Tropical Bryology* 9: 1-4.

Gradstein, S.R. & Yamada, K. 1991. The Genus *Radula* (Hepaticae) in the Galapagos Islands. *Tropical Bryology* 4: 63-68.

Kuc, M. 2000. Altitudinal additamenta to the uppermost ranges of mosses in Ecuador. *Tropical Bryology* 18: 39-48.

Kuc, M. The Discovery of a Second Locality in Peru for *Pleuridium andinum* Herz. (Ditrichaceae, Musci). *Tropical Bryology* 12: 115-118.

Equatorial Guinea

Heras Pérez, P., Infante Sánchez, M. 1996. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). I. Introduction and preliminary checklist. *Tropical Bryology* 12: 41-58.

Heras Pérez, P., Infante Sánchez, M. 1999. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). IV. Notes on some *nomina nuda* from Annobon. *Tropical Bryology* 16: 127-130.

Infante Sánchez, M., Heras Pérez, P. 1998. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). III. Contribution to the bryoflora of Rio Muni (Continental Region). *Tropical Bryology* 15: 1-14.

Infante, M., Heras, P., Buck, W.R. 1997. Bryophytes from the Republic of Equatorial Guinea (West-Central Africa) II. Bryophytes collected by Emilio Guinea (1907-1985) in the Island of Bioco in 1947. *Tropical Bryology* 13: 131-136.

Infante, M., Heras, P., Pócs, T. 1999. Bryophytes from the Republic of Equatorial Guinea (West Central Africa). V. *Diplasiolejeunea congoensis* sp. nov. *Tropical Bryology* 17: 9-12.

Infante, M., Heras, P., Pócs, T. 1999. Bryophytes from the Republic of Equatorial Guinea (West Central

Africa). VI. *Cololejeunea iradieri* sp. nov., *Cololejeunea magna* stat. nov. and their relations to similar species. *Tropical Bryology* 17: 13-18.

Müller, F. 1996. Beitrag zur Moosflora der Insel Bioko (=Fernando Po), Aequatorial Guinea. *Tropical Bryology* 12: 75-98.

Ethiopia

Wigginton, M.J. 2001. A small collection of bryophytes from Ethiopia. *Tropical Bryology* 20: 27-30.

Ghana

Wigginton, M.J. 2000. *Caudalejeunea yangambiensis* (Vanden Berghen) E.W. Jones (Lejeuneaceae) with mature perianths from Ghana. *Tropical Bryology* 19: 41-44.

Guianas

Florschütz - de Waard, J. 1990. A Catalogue of the Bryophytes of the Guianas. II. Musci. *Tropical Bryology* 3: 89 ff.

Gradstein, S.R., D. Montfoort & J.H.C. Cornelissen 1990. Species richness and phytogeography of the bryophyte flora of the Guianas, with special reference to the lowland rainforest. *Tropical Bryology* 2: 117-126.

Gradstein, S.R., Florschütz-de Waard, J. 1989. Results of a botanical expedition to Mount Roraima, Guayana. I. Bryophytes. *Tropical Bryology* 1: 25-54.

Kuc, M. 2000. Adaptations of lowland jungle mosses to anthropogenic environments in Guayana. *Tropical Bryology* 18: 49-54.

Hawaii

Olson, S.L. 1999. Muscis Hawaiiensis Mantissae I: Two weedy species of *Bryum* new to the archipelago. *Tropical Bryology* 17: 129-130.

Olson, S.L. 1999. Muscis Hawaiiensis Mantissae II: *Neckeropsis obtusata* (Mont.) Fleisch. restored to the flora of the archipelago. *Tropical Bryology* 17: 131-132.

Hong Kong

But, P. P.-H. & Gao, C.-H. 1991. Epiphyllous Hepaticae of Kowloon Peninsula (Hong Kong). *Tropical Bryology* 4: 17-22.

So, M.L. & Yip, K.L. 1995. Mosses New to Hong Kong (II). *Tropical Bryology* 10: 11-14.

So, M.L. & Yip, K.L. 1995. Mosses New to Hong Kong (III). *Tropical Bryology* 10: 15-20.

So, M.L. 1995. Mosses new to Hong Kong (IV). *Tropical Bryology* 11: 1-4.

So, M.L., Zhu, R.L. 1996. Studies on Hong Kong *Cheilolejeunea* with two species new to China. *Tropical Bryology* 12: 5-10.

So, M.L., Zhu, R.L. 1996. Studies on Hong Kong Hepatics II. Notes on Some newly Recorded Liverworts from Hong Kong. *Tropical Bryology* 12: 11-20.

So, S.Y., So, M.L. 1995. Mosses New to Hong Kong (I). *Tropical Bryology* 10: 7-10.

Kenya

Chuah-Petiot, M.S. 1995. Data to the bryoflora of Mount Kenya, Kenya. *Tropical Bryology* 10: 41-54.

Chuah-Petiot, M.S. 1996. Bryophytes from Saiwa Swamp National Park, Kenya. *Tropical Bryology* 12: 63-74.

Chuah-Petiot, M.S. 1997. Contributions toward a Bryoflora of the Aberdare Range, Kenya. *Tropical Bryology* 13: 57-64.

Chuah-Petiot, M.S. 2001. Contribution to the Bryoflora of Kenya. *Tropical Bryology* 20: 31-38.

Fischer, E. 1999. A new species of *Colura* (Lejeuneaceae) from the Aberdare Mountains/Kenya. *Tropical Bryology* 16: 205 ff.

Macaronesia

Schumacker, R., Vana, J. 1999. Two new liverworts for Europe in Macaronesia: *Odontoschisma prostratum* (Sw.) Trevis. on the Azores and *Jungermannia callithrix* Lindenb. & Gottsche on the

Azores and Madeira. *Tropical Bryology* 17: 115-128.

Malaysia

Suleiman, M., Edwards, S.R. 2002. Mosses of Mt. Trus Madi, Sabah, Malaysia. *Tropical Bryology* 21 : 57-64.

Malawi

O'Shea, B.J. Wigginton, M.J., Bruggeman-Nannenga, M.A., Hodgetts. N.G., Porley, R.D. 2001. British Bryological Society Expedition to Mulanje Mountain, Malawi. 13. New and other unpublished records. *Tropical Bryology* 20: 1-26.

Wigginton, M.J. 2001. British Bryological Society expedition to Mulanje Mountain, Malawi. 15. Lejeuneaceae, and the occurrence and frequency of foliicolous taxa. *Tropical Bryology* 20: 83-96.

Mascarenes

Een, G. 1989. Mosses from the Mascarenes - 3. *Tropical Bryology* 1: 55-62.

Een, G. 1997. Mosses from the Mascarenes - 6. *Tropical Bryology* 13: 21-34.

Een, G. 1999. Mosses from the Mascarenes - 4. *Tropical Bryology* 7:47-54.

Een, G., Kristoferson, L. 1999. A small collection of bryophytes from the Seychelles. *Tropical Bryology* 17: 35-38.

Een, G., Thinggaard, K. 1999. Mosses from the Mascarenes - 7. A small collection from Rodrigues. *Tropical Bryology* 16: 3-10.

Sollman, Ph., Een, G. 1995. Mosses from the Mascarenes - 5. *Tropical Bryology* 11: 169-148.

Sollman, Ph., Een, G. 1996. Mosses from the Mascarenes - 5. *Tropical Bryology* 12: 1-4

Mauritius

Een, G. 2000. Bryophytes collected in Mauritius by Gunnar Erdtman. *Tropical Bryology* 18: 87-90.

Müller, F. 2002. Additions to the bryophyte floras of Réunion and Mauritius (East African Islands). *Tropical Bryology* 21 : 47-50.

Melanesia

Koponen, T. 1990. Bryophyte flora of Western Melanesia. *Tropical Bryology* 2: 149-160

Piippo, S. 1994. On the bryogeography of Western Melanesian Lejeuneaceae, with comments on their epiphyllous occurrence. *Tropical Bryology* 9: 43-58.

Mexico

Bello y Bello, B. 1992. La colección briológica del Herbario Nacional de México (MEXU). *Tropical Bryology* 6: 35-38.

Cárdenas S., A. 1992. Situación de la enseñanza de la briología en México. *Tropical Bryology* 6: 57-60.

Cárdenas S., A. 1999. Los Musgos Pleurocárpicos del Valle de México, México. *Tropical Bryology* 16: 109-116.

Delgadillo M., C. 1989. A Guide to fieldstations in the tropics I., Mexico. *Tropical Bryology* 1: 1-4.

Delgadillo, C. 1990. Advances in Mexican Bryology. *Tropical Bryology* 2: 49-52.

Gradstein, S.R., Vana, J. 1994. A boreal bryophyte community in a tropical montane forest of Mexico. *Tropical Bryology* 9: 31-34.

Hicks, M.L. A new species of *Cronisia* Berkeley (Corsiaceae) from Mexico. *Tropical Bryology* 7: 1-6.

Moluccas

Akiyama, H. 1996. Taxonomic studies of mosses of Seram and Ambon (Moluccas, East Malesia) collected by Indonesian-Japanese Botanical Expeditions, IX. Pottiaceae. *Tropical Bryology* 12: 157-168.

Pacific Islands

Miller, H. & H.O. Whittier 1990. Bryophyte floras of tropical pacific islands.

Tropical Bryology 2: 167-176.

- Miller, H. & H.O. Whittier 1995.** Bryophyte floras of tropical pacific islands. Tropical Bryology 11: 167-176.

Pakistan

- Schäfer-Verwimp, A., Gruber, J.P. 2002.** *Orthotrichum* (Orthotrichaceae, Bryopsida) in Pakistan. Tropical Bryology 21 : 1-10.

Panama

- Morales, M.I., Dauphin, G. 1998.** A new species of *Cololejeunea* (Lejeuneaceae: Cololejeuneoideae) from Panama. Tropical Bryology 14: 133 ff.
- Salazar Allen, N. 1989.** A Guide to fieldstations in the tropics II. Panama. Tropical Bryology 1: 5-8.

Papua New Guinea

- Pócs, T. 1997.** New or little known epiphyllous liverworts, VI. *Papillolejeunea* gen. nov. from Papua New Guinea. Tropical Bryology 13: 1-18.
- Ramsay, H.P., Streimann, H., Vitt, D.H. 1995.** Cytological Studies on mosses from Papua New Guinea. 1. Introduction and the family Orthotrichaceae. Tropical Bryology 11: 151-160.

Paraguay

- Kuc, M. 1998.** A Supplement to the Moss Flora of Paraguay. Tropical Bryology 15:161-166.

Philippines

- Tan, B.C., Lin, P. 1995.** Three new and remarkable species of mosses from China and the Philippines. Tropical Bryology 10: 55-64.
- Tan, B.C., Lubos, L., Schwarz, U. 2000.** New and Biogeographically Noteworthy Records of Philippine Mosses from Mindanao Island. Tropical Bryology 18:27-38.

Puerto Rico

- Reyes-Colón, C.M., Sastre-DJ, I. 1998.** Bryophytes of Mona Island Natural Reserve, Puerto Rico. Tropical Bryology 14: 35-42.

Reunion

- Müller, F. 2000.** Additions to the bryophyte flora of Réunion (East African Islands). Tropical Bryology 18: 91-96.
- Müller, F. 2002.** Additions to the bryophyte floras of Réunion and Mauritius (East African Islands). Tropical Bryology 21 : 47-50.

Rwanda see Zaire

Seychelles

- O'Shea, B.J., Frahm, J.-P., S. Porembski 1996.** Die Laubmoosflora der Seychellen. Tropical Bryology 12: 169-192.
- O'Shea, B.J. 1998.** Notes on Seychelles mosses. 3-4. A revision of *Papillidiopsis* (Broth.) Buck & Tan, *Rhaphidostichum* Fleisch. and *Warburgiella* Müll. Hal. ex Broth. (Sematophyllaceae, Bryopsida) in Africa. Tropical Bryology 15: 75-88.
- O'Shea, B.J. 2000.** Notes on Seychelles mosses. 5. Mosses of Frégate Island. Tropical Bryology 19: 7-10.
- O'Shea, B.J. 2000.** Notes on Seychelles mosses. 6. A generic revision of *Clastobryophilum* M. Fleisch. (Sematophyllaceae, Bryopsida). Tropical Bryology 18: 97-106.

Solomon Islands

- Enroth, J. 1994.** Additions to the moss floras of Solomon Islands and several countries of tropical Asia. Tropical Bryology 9: 25-30.

South Africa

- Dilg, C., Frahm, J.-P. 1997.** Untersuchungen zur Flora der epiphytischen Moose der südlichen Drakensberge (Südafrika). Tropical Bryology 13: 35-46.

St. Helena

Müller, F. 1999. Contribution to the bryoflora and bryogeography of St. Helena (South Atlantic Ocean). *Tropical Bryology* 16: 131-138.

Tanzania

Mattila, P., Koponen T. 1999. Diversity of bryophyte flora and vegetation on rotten wood in rain and montane forests of northeastern Tanzania. *Tropical Bryology* 16: 139-164.

Uganda

O'Shea, B.J. 1999. Bryophytes of Uganda. 3. *Phyllocladon truncatulus* (Müll. Hal.) Buck is replaced in Africa by *Phyllocladon truncatus* (Welw. & Duby) Buck (Hypnaceae, Bryopsida). *Tropical Bryology* 16: 203-204.

O'Shea, B.J., Buck, W.R. 2001. Bryophytes of Uganda. 5. *Bryocrumia* L.E. Anderson (Hypnaceae), a monotypic moss genus new to Africa. *Tropical Bryology* 20: 103-108.

Pócs, T., Arnstein Lye, K. 1999. New records and additions to the hepatic flora of Uganda 2. *Tropical Bryology* 17: 23-34.

Stevenson, C.R. 1999. Bryophytes of Uganda. 2. New and interesting records. *Tropical Bryology* 16: 179-194.

Wigginton, M.J., O'Shea, B.J., Porley, R.D., Matcham, H.W. 2001. Bryophytes of Uganda, 4. New and additional records, 2. *Tropical Bryology* 20: 55-62.

Wigginton, M.J., Porley, R.D., Hodgetts, N.G. 1999. Bryophytes of Uganda. 1. BBS Tropical Bryology Group expeditions, 1996-1998. Introduction and collection sites. *Tropical Bryology* 16: 165-178.

Venezuela

Lara, F., Mazimpaka, V., Garilleti, R. 1999. Some interesting *Orthotrichum* records from Venezuela. *Tropical Bryology* 17: 1-8.

Moreno, E.J. 1992. Aproximación al conocimiento de las briofitas de Venezuela. *Tropical Bryology* 6: 147-156.

Moreno, E.J. 1992. Revisión histórica de la briología en Venezuela. *Tropical Bryology* 6: 139-146.

Infante-Sánchez, M., Heras Pérez, P. 2002. Notes on Venezuelan Ricciaceae (Marchantiophyta). *Tropical Bryology* 21 : 93-96.

Vietnam

Ninh, T. 1998. Three Mosses New to Vietnam. *Tropical Bryology* 15: 21-22.

West Indies

Wigginton, M.J., Banwell, A.D. 2001. A small collection of bryophytes from Mont Serrat, West Indies. *Tropical Bryology* 20: 51-54.

Zaire

Ando, H. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 25. Hypnum. *Tropical Bryology* 8: 219-222.

Bischler-Causse, H. & Long, D.G. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 6. Aytoniaceae, Marchantiaceae. *Tropical Bryology* 8: 53-54.

Boecker, M. 2001. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 33. Splachnaceae, *Tayloria*. *Tropical Bryology* 20: 71-72.

Bruggeman-Nannenga, M.A. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 15. Fissidentaceae. *Tropical Bryology* 8: 141-148.

Buck, W.R. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 24. Leskeaceae, Brachytheciaceae, Stereophyllaceae, Plagiotheciaceae, Entodontaceae, Sematophyllaceae, Hypnaceae (except Hypnum). *Tropical Bryology* 8: 199-218.

Chuah-Petiot, M.S. 1996. Taxonomic results of the BRYOTROP Expedition to Zaire and Rwanda. 32. Bryaceae. *Tropical Bryology* 12: 59-62.

Eddy, A. 1993. Taxonomic Results of the

- BRYOTROP Expedition to Zaire and Rwanda 14. Sphagnaceae. Tropical Bryology 8: 131-140.
- Enroth, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 23. Neckeraceae, Pterobyaceae, Hypopterygiaceae. Tropical Bryology 8: 193-198.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 2. History of Bryological Exploration of Zaire and Rwanda. Tropical Bryology 8: 5-12.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 3. Description of Collecting Sites. The Vegetation of Kahuzi-Biega-National Park/Zaire, Nyungwe Forest and Virunga volcanoes/Rwanda. Tropical Bryology 8: 13-38.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 4. A preliminary check-list of the Hepaticae and Anthocerotae from Central Africa (Zaire, Rwanda, Burundi). Tropical Bryology 8: 39-50.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 8. *Riccia vulcanicola* E. Fischer (subgenus *Ricciella*, sectio *Cavernosae*), a new species from the Virunga volcanoes, Rwanda. Tropical Bryology 8: 69-74.
- Fischer, E. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 10. Trichocoleaceae, Geocalyceae, Acrobolbaceae, Balantiopsisaceae, Lepidoziaceae (*Teleranea*, *Arachniopsis*), Calypogeiaceae, Adelanthaceae, Porellaceae, Jubulaceae, Marchantiaceae (*Dumortiera*), Polytrichaceae. Tropical Bryology 8: 83-98.
- Frahm, J.-P. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 1. Introduction. Tropical Bryology 8: 1-4.
- Frahm, J.-P. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 17. Andreaeaceae, Bruchiaceae, Dicranaceae, Rhizogoniaceae, Bartramiaceae, Rhacocarpaceae, Hedwigiaceae, Cryphaeaceae, Leucodontaceae. Tropical Bryology 8: 153-170.
- Grolle, R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 9. Pallaviciniaceae, Haplomitriaceae. Tropical Bryology 8: 75-82.
- Hasegawa, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 5. Anthocerotae. Tropical Bryology 8: 51-52.
- Kis, G. 1996.** Taxonomic Results of the BRYOTROP-Expedition to Zaire and Rwanda 31. The Andean *Daltonia limbata* Borth. in Herz. in Africa. Tropical Bryology 12: 35-40.
- Koponen, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 21. Mniaceae. Tropical Bryology 8: 189-190.
- Lewinsky, J. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 22. *Orthotrichum*. Tropical Bryology 8: 191-192.
- Müller, F. 1995.** Neue und bemerkenswerte Moosfunde aus Zaire. Tropical Bryology 10: 81-90.
- Ochyra, R. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 20. Grimmiaceae, Funariaceae, Bartramiaceae (*Philonotis*), Amblystegiaceae, Plagiotheciaceae p.pte. Tropical Bryology 8: 181-188.
- Orbán, S. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 18. Calymperaceae. Tropical Bryology 8: 171-174.
- Perold, S.M. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 7. Ricciaceae. Tropical Bryology 8: 55-68.
- Pócs, T. 1993.** Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 12. Metzgeriaceae, Plagiochilaceae, Lejeuneaceae (the non-epiphyllous collections). Tropical

Bryology 8: 105-126.

Pócs, T. 1994. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 27. Lepidoziaceae II.. Tropical Bryology 9: 123-130.

Pócs, T. 1994. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 28. Lejeuneaceae, a ramicolous collection. Tropical Bryology 9: 131-136.

Salazar Allen, N. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 16. Leucophanaceae. Tropical Bryology 8: 149-152.

Sollman, Ph. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda. 19. Pottiaceae. Tropical Bryology 8: 175-180.

Tixier, P. 1995. Résultats taxonomiques de l'expédition BRYOTROP au Zaire et Rwanda. 30. Bryophytes épiphyllés (récoltes de E. Fischer). Tropical Bryology 11: 11-76.

Touw, A. 1995. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda. 29. Thuidiaceae, *Thuidium*. Tropical Bryology 10:199-200.

Vana, J. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 11. Cephaloziaceae, Cephaloziellaceae, Gymnomitriaceae, Jungermanniaceae, Lophoziaceae. Tropical Bryology 8: 99-104.

Yamada, K. 1993. Taxonomic Results of the BRYOTROP Expedition to Zaire and Rwanda 13. Radulaceae. Tropical Bryology 8: 127-130.

FOSSIL BRYOPHYTES

Frahm, J.-P. 2001. *Hypnodontopsis confertus* comb. nov. from Baltic amber. Tropical Bryology 20: 79-82.

Frahm, J.-P. 2001. New records of mosses from Dominican amber. Tropical Bryology 20: 39-42.

POLLUTION

Durán D., A., Cisneros C., A.E. & Vargas V.,

A. 1992. Evaluación briológica de los efectos de la contaminación atmosférica en la Ciudad de México. Tropical Bryology 6: 71-82.

TAXONOMY

Bernecker-Lücking, A. 1999. Key to Latin American species of *Bazzania* S.F. Gray. Tropical Bryology 16: 117-126.

Allen, B. 1989. A preliminary treatment of the genus *Campylopus* (Musci: Dicranaceae) in Central America. Tropical Bryology 1: 63-94.

Allen, B. 1990. A Revision of the genus *Crossomitrium* (Musci: Hookeriaceae). Tropical Bryology 2:3-34.

Allen, B. H. 1990. A preliminary treatment of the *Holomitrium* complex (Musci: Dicranaceae) in

Florschütz - de Waard, J. 1992. A Revision of the Genus *Potamium* (Musci: Sematophyllaceae). Tropical Bryology 5: 109 ff.

Gradstein, S.R. & Yamada, K. 1991. The Genus *Radula* (Hepaticae) in the Galapagos Islands. Tropical Bryology 4: 63-68.

Ellis, L.T. 2001. The identity of *Calymperes campylopodoides* Müll.Hal. ex Besch. Tropical Bryology 20: 101-102.

Ellis, L. 2002. An unusual form of *Calymperes serratum* A. Braun ex Müll.Hal. (Calymperaceae, Musci). Tropical Bryology 21 : 119-120.

Enroth, J. 1992. Identity of *Porotrichum perplexans* (Neckeraceae, Musci) from China. Tropical Bryology 5: 56.

Enroth, J. 1994. Notes on the Neckeraceae (Musci). 19. The identity of *Porothamnium ceylonense*. Tropical Bryology 9: 23-24.

Fischer, E. 1999. A new species of *Colura* (Lejeuneaceae) from the Aberdare Mountains/Kenya. Tropical Bryology 16: 205 ff.

Frahm, J.-P. 1989. *Bryohumbertia subcomosa* (Dix.) J.-P. Frahm, a new name for *Bryohumbertia walkeri* (Mitt.) J.-P.

- Frahm. Tropical Bryology 1: 9-10.
- Frahm, J.-P. 1989.** The genus *Chorisodontium* (Musci, Dicranaceae) in the Neotropics. Tropical Bryology 1: 11-24.
- Frahm, J.-P. 1990.** *Campylopus*, a modern and successful genus ?. Tropical Bryology 2: 91-102.
- Frahm, J.-P. 1991.** Taxonomische Notizen zur Gattung *Campylopus* XV. Tropical Bryology 4: 59-62.
- Frahm, J.-P. 1996.** Lektotypification von *Rhacocarpus purpurascens* (Brid.) C. Müll. Tropical Bryology 12: 155.
- Frahm, J.-P. 1999.** A type catalogue of Campyloporidioideae and Paraleucobryioideae (Musci, Dicranaceae), Part II, *Campylopus*. Tropical Bryology 16: 17-102.
- Frahm, J.-P. 1999.** Taxonomische Notizen zur Gattung *Campylopus* XVIII. Tropical Bryology 17: 19-20.
- Frahm, J.-P. 2000.** New combinations in the genera *Atractylocarpus* and *Metzleria*. Tropical Bryology 18: 115-118.
- Frahm, J.-P., Ahmed, J., Hagen, M., Peles, M. 2000.** Revision der Gattung *Rhabdoweisia* (Musci, Dicranaceae). Tropical Bryology 18: 161-172.
- Frahm, J.-P., Buchbender, V., Lachmann, V., Reifenrath, K., Werner, F. 1998.** Revision der Gattung *Oncophorus* (Musci, Dicranaceae). Tropical Bryology 14: 119-132.
- Frahm, J.-P., H. Börner, N. Streiber, B. Wal-lau, S. Weitkus 1996.** Revision der Gattung *Conostomum* (Musci, Bartramiaceae). Tropical Bryology 12: 97-114.
- Frahm, J.-P., Klöcker, T., Schmidt, R., Schöter, C. 2000.** Revision der Gattung *Amphidium* (Musci, Dicranaceae). Tropical Bryology 18: 173-184.
- Frahm, J.-P., Kunert, V., Franzen, I., Hoang, D.-T., Willmeroth, M. 1998.** Revision der Gattung *Dichodontium* (Musci, Dicranaceae). Tropical Bryology 14: 109-118.
- Frahm, J.-P. 2002.** The taxonomic status of *Bryum arachnoideum* C. Müll. and *B. lanatum* (P. Beauv.) Brid. Tropical Bryology 21 : 53-56.
- Goffinet, B.** Taxonomic and floristic notes on neotropical Macromitrioideae (Orthotrichaceae). Tropical Bryology 7: 149ff.
- Gradstein, S.R. 1990.** A Key to the New World species of holostipous Lejeuneaceae. Tropical Bryology 3: 45-58.
- Granzow-de la Cerda, I. 1992.** Análisis cladístico de la familia Anomodontaceae. Tropical Bryology 6: 95-104.
- Griffin III, D. 1992.** The distribution and synonyms of *Breutelia microdonta* (Mitt.) Broth. with additional notes on certain taxa of *Breutelia*. Tropical Bryology 5: 55-60.
- Hastings, R.I. 1997.** *Grimmia pseudo-anodon* new to Bolivia. Tropical Bryology 13:137-140.
Hepatics. Tropical Bryology 2: 265-272
- Hicks, M.L.** A new species of *Cronisia* Berkeley (Corsiaceae) from Mexico. Tropical Bryology 7: 1-6.
- Ireland, R.R. 1992.** The moss genus *Isopterygium* (Hypnaceae) in Latin America. Tropical Bryology 6: 111-132.
- León Vargas, Y. 1998.** *Cryphaea hortonae*, a new species of mosses from Bolivia. Tropical Bryology 14: 77-80.
- León-Vargas, Y. 1999.** El género *Cryphaea* Mohr (Musci) en los Andes tropicales. Tropical Bryology 17: 141 ff.
- Lewis, M. 1992.** *Meteoridium* and *Zelometeorium* in Bolivia. Tropical Bryology 5: 35-54.
- Li, X.-J., Zhang, D.-C. 1998.** Three new synonyms of *Pohlia* (Bryaceae) from China. Tropical Bryology 15: 23-28.
- Matteri, C.M., Schiavone, M.M. 1998.** Sobre el género *Streptopogon* (Pottiaceae, Musci) en Argentina subtropical. Tropical Bryology 14: 11-20.
- Morales Z., M.I. 1992.** La identidad de *Aphanolejeunea heterophylla* Schuster. Tropical Bryology 6: 133-138.
- Morales, M.I., Dauphin, G. 1998.** A new species of *Cololejeunea* (Lejeuneaceae:

- Cololejeuneoideae) from Panama. *Tropical Bryology* 14: 133 ff.
- Morales, M.I., Gradstein, S.R. 1995.** *Diplasiolejeunea involuta* Winkler, una especie poco conocida. *Tropical Bryology* 10: 75-80.
- O'Brien, T.J. 2000.** A new synonym in *Leptotheca* Schwaegr. (Musci; Rhizogoniaceae). *Tropical Bryology* 18: 13-14.
- O'Shea, B.J. 1997.** A revision of *Acanthorrhynchium* (Sematophyllaceae) in Africa. *Tropical Bryology* 13: 125-130.
- O'Shea, B.J. 1998.** Notes on Seychelles mosses. 3-4. A revision of *Papillidiopsis* (Broth.) Buck & Tan, *Rhaphidostichum* Fleisch. and *Warburgiella* Müll. Hal. ex Broth. (Sematophyllaceae, Bryopsida) in Africa. *Tropical Bryology* 15: 75-88.
- O'Shea, B.J. 1999.** Bryophytes of Uganda. 3. *Phyllodon truncatulus* (Müll. Hal.) Buck is replaced in Africa by *Phyllodon truncatus* (Welw. & Duby) Buck (Hypnaceae, Bryopsida). *Tropical Bryology* 16: 203-204.
- O'Shea, B.J. 2001.** *Felipponea* (Leucodontaceae, Musci), a new genus for Africa, to include "*Leucodon maritimus*" and *L. assimilis*. *Tropical Bryology* 20: 43-50.
- Ochyra, R. 1990.** *Gradsteinia andicola*, a remarkable aquatic moss from South America. *Tropical Bryology* 3: 19-28.
- Pursell, R. 1990.** *Fissidens* in the Neotropics. *Tropical Bryology* 2: 193-200.
- Reiner-Drehwald, M.E. 1994.** El género *Radula* Dum. (Radulaceae, Hepaticae) en el Noreste de Argentina.. *Tropical Bryology* 9: 5-22.
- Reiner-Drehwald, M.E. 1994.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina II. *Cololejeunea*. *Tropical Bryology* 9: 79-88.
- Reiner-Drehwald, M.E. 1995.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. III. *Drepanolejeunea* y *Leptolejeunea*. *Tropical Bryology* 10:21-28.
- Reiner-Drehwald, M.E. 1995.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. IV. *Aphanolejeunea*. *Tropical Bryology* 10: 29-40.
- Reiner-Drehwald, M.E. 1998.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. V. *Cheilolejeunea* y *Lepidolejeunea*. *Tropical Bryology* 14: 53-58.
- Reiner-Drehwald, M.E. 2000.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina VI. *Lejeunea* y *Taxilejeunea*.. *Tropical Bryology* 19: 81 ff.
- Reiner-Drehwald, M.E.** Las Lejeuneaceae (Hepaticae) de Misiones, Argentina I. Las especies holostipas. *Tropical Bryology* 7: 13-46.
- Salazar Allen, N. 1992.** Notas para la revisión de las especies de *Octoblepharum* del neotrópico. *Tropical Bryology* 6: 171-180.
- Salazar Allen, N.1991.** A preliminary treatment of the Central American species of *Octoblepharum* (Musci, Calymperaceae). *Tropical Bryology* 4: 85 ff.
- Sollman, P. 1994.** New and noteworthy records and new synonyms in pottiaceous mosses, mostly from SE-Asia. *Tropical Bryology* 9: 75-78.
- Sollman, P. 1998.** Several mosses (Pottiaceae) new or rarely collected in Africa. *Tropical Bryology* 14: 21-24.
- Sollman, P. 1999.** *Dichodontium opacifolium* Dix. in Christ. and *Dichodontium brasiliense* Broth. are both identical with *Chrysoblastella chilensis* (Mont.) Reim. *Tropical Bryology* 17: 21-22.
- Sollman, P. 2000.** A taxonomic revision of *Pseudosymblepharis* Broth. (Musci: Pottiaceae) in Asia. *Tropical Bryology* 18: 129-146.
- Sollman, P. 2001.** Studies on several Australian pottiaceous mosses, including some nomina nuda. *Tropical Bryology* 20: 73-78.
- Sollman, Ph. 2000.** Some mosses (Pottiales) new or rarely collected in tropical Asia. *Tropical Bryology* 19: 25-26.
- Sollman, Ph. 2000.** Studies on *Barbula consanguinea* (Thw. & Mitt.) Jaeg.

- sensu Eddy, a pantropical species.
Tropical Bryology 19: 17-24.
- Sollman, Ph. 2000.** Studies on some Australian pottiaceous mosses, including several nomina nuda. Tropical Bryology 19 : 11-16.
- Stech, M., Frahm, J.-P. 2000.** The systematic position of *Gradsteinia andicola* Ochyra (Donrichardsiaceae, Bryopsida): evidence from nrDNA internal transcribed spacer sequences. Tropical Bryology 18: 75-84.
- Thiers, B. 1992.** A Re-evaluation of *Cheilolejeunea* subgenus *Xenolejeunea*. Tropical Bryology 5: 10-22.
- Touw, A. 1990.** Additional notes on *Neckeropsis*. 3. On the identity of *Thamnium quisumbingii*
- Vitt, D.H. 1990.** *Desmotheca* (Orthotrichaceae): Gondwanan fragmentation and the origin of a
- Sollman, Ph. 2002.** Studies on some Asian species of the genus *Leptodontium* (Müll. Hal.) Hampe (Musci, Pottiaceae). Tropical Bryology 21 : 65-66.