
Assessed for eligibility: n=235 practices
Excluded: n=163 practices
• Not meeting inclusion criteria: n=3
• Declined to participate: n=153
• Inability to implement protocol: n=7
Included: n=72 practices
Potential eligible patients: n=3,478 (screening lists)
Thorough assessment for eligibility: n=1,346 (random sample of patients)
Excluded: n=844 patients
• Not meeting inclusion criteria: n=113
• Declined to participate: n=150
• Not invited to participate: n=575
• Other reasons: n=6
Included: n= 502 patients
Randomized: n= 72 practices (n= 502 patients)
Allocated to complex intervention (36 practices)
Received allocated intervention, practices (no./ median practice size/range): 36 / 7 / 6 to 8
Received allocated intervention, patients: 250
Didn't receive allocated intervention, patients: 2
Allocated to control (36 practices)
Received allocated control, practices (no./ median practice size/range): 36 / 7 / 6 to 8
Received allocated control, patients: 250
Didn't receive allocated control, patients: 0
Loss to Follow-up T1 (6 months after T0):
Practices: 0
Patients: 9
Loss to Follow-up T1 (6 months after T0):
Practices: 0
Patients: 11
Analyzed, practices (no./median practice size/range): 36 / 7 / 6 to 8
Excluded from analysis, practices: 0
Analyzed, patients: 252
Excluded from analysis, patients: 0
Analyzed, practices (no./median practice size/range): 36 / 7 / 6 to 8
Excluded from analysis, practices: 0
Analyzed, patients: 250
Excluded from analysis, patients: 0
Loss to Follow-up T2 (9 months after T0):
Practices: 0
Patients: 3
Loss to Follow-up T2 (9 months after T0):
Practices: 1
Patients: 15
Analyzed, practices (no./median practice size/range): 36 / 7 / 6 to 8
Excluded from analysis, practices: 0
Analyzed, patients: 252
Excluded from analysis, patients: 0
Analyzed, practices (no./median practice size/range): 36 / 7 / 6 to 8
Excluded from analysis, practices: 0
Analyzed, patients: 250
Excluded from analysis, patients: 0