



(A) *Pa* ATCC43949




(B) *Pa* ATCC43949

O/F+20mM maltose


28°C aerobic




28°C microaerobic







37°C aerobic



37°C microaerobic



O/F+20 mM N-acetyl-D-glucosamine




(C) *Pa* ATCC43949

O/F+20mM serine


28°C aerobic




28°C microaerobic





37°C aerobic



37°C microaerobic





O/F+0.2% casein only



(D) *Pa* Kingscliff


LB




37°C aerobic






37°C microaerobic



TSA+5% sRBC




O/F+20mM glucose




(E) *Pa* Kingscliff

O/F+20mM maltose


28°C aerobic




28°C microaerobic






37°C aerobic



37°C microaerobic




O/F+20 mM N-acetyl-D-glucosamine




(F) *Pa* Kingscliff

O/F+20mM serine


28°C aerobic




28°C microaerobic






37°C aerobic



37°C microaerobic



O/F+0.2% casein only




(G) *Pi* TT01

28°C aerobic

28°C microaerobic


LB



TSA+5% sRBC



O/F+20mM glucose




*P/* TT01

O/F+20mM maltose



28°C aerobic



28°C microaerobic




O/F+20 mM N-acetyl-D-glucosamine



O/F+0.2% casein only

28°C aerobic



28°C microaerobic

