# INSECTA TUNDI A Journal of World Insect Systematics

### 0520

First record of Mastogenius crenulatus Knull (Coleoptera: Buprestidae) in Massachusetts

> Lawrence Barringer Division of Entomology Pennsylvania Department of Agriculture 2301 N. Cameron Street Harrisburg, PA 17110 USA

Date of Issue: December 23, 2016

Lawrence Barringer

First record of *Mastogenius crenulatus* Knull (Coleoptera: Buprestidae)

in Massachusetts

Insecta Mundi 0520: 1–2

ZooBank Registered: urn:lsid:zoobank.org:pub:DBB16DC7-E46E-4437-994A-A00E743BDD97

#### Published in 2016 by

Center for Systematic Entomology, Inc. P. O. Box 141874 Gainesville, FL 32614-1874 USA http://centerforsystematicentomology.org/

**Insecta Mundi** is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. Insecta Mundi publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

**Insecta Mundi** is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Chief Editor: David Plotkin, e-mail: insectamundi@gmail.com Assistant Editor: Paul E. Skelley, e-mail: insectamundi@gmail.com

Head Layout Editor: Eugenio H. Nearns

Editorial Board: J. H. Frank, M. J. Paulsen, Michael C. Thomas

Review Editors: Listed on the Insecta Mundi webpage

Manuscript Preparation Guidelines and Submission Requirements available on the Insecta Mundi webpage at: http://centerforsystematicentomology.org/insectamundi/

#### Printed copies (ISSN 0749-6737) annually deposited in libraries:

CSIRO, Canberra, ACT, Australia Museu de Zoologia, São Paulo, Brazil Agriculture and Agrifood Canada, Ottawa, ON, Canada The Natural History Museum, London, UK

Muzeum i Instytut Zoologii PAN, Warsaw, Poland

National Taiwan University, Taipei, Taiwan

California Academy of Sciences, San Francisco, CA, USA

Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA

Field Museum of Natural History, Chicago, IL, USA

National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

#### Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: http://purl.fcla.edu/fcla/insectamundi

University of Nebraska-Lincoln, Digital Commons: http://digitalcommons.unl.edu/insectamundi/

Goethe-Universität, Frankfurt am Main: http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240

**Copyright** held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. http://creativecommons.org/licenses/by-nc/3.0/

Layout Editor for this article: Eugenio H. Nearns



## First record of *Mastogenius crenulatus* Knull (Coleoptera: Buprestidae) in Massachusetts

Lawrence Barringer
Division of Entomology
Pennsylvania Department of Agriculture
2301 N. Cameron Street
Harrisburg, PA 17110 USA
lbarringer@pa.gov

**Abstract.** *Mastogenius crenulatus* Knull (Coleoptera: Buprestidae) is reported from Massachusetts for the first time, **new state record**. The single male specimen was collected in a Lindgren funnel during 2014. This expands the range of this species in the Northeast to two states.

Key words. Lindgren funnel, new record

#### Introduction

The genus *Mastogenius* Solier contains seven North American species, which were recently reviewed by Bellamy (2002). Of these, two occur in the northeast: *M. crenulatus* Knull and *M. subcyaneus* (LeConte). Both species have a broad distribution reaching from the Atlantic coast west into Texas and Missouri, with *M. crenulatus* additionally reported from Ontario (Nelson et al 2008; Paiero et al. 2012). Presented is the first record of *M. crenulatus* from Massachusetts, adding to its northeastern range of Connecticut.

#### **Materials and Methods**

Trapping was carried out by the USDA APHIS Otis Laboratory for a trap efficacy study for Buprestidae. Twelve-unit Lindgren funnels were hung in Massachusetts at 110 locations in five counties: Barnstable, Berkshire, Bristo, Essex, and Plymouth. Traps were hung during June and serviced every two weeks until September in 2014. Specimens were placed into ethanol after removal until sorting and identification. Specimens were deposited in the Pennsylvania Department of Agriculture Collection, Harrisburg, Pennsylvania (PADA).

#### Results

A single male *M. crenulatus* was collected in a trap hung on a red oak (*Quercus* sp. section Lobatae). The sample was collected during 15 July 2014 in Barnstable County, Massachusetts (41.64914°N, -70.57889°W) by Joe Francese of the USDA APHIS Otis Laboratory. This specimen represents a new northeastern record for *M. crenulatus*, adding to its recorded presence in Connecticut. The trap was placed on a "red" oak, which matches one of the recorded hosts of *M. crennulatus*, willow oak (*Quercus phellos* Michx.) (Paeiro et al. 2012). Willow oak is not reported from Massachusetts, but is often used as an ornamental tree (USDA and NRCS 2016). Other recorded hosts (larval: *Quercus alba* L. and *Cercis canadensis* L.; adult associations: *Acer saccharum* (Chapm.) Pax and *Salix* sp.) are recorded from Massachusetts.

*Mastogenius crenulatus* can be distinguished from *M. subcyaneus* by a more robust body, lack of blue reflections on the elytron, and denser punctuation on the pronotum (Bellamy 2002; Paeiro et al. 2012).

#### Acknowledgments

The author is grateful to S. Spichiger (Pennsylvania Department of Agriculture) and J. Francese (USDA APHIS Otis Laboratory) for the use of the specimen and records. The author would also like to thank Claire M. Ciafré and Gregory Setliff for revisions to this manuscript. This work was made possible under cooperative agreement #16-8130-0379.

#### Literature Cited

- **Bellamy, C. L. 2002.** The *Mastogenius* Solier, 1849 of North America (Coleoptera: Buprestidae: Polycestinae: Haplostethini). Zootaxa 110: 1–12.
- Nelson, G. H., G. C. Walters, Jr., R. D. Haines, and C. L. Bellamy. 2008. A catalog and bibliography of the Buprestoidea of America North of Mexico. The Coleopterists Society, Special Publication No. 4: 1–274.
- Paiero, S. M., M. D. Jackson, A. Jewiss-Gaines, T. Kimoto, B. D. Gill, and S. A. Marshall. 2012. Field guide to the jewel beetles (Coleoptera: Buprestidae) of Northeastern North America. Canadian Food Inspection Agency; Ontario, Canada. 411 p.
- (USDA and NRCS) United States Department of Agriculture and Natural Resources Conservation Service. 2016. The PLANTS Database. Available at http://plants.usda.gov (accessed 01 July 2016).

Received November 10, 2016; accepted November 30, 2016. Review editor Michael L. Ferro.