

INSECTA MUNDI

A Journal of World Insect Systematics

0573

A fourth account of centipede (Chilopoda) predation on bats

T. Todd Lindley
3300 Teton Lane
Norman, OK 73072 USA

Jesús Molinari
Departamento de Biología
Universidad de Los Andes
Mérida 5101 Venezuela

Rowland M. Shelley
Department of Entomology and Plant Pathology
University of Tennessee
Knoxville, TN 37996 USA

Barry N. Steger
107 Saint James Street
Borger, TX 79007 USA

Date of Issue: August 25, 2017

T. Todd Lindley, Jesús Molinari, Rowland M. Shelley, and Barry N. Steger
A fourth account of centipede (Chilopoda) predation on bats
Insecta Mundi 0573: 1–4

ZooBank Registered: urn:lsid:zoobank.org:pub:53C2B8CA-DB7E-4921-94C5-0CA7A8F7A400

Published in 2017 by

Center for Systematic Entomology, Inc.
P. O. Box 141874
Gainesville, FL 32614-1874 USA
<http://centerforsystematicentomology.org/>

Insecta Mundi is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. *Insecta Mundi* publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

Insecta Mundi is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Chief Editor: David Plotkin, e-mail: insectamundi@gmail.com
Assistant Editor: Paul E. Skelley, e-mail: insectamundi@gmail.com
Head Layout Editor: Eugenio H. Nearn
Editorial Board: J. H. Frank, M. J. Paulsen, Michael C. Thomas
Review Editors: Listed on the *Insecta Mundi* webpage

Manuscript Preparation Guidelines and **Submission Requirements** available on the *Insecta Mundi* webpage at: <http://centerforsystematicentomology.org/insectamundi/>

Printed copies (ISSN 0749-6737) annually deposited in libraries:

CSIRO, Canberra, ACT, Australia
Museu de Zoologia, São Paulo, Brazil
Agriculture and Agrifood Canada, Ottawa, ON, Canada
The Natural History Museum, London, UK
Muzeum i Instytut Zoologii PAN, Warsaw, Poland
National Taiwan University, Taipei, Taiwan
California Academy of Sciences, San Francisco, CA, USA
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA
Field Museum of Natural History, Chicago, IL, USA
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA
Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.
Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>
University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>
Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Layout Editor for this article: Eugenio H. Nearn

A fourth account of centipede (Chilopoda) predation on bats

T. Todd Lindley
3300 Teton Lane
Norman, OK 73072 USA
caprockcanyoneer@icloud.com

Jesús Molinari
Departamento de Biología
Universidad de Los Andes
Mérida 5101 Venezuela
molinari@ula.ve

Rowland M. Shelley
Department of Entomology and Plant Pathology
University of Tennessee
Knoxville, TN 37996 USA
rowland.shelley1@gmail.com

Barry N. Steger
107 Saint James Street
Borger, TX 79007 USA
banest@cableone.net

Abstract. With an incident in Palo Duro Canyon, Texas, USA, *Scolopendra heros* Girard (Chilopoda: Scolopendromorpha: Scolopendridae) becomes the third centipede species known to prey on bats; *S. gigantea* Linnaeus and *S. viridicornis* Newport have been so documented in Venezuela and Brazil, respectively. The Texas predation was interrupted by the predator/prey pair's falling around 15–20 m from the canyon wall and, perhaps also, by human presence where they landed. The centipede uncoiled and retreated to shelter under a nearby rock and, after initial immobilization, so did the bat.

Key Words. Brazil, carnivore, Palo Duro Canyon, *Scolopendra*, Texas, Venezuela.

Resumen. Con un incidente en Palo Duro Canyon, Texas, Estados Unidos, *Scolopendra heros* Girard (Chilopoda: Scolopendromorpha: Scolopendridae) se convierte en el tercer ciempiés que se sabe depreda murciélagos; *S. gigantea* Linnaeus y *S. viridicornis* Newport han sido documentados mostrando este comportamiento en Venezuela y Brasil, respectivamente. El incidente de Texas fue interrumpido por el despeñamiento del par depredador/presa unos 15–20 m desde la pared del cañón y, al parecer, por la presencia humana en el sitio de caída. El ciempiés se desenrolló y retiró para refugiarse bajo una roca cercana. Tras permanecer inmóvil inicialmente, el murciélago hizo lo mismo.

Palabras Clave. Brasil, carnívoro, Cañón de Palo Duro, *Scolopendra*, Texas, Venezuela.

Introduction

Predation of vertebrates by invertebrates is rarely observed. Large species of arachnids, insects and centipedes occasionally feed on frogs and toads, lizards, snakes, birds and chicks, and bats (Okeden 1903; Lawrence 1953; Cloudsley-Thompson 1955; Butler 1970; Easterla 1975; Goldberg 1975; Lewis 1981; McCormick and Polis 1982; Carpenter and Gillingham 1984; Toledo 2005; Forti et al. 2007; Timm and Losilla 2007; Lewis et al. 2010; Noronha et al. 2015; Seshadri et al. 2017). Centipedes are opportunistic and voracious predators (Dugon and Arthur 2012a, b) and are known to prey on mice, voles and other small rodents, particularly juveniles (Cloudsley-Thompson 1955, 1958; Shugg 1961; Porter 1973; Clark 1979; Lewis 1981). To date, only three accounts of centipede predation on bats, all by species of *Scolopendra* Linnaeus (Scolopendromorpha: Scolopendridae/-inae), have been documented. The first was by *S. gigantea* Linnaeus in a Venezuelan cave (Molinari et al. 2005), and the others were by *S. viridicornis* Newport in Brazilian buildings (Srbek-Araujo et al. 2012; Noronha et al. 2015) (Fig. 1).

Discussion

On 14 October 2016, TTL and BNS were hiking in Palo Duro Canyon, in the panhandle of Texas, USA (101°33'26"W, 34°51'27"N), and fortuitously observed predation by *S. heros* Girard on the bat, *Eptesicus fuscus* (Palisot de Beauvois) (Chiroptera: Vespertilionidae) (Fig. 2–3). This sighting constitutes the first in both North America and outside of tropical South America although a “large centipede,” identified as *S. morsitans* Linnaeus but probably *S. subspinipes* Leach, has been implicated in the extinction of the endemic bat, *Pipistrellus murrayi* Andrews, from Christmas Island in the Indian Ocean (Beeton et al. 2010; Waldock and Lewis 2014). *Scolopendra heros* thus becomes the third centipede known to prey on bats and the fourth suspected of doing so.

The incident occurred in a slot canyon estimated to average 5 m in width with nearly vertical walls 20 m high. At 1130 h, the hikers heard a loud sound and promptly discovered an individual of *E. fuscus* on the canyon floor. As the bat moved its wings in an otherwise silent struggle, they noted a large *S. heros* wrapped around its head and upper torso. The hikers began photographing the pair one minute later, but the centipede began to uncoil (Fig. 4), perhaps because of their presence. Three minutes later it had released the bat and crawled under a rock less than one meter away while the injured bat remained where the pair had landed (Fig. 5). The centipede showed no evidence of injury, but the bat had two puncture wounds on its upper torso, near the right wing and below the back of the neck, and blood splatter was evident on adjacent rocks. The injured bat made only slow, minor movements for nearly 30 minutes, after which it crawled under another nearby rock.

The centipede must have attacked the bat while it was roosting high on the canyon walls. Although not directly observed, roosting was indicated by guano on the rocks and canyon floor; predator and prey fell 15–20 m, thereby producing the noise that alerted the hikers. Both Molinari et al. (2005) and Srbek-Araujo et al. (2012) observed centipedes feeding on deceased and fallen bats that were reasoned to have been attacked on roosts above. The fresh blood and two visible wounds in the Texas incident were consistent with known predatory behavior of centipedes, which inflict an initial puncture with their forcipules on the necks of vertebrate prey to inject venom near the brain for quick immobilization (Cloudsley-Thompson 1958; Shugg 1961; Stankiewicz et al. 1999). Centipede venom's toxicity on bats is unknown (Molinari et al. 2005; Noronha et al. 2015), but that from some species is fatal to mice in 20–32 seconds (Bücherl 1946). The Texas attack was not immediately fatal, perhaps because the fall dislodged the centipede's forcipules to some degree. Although the bat initially appeared to suffer immobilizing injuries, it was able to crawl to at least momentary safety a half-hour later.

Acknowledgments

We thank D. Wright, K. Demere, L. Ammerman, and M. Meierhofer, for assistance in identifying the bat, and J. G. E. Lewis, for advice on references. Pre-submission reviews were conducted by J. G. E. Lewis and F. G. Cupul-Magaña.


Literature Cited

- Beeton, R. J. S., A. Burbidge, G. Grigg, P. Harrison, R. How, W. Humphreys, N. McKenzie, and J. Woinarski. 2010. Final report of the Christmas Island Expert Working Group to Minister for the Department of Environment Protection, Heritage and the Arts. DEWHA; Canberra, Australia. 245 p.
- Bücherl, W. 1946. Ação do veneno dos escolopendromorfos do Brasil sobre alguns animais de laboratório. Memórias do Instituto Butantan 19: 181–198.
- Butler, W. H. 1970. A record of an invertebrate preying on a vertebrate. Western Australia Naturalist 11: 146.
- Carpenter, C. C., and J. C. Gillingham. 1984. Giant centipede (*Scolopendra alternans*) attacks marine toad (*Bufo marinus*). Caribbean Journal of Science 20: 71–72.
- Clark, D. A. 1979. A centipede preying on a nesting rice rat (*Oryzomys bauri*). Journal of Mammalogy 60: 654.

- Cloudsley-Thompson, J. L. 1955.** Some aspects of the biology of centipedes and scorpions. The Naturalist Volume for 1955: 147–153.
- Cloudsley-Thompson, J. L. 1968.** Spiders, scorpions, centipedes and mites. Pergamon Press, New York. 228 p. + i–xiv.
- Dugon, M. M., and W. Arthur. 2012a.** Comparative studies on the structure and development of the venom-delivery system of centipedes, and a hypothesis on the origin of this evolutionary novelty. *Evolution and Development* 14: 128–137.
- Dugon, M. M., and W. Arthur. 2012b.** Prey orientation and the role of venom availability in the predatory behavior of the centipede *Scolopendra subspinipes mutilans* (Arthropoda: Chilopoda). *Journal of Insect Physiology* 58: 874–880.
- Easterla, D. A. 1975.** Giant desert centipede feeds upon snake. *Southwestern Naturalist* 20: 411.
- Forti, L. R., H. Z. Fischer, and L. C. Encarnaç o. 2007.** Treefrog *Dendropsophus elegans* (Wied-Neuwied 1824) (Anura: Hylidae) as a meal to *Otostigmus tibialis* Br olemann 1902 (Chilopoda: Scolopendridae) in the tropical rainforest in southeastern Brazil. *Brazilian Journal of Biology* 67: 583–584.
- Goldberg, S. R. 1975.** Giant desert centipede preys upon snakes. *Southwestern Naturalist* 20: 411–413.
- Lawrence, R. F. 1953.** The biology of the cryptic fauna of forests: With special reference to the indigenous forests of South Africa. A. A. Balkema; Cape Town – Amsterdam. 408 p.
- Lewis, J. G. E. 1981.** The Biology of Centipedes. Cambridge University Press, UK. 476 p. + i–vii.
- Lewis, J. G. E., P. Daszak, C. G. Jones, J. D. Cottingham, E. Wenman, and A. Maljkovic. 2010.** Field observations on three scolopendrid centipedes from Mauritius and Rodriguez (Indian Ocean) (Chilopoda: Scolopendromorpha). *International Journal of Myriapodology* 3: 123–137.
- McCormick, S., and G. A. Polis. 1982.** Arthropods that prey on vertebrates. *Biological Review* 57: 29–58.
- Molinari, J., E. E. Guti rrez, A. A. Ascençao, J. M. Nassar, A. Arends, and R. J. M rquez. 2005.** Predation by giant centipedes, *Scolopendra gigantea*, on three species of bats in a Venezuelan cave. *Caribbean Journal of Science* 41: 340–346.
- Noronha, J. C., L. D. Battirola, A. Chagas-J nior, R. M. Miranda, R. S. Carpanedo, and D. J. Rodrigues. 2015.** Predation of bat (*Molossus molossus*: Molossidae) by the centipede *Scolopendra viridicornis* (Scolopendridae) in Southern Amazonia. *Acta Amazonica* 45: 333–336.
- Okeden, W. P. 1903.** A centipede eating a snake. *Journal of the Bombay Natural History Society* 15: 1.
- Porter, R. N. 1973.** Centipede feeding on field mouse. *Lammergeyer* 19: 31.
- Seshadri, K. S., S. Jaiswal, and K. V. Gururaja. 2017.** *Polypedates occidentalis* (Western Tree Frog). Predation. *Herpetological Review* 48: 414–415.
- Shugg, H. B. 1961.** Predation on mouse by centipede. *Western Australian Naturalist* 8: 52.
- Srbek-Araujo, A. C., M. R. Nogueira, L. P. Lima, and A. L. Peracchi. 2012.** Predation by centipede *Scolopendra viridicornis* (Scolopendromorpha, Scolopendridae) on roof-roosting bats in the Atlantic Forest of southeastern Brazil. *Chiroptera Neotropical* 18: 1128–1131.
- Stankiewicz, M., A. Hamon, R. Benkhalifa, W. Kadziela, B. Hue, and S. Lucas. 1999.** Effects of a centipede venom fraction on insect nervous system, a native *Xenopus* oocyte receptor and on an expressed *Drosophila* muscarinic receptor. *Toxicon* 10: 1431–1445.
- Timm, R. M., and M. Losilla. 2007.** Orb-weaving spider, *Argiope savignyi* (Araneidae), predation on the Proboscis Bat *Rhynchonycteris naso* (Emballonuridae). *Caribbean Journal of Science* 43: 282–284.
- Toledo, L. F. 2005.** Predation of juvenile and adult anurans by invertebrates: current knowledge and perspective. *Herpetological Review* 36: 395–400.
- Waldock, J. M., and J. G. E. Lewis. 2014.** Recent collections of centipedes from Christmas Island (Myriapoda: Chilopoda). *Raffles Bulletin of Zoology Supplement* 30: 71–80.

Received August 4, 2017; Accepted August 10, 2017.

Review Editor Lawrence Hribar.



Figures 1–3. Locations of *Scolopendra* predations on bats. 1) Western Hemisphere. Star, Palo Duro Canyon, Texas, USA. Dot, cave in Venezuela. Square/Triangle, Brazilian sites. 2) Location of Palo Duro Canyon in Texas. 3) Photo of the slot canyon where the Texas incident occurred.



Figures 4–5. Photographs of centipede predation in Texas. 4) Uncoiling of *Scolopendra heros* from *E. fuscus*. 5) Injured bat after *S. heros* had retreated.