

Updated numbers of the vascular flora of Cyprus including the endemism rate

Ralf Hand, Georgios N. Hadjikyriakou & Charalambos S. Christodoulou

Abstract. – This inventory intends to provide updated numbers of vascular plants occurring in Cyprus. Currently, 1649 indigenous taxa (species and subspecies) are known to occur in Cyprus. In addition 254 taxa belong to various categories of neophytes. The endemism rate of the indigenous flora amounts to 8.55 %, i. e. 141 taxa, while 33 species and subspecies belong to the category of near-endemic for which Cyprus bears significant responsibility for their conservation.

Addresses. – Ralf Hand, Winterfeldtstr. 25, D-10781 Berlin, Germany; ralffhand@gmx.de. – Georgios N. Hadjikyriakou, Antifonitis str. 10, CY-4651 Trachoni Lemesou, Cyprus; alakati@cytanet.com.cy. – Charalambos S. Christodoulou, Department of Forests, Ministry of Agriculture, Rural Development and Environment, 26 Louki Akrita street, CY-1414 Lefkosia, Cyprus; floracy@primehome.com

Introduction

As suggested by its name “Flora of Cyprus – a dynamic checklist” (Hand & al. 2011–) is characterised by continuous updates and additions. This is particularly the case as regards taxonomic novelties, nomenclatural changes and status of occurrence in neophytes respectively. Thus, regularly updated numbers of the flora of a certain territory are needed for purposes of biodiversity research and nature conservation. In this respect the following outline is based on a data analysis as at 15, March 2019 and aims at documenting the progress of floristic research in Cyprus.

Material and methods

Taxonomy and nomenclature follow Hand & al. (2011–) and nomenclatural authors can be found in the same source together with comments on taxonomic issues. Categories and terminology of alien taxa have been outlined in the same source and they are based on Pyšek & al. (2004) in general and specified by Hand (2004: 428). The definition of the category of “near-endemic” is explained in the section “Conventions” in Hand & al. (2011–).

Results

Taxon numbers

Currently, 1946 taxa (species and subspecies) of vascular plants have been documented to occur in the wild, of which, 1649 belong to the category “Indigenous” and 254 to the various categories of neophytes. Furthermore, 43 hybrid taxa have been found in Cyprus (for further details see tab. 1).

Tab. 1: Updated numbers of taxa of vascular plants in Cyprus (categories as defined by Hand & al. 2011–)

status	Number of species and subspecies	Number of species	Number of additional subspecies (if > 1 per species)	Percentage of the flora (species and subspecies)	Remarks
Indigenous (IN)	1649	1594	55	84.74 %	
Naturalized invasive (NA)	44	43	1	2.26 %	
Naturalized non-invasive (NN)	96	96	0	4.93 %	
Casual (CA)	114	112	2	5.86 %	
Hybrids	43	39	4	2.21 %	1 species NA
Total of taxa recorded in the wild: IN, NA, NN, CA & hybrids	1946	1884	62	100 %	
Subtotal of neophytes: NA, NN & CA	254	251	3	13.05 %	
Additional categories:					
Questionable (Q)	67	58	9		
Reported in error (ER)	4	3	1		
To be clarified	14	0	0		

Endemism

The endemism rate of indigenous species and subspecies amounts to 8.55 % ($141 \times 100/1649$) and 7.15 % ($114 \times 100/1594$) respectively.

Currently (as at 15, March 2019), the following species and subspecies are accepted in the dynamic checklist (ordered by family):

Amaranthaceae

Bosea cypria

Amaryllidaceae

Allium autumnale

Allium cupani subsp. *cyprium*

Allium cyprium subsp. *cyprium*

Allium cyprium subsp. *lefkarense*

Allium exaltatum

Allium marathasicum

Allium willeanum

Apiaceae

Bupleurum sintenisii

Dichoropetalum kyriakae

Ferulago cypria

Pimpinella cypria

Scaligeria alziarii

Araceae

Arum cylindraceum subsp. *pitsylbianum*

Araliaceae

Hedera pastuchovii subsp. *cypria*

Asparagaceae

- Hyacinthella millingenii*
Ornithogalum chionophilum
Ornithogalum pedicellare
Scilla lochiae
Scilla morrisii

Asteraceae

- Anthemis plutonia*
Anthemis tricolor
Carlina pygmaea
Centaurea akamantis
Centaurea calcitrapa subsp. *angusticeps*
Centaurea cyprensis
Cynara makrisii
Lactuca cypriaca
Lactuca tetrica
Onopordum cyprium
Ptilostemon chamaepeuce subsp. *cyprius*
Scorzonera troidea
Senecio glaucus subsp. *cyprius*
Taraxacum aphrogenes
Taraxacum holmboei

Boraginaceae

- Cynoglossum troodi*
Onosma caespitosa
Onosma fruticosa
Onosma troodi

Brassicaceae

- Alyssum akamasicum*
Alyssum chondrogynum
Alyssum troodi
Arabis cypria
Arabis kennedyae
Arabis purpurea
Biscutella didyma subsp. *dunensis*
Brassica hilarionis
Erysimum kykkoticum
Noccaea cypria

Campanulaceae

- Campanula venosa*
Solenopsis antiphonitis

Caryophyllaceae

- Arenaria rhodia* subsp. *cypria*
Dianthus cyprius
Dianthus strictus subsp. *troodi*
Minuartia sintenisii
Minuartia subtilis subsp. *filicaulis*
Petrorhagia kennedyae

Saponariaceae

- Saponaria cypria*
Silene fraudatrix
Silene galactaea
Silene laevigata

Cistaceae

- Helianthemum obtusifolium*

Colchicaceae

- Colchicum troodi*

Crassulaceae

- Rosularia pallidiflora*
Sedum cyprium
Sedum eriocarpum subsp. *porphyreum*
Sedum lampasae
Sedum microstachyum

Cyperaceae

- Carex cypriaca*
Carex troodi
Cyperus cyprius

Dipsacaceae

- Lomelosia cypriaca*
Pterocephalus multiflorus subsp. *multiflorus*
Pterocephalus multiflorus subsp. *obtusifolius*

Euphorbiaceae

- Euphorbia cassia* subsp. *rigoi*
Euphorbia lemesiana
Euphorbia veneris

Fabaceae

- Astragalus cyprius*
Astragalus macrocarpus subsp. *lefkarensis*
Hedysarum cyprium
Onobrychis venosa
Trifolium campestre subsp. *paphium*

Fagaceae

- Quercus alnifolia*

Hypericaceae

- Hypericum repens*

Iridaceae

- Crocus cyprius*
Crocus hartmannianus
Crocus veniferis
Gladiolus triphyllus

Lamiaceae

- Acanthoprasium integrifolium*
- Acinos exiguus*
- Acinos troodi* subsp. *troodi*
- Mentha longifolia* subsp. *cypriaca*
- Micromeria chionistrae*
- Nepeta troodi*
- Origanum cordifolium*
- Origanum majorana* (the endemic var. *tenuifolium* is the wild ancestor of var. *majorana*)
- Phlomis brevibracteata*
- Phlomis cypria* subsp. *cypria*
- Phlomis cypria* subsp. *occidentalis*
- Salvia veneris*
- Salvia willeana*
- Scutellaria cypria* subsp. *cypria*
- Scutellaria cypria* subsp. *elatior*
- Scutellaria sibthorpii*
- Sideritis cypria*
- Teucrium cyprium*
- Teucrium divaricatum* subsp. *canescens*
- Teucrium karpasiticum*
- Teucrium kyreniae*
- Teucrium micropodioides*
- Teucrium salaminium*
- Thymus integer*

Liliaceae

- Tulipa akamasica*
- Tulipa cypria*

Orchidaceae

- Epipactis troodi*
- Ophrys argolica* subsp. *elegans*
- Serapias aphroditea*

Orobanchaceae

- Odontites cyprius*
- Orobanche cypria*
- Orobanche zosimi*

Papaveraceae

- Corydalis rutifolia*
- Papaver cyprium*
- Papaver meiklei*
- Papaver paphium*

Pinaceae

- Cedrus brevifolia*

Plumbaginaceae

- Limonium cyprium*
- Limonium mucronulatum*

Poaceae

- Arrhenatherum album* subsp. *cypricola*
- Bromus bidentatus*
- Crypsis hadjikyriakou*
- Poa sintenisii*

Primulaceae

- Cyclamen cyprium*

Ranunculaceae

- Delphinium caseyi*
- Ranunculus cadmicus* subsp. *cyprius*
- Ranunculus kykkoensis*
- Ranunculus millefoliatus* subsp. *leptaleus*

Rosaceae

- Rosa micrantha* subsp. *chionistrae*

Rubiaceae

- Asperula cypria*
- Rubia laurae*

Urticaceae

- Urtica cypria*

Valerianaceae

- Centranthus calcitrapa* subsp. *orbiculatus*

It should be noted that the following **varieties** are also endemic to Cyprus:

- Astragalus echinus* var. *chionistrae*
- Astragalus suberosus* var. *hartmannii*
- Genista fasselata* var. *crudelis*
- Helianthemum salicifolium* var. *glabrum*
- Lathyrus blepharicarpos* var. *cyprius*
- Lythrum hyssopifolia* var. *cyprium*

- Maresia nana* var. *glabra*
- Microthlaspi natolicum* var. *pentadactylonis*
- Orchis anatolica* var. *troodi*
- Quercus alnifolia* var. *argentea* (species endemic)
- Trifolium pamphylicum* var. *dolichodontium*
- Valantia hispida* var. *eburnea*

In this context, a list of 33 taxa, which are classified as **near-endemics** is presented for the first time. This category represents 2.00 % of the indigenous flora of Cyprus. Useful notes on their occurrence outside Cyprus can be found on the respective taxon pages of the online checklist (Hand & al. 2011–). As in the above list of endemics taxa are ordered by family.

Amaryllidaceae

Allium junceum

Apiaceae

Cachrys crassiloba

Apocynaceae

Cyprinia gracilis

Araceae

Arum sintenisii

Asparagaceae

Bellevalia nivalis

Asteraceae

Astartoseris triquetra

Carthamus boissieri

Filago aegaea subsp. *aristata*

Jurinea cypria

Picris cypriaca

Boraginaceae

Onosma mitis

Brassicaceae

Alyssum cypicum

Campanulaceae

Campanula delicatula

Campanula podocarpa

Caryophyllaceae

Arenaria pamphylica subsp. *kyrenica*

Arenaria saponarioides

Minuartia thymifolia

Silene gemmata

Euphorbiaceae

Euphorbia dimorphocaulon

Euphorbia thompsonii

Fabaceae

Vicia lunata

Lamiaceae

Ajuga chamaepitys subsp. *cypria*

Phlomis lunariifolia

Orchidaceae

Ophrys bornmuelleri subsp. *bornmuelleri*

Ophrys bornmuelleri subsp. *grandiflora*

Ophrys umbilicata subsp. *lapethica*

Orobanchaceae

Orobanche alba subsp. *cuprea*

Plantaginaceae

Callitricha pulchra

Poaceae

Bromus intermedius subsp. *optimae*

Bromus regnii

Resedaceae

Reseda minoica

Valerianaceae

Valerianella triceras

Violaceae

Viola rauliniana

Discussion

The updated numbers prove to be slightly higher compared to the last update (see Hand & al. 2011–, under “News” from 26, January 2017): There are nine more indigenous taxa in Cyprus. The number of taxa in the category “Naturalized invasive” is constant, whereas seven more taxa formerly treated as “Casual” have become “Naturalized non-invasive”. The absolute number of species listed as “Casual” has slightly increased (by three taxa).

Since the last update, the change on endemism rate is marginal. Only two changes affect the new list: one taxon, *Arum sintenisii*, was found outside Cyprus while another taxon, *Urtica cypria*, is now treated at species level.

Acknowledgements

We are grateful to Andreas Müller of the Botanic Garden and Botanical Museum Berlin-Dahlem (BGBM) who provided a data update of the Cyprus database. We also thank the same institution which hosts the website, the underlying data and documents on their servers since the start of the website. Our thanks are also expressed to Dr Ioannis Vogiatzakis (Lefkosa) for his contribution to the linguistic editing. Last but not least we are indebted to all friends of the flora of Cyprus who in a collective effort contribute to increase the knowledge about the island’s biodiversity.

References

- Hand R. (ed.) 2004: Supplementary notes to the flora of Cyprus IV. – Willdenowia 34: 427–456.
- Hand R., Hadjikyriakou G. N. & Christodoulou C. S. (ed.) 2011– (continuously updated): Flora of Cyprus – a dynamic checklist. Published at <http://www.flora-of-cyprus.eu/>; accessed 15.3.2019.
- Pyšek P., Richardson D. M., Rejmánek M., Webster G. L., Williamson M. & Kirschner J. 2004: Alien plants in checklists and floras: towards better communication between taxonomists and ecologists. – Taxon 53: 131–143.