

POSTER PRESENTATION

Open Access

Long-term potentiation through calcium-mediated N-Cadherin interaction is tightly controlled by the three-dimensional architecture of the synapse

S Grein^{1*}, S Bunse², E Schuman², G Queisser^{1*}

From Twenty Second Annual Computational Neuroscience Meeting: CNS*2013
Paris, France. 13-18 July 2013

The synaptic cleft is an extracellular domain that is capable of relaying a presynaptically received electrical signal by diffusive neurotransmitters to the postsynaptic membrane. The cleft is trans-synaptically bridged by ring-like shaped clusters of pre- and postsynaptically localized calcium-dependent adhesion proteins of the N-Cadherin type and is possibly the smallest inter-circuit in nervous systems [1]. The strength of association between the pre- and postsynaptic membranes can account for synaptic plasticity such as long-term potentiation [2]. Through neuronal activity the intra- and extracellular calcium levels are modulated through calcium exchangers embedded in the pre- and postsynaptic membrane. Variations of the concentration of cleft calcium induces changes in the N-Cadherin- zipper, that in synaptic resting states is rigid and tightly connects the pre- and postsynaptic domain. During synaptic activity calcium concentrations are hypothesized to drop below critical thresholds which leads to loosening of the N-Cadherin connections and subsequently “unzips” the Cadherin-mediated connection. These processes may result in changes in synaptic strength [2]. In order to investigate the calcium-mediated N-Cadherin dynamics at the synaptic cleft, we developed a three-dimensional model including the cleft morphology and all prominent calcium exchangers and corresponding density distributions [3-6].

The necessity for a fully three-dimensional model becomes apparent, when investigating the effects of the spatial architecture of the synapse [7], [8]. Our data show, that the localization of calcium channels with respect to the N-Cadherin ring has substantial effects on the time-scales on which the Cadherin-zipper switches between states, ranging from seconds to minutes. This will have significant effects on synaptic signaling. Furthermore we see, that high-frequency action potential firing can only be relayed to the Calcium/N-Cadherin-system at a synapse under precise spatial synaptic reorganization.

Author details

¹Goethe Center for Scientific Computing, Frankfurt am Main, Hessen, Germany. ²Max Planck Institute for Brain Research, Frankfurt am Main, Hessen, Germany.

Published: 8 July 2013

References

1. Sheng M, Hoogenraad CC: **The Postsynaptic Architecture of Excitatory Synapses: A More Quantitative View.** *Annu Rev Biochem* 2007, **76**:823-847.
2. Tai CY, Kim SA, Schuman EM: **Cadherins and synaptic plasticity.** *Current Opinion in Cell Biology* 2008, **20**:567-575.
3. Graham L: *Interpretations of data and mechanisms for hippocampal pyramidal cell models* Plenum Publishing Corporation; 1999.
4. Gabbiani F, Midtgaard J, Knöpfel T: **Synaptic Integration in a Model of Cerebellar Granule Cells.** *Journal of Neurophysiology* 1994, **72**(2):999-1009.
5. Jahr CE, Stevens CF: **Calcium permeability of the N-methyl-D-aspartate receptor channel in hippocampal neurons in culture.** *PNAS Neurobiology* 1993, **90**(24):11573-11577.
6. Vaithianathan T, Manivannan K, Kleene R, Bahr BA, Dey MP, Dityatev A, Suppiramaniam V: **Single Channel Recordings From Synaptosomal AMPA Receptors.** *Cell Biochemistry and Biophysics* 2005, **42**:75-86.
7. Burette AC, Lesperance T, Crum J, Martone M, Volkman N, Ellisman MH, Weinberg RJ: **Electron Tomographic Analysis of Synaptic Ultrastructure.** *The Journal of Comparative Neurology* 2012, **520**:2697-2711.

* Correspondence: gillian.queisser@gcsc.uni-frankfurt.de

¹Goethe Center for Scientific Computing, Frankfurt am Main, Hessen, Germany

Full list of author information is available at the end of the article

8. Chen X, Winters C, Azzam R, Li X, Galbraith JA, Leapman RD, Reese TS: **Organization of the core structure of the postsynaptic density.** *PNAS* 2012, **105**(11):4453-4458.

doi:10.1186/1471-2202-14-S1-P321

Cite this article as: Grein *et al.*: Long-term potentiation through calcium-mediated N-Cadherin interaction is tightly controlled by the three-dimensional architecture of the synapse. *BMC Neuroscience* 2013 **14**(Suppl 1):P321.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

