

## An updated checklist of the mosses of Chile

Frank Müller

**Abstract:** The distribution by regions and provinces is provided for each of the 890 moss taxa currently accepted in Chile. All records are supported by literature references, and the number of taxa recorded for each region is given. Synonyms with their owning taxa are intercalated alphabetically in the list.

### Introduction

The last checklist of the mosses of Chile was completed in the end of 1996 and was published in 1998 (He 1998). Since this time a considerable bulk of new data on the mosses of Chile has been published. This provided the stimulus to produce a new checklist. The present study attempts an updated version of the checklist of He (1998) and contains all data available up to the end of November 2009.

For a lot of families and genera of the area critical taxonomic revisions were published in the last years. This includes Amblystegiaceae (Hedenäs 2003, Ochyra & Matteri 2001), *Bartramia* (Fransén 2004), *Campylopus* (Frahm 2005), *Fissidens* (Müller & Pursell 2003), *Grimmia* (Muñoz 1999, Muñoz & Panda 2000), Hypopterygiaceae (Kruijer 2002), *Lepyrodon* (Allen 1999), Meesiaceae (Matteri & Ochyra 1999), *Tortula* (Cano & Gallego 2008), and *Zygodon* (Calabrese 2006). In addition, there is also a remarkable progress in the floristic investigation of Chile (Isla Navarino in province Antártica Chilena: Buck 2002, Goffinet et al. 2006; regions Tarapacá and Antofagasta: Cano 2003; the Los Lagos and Los Ríos regions: Frey & Schaumann 2002, Schaumann 2005, Larrain 2005, 2007, 2007b; Easter Island: Ireland & Bellolio 2002; the Bío-Bío region: Ireland et al. 2007; the Maule Region: Müller & Pereira 2006, Pereira et al. 2006).

In addition, new information's resulted in checklists and floras of neighboring regions, e. g., the new checklist of Argentina (Matteri 2003b), the Flora of King George Island, Antarctica (Ochyra 1998), and the Flora of Antarctica (Ochyra et al. 2008).

Taxonomic revisions are just on the way for *Syntrichia* (M.J. Cano, M.T. Gallego) and *Racomitrium* s.l. (J. Larraín), so in next future the certain determination of Chilean specimens of these groups will be possible. Nevertheless, there still are problematic genera of which determination of Chilean material is at the moment difficult. These include *Andreaea*, *Dicranoloma*, *Hymenoloma*, *Ditrichum*, *Macromitrium*, *Mielichhoferia*, *Pohlia*, *Ptychomitrium*, *Rhaphidorrhynchium*, *Schistidium*, *Schizymenium*, *Sematophyllum*, and *Sphagnum*. Hopefully, in next future these genera will be dealt in systematic revisions.

For the compilation of the present checklist there were evaluated the following sources:

- 1.) The checklist published by He (1998).
- 2.) About 200 additional publications newly published ones and older ones not included in He (1998).
- 3.) The herbarium database of the herbarium of New York (NY) and the Tropicos database of the Missouri Botanical Garden (MO).

- 4.) Results of the investigation of herbarium material deposited in the herbaria's of Paris (PC) and Stockholm (S).
- 5.) Results of the determination of Chilean moss material in the herbarium of Dresden (DR). Important records of this were already published separately (Müller 2002, Müller 2009).

#### The arrangement of the checklist

The arrangement of the alphabetically list of recorded taxa follows He (1998). To each taxon references are given. To show the range of each taxon in Chile, its regional and provincial distribution is given.

Chile is divided into 15 regions. Every region is further divided into provinces. Each region is designated by a name and a Roman numeral. The only exception is the region housing the nation's capital, which is designated RM, that stands for Región Metropolitana (Metropolitan Region).

Two new regions, Arica and Parinacota in the north, and Los Ríos in the south, were created in 2006, and became operative in October 2007. In the numbering scheme, Region XIII was skipped; Arica and Parinacota was designated Region XV, while Los Ríos was designated Region XIV.

The division of Chile in political regions is shown in Figure 1. The regional distribution of each taxon is given in the list in the order from north to south.

The number of accepted taxa recorded for each political region of Chile as well as for Juan Fernández Islands and Easter Island is provided in Table 1. To show the progress in the bryological exploration of the regions the species numbers of the previous checklist of He (1998) are given.

All validly published names that are widely accepted or that reflect opinions expressed in published monographs are written in the checklist in bold face italic font. Taxa with insufficiently known status, e. g., mostly *nomina nuda*, and illegitimate names, are written in non bold face italic font.

Heterotypic synonyms or taxonomic synonyms are marked by an equal sign (=) followed by a reference of an author. Homotypic or nomenclatural synonyms are indicated by an identity sign (≡).

In Chile, 890 moss taxa are currently accepted from 230 genera and 68 families. The systematic arrangement of the genera and families follows with minor modifications the sequence of Goffinet et al. (2008).

Despite checking and re-checking, some errors doubtless remain undetected in this document, and literature overlooked, and the author would be very grateful to know of any of these. Comments please send to Frank.Mueller@tu-dresden.de

This document is not intended as a taxonomic work. The quality of the data in this list is variable in its taxonomic quality, although it attempts to present the latest position for all taxa.

**Table 1.** Number of accepted taxa reported for political regions of Chile

<b>Region</b>	<b>Provinces</b>	<b>Number of taxa (He 1998)</b>	<b>Number of taxa (current list)</b>
XV. Arica y Parinacota	Arica, Parinacota	0	22
I. Tarapacá	El Tamarugal, Iquique		0
II. Antofagasta	Antofagasta, El Loa, Tocopilla	8	19
III. Atacama	Chañaral, Copiapó, Huasco	8	12
IV. Coquimbo	Choapa, Elqui, Limarí	66	87
V. Valparaíso	Los Andes, Petorca, Quillota, San Antonio, San Felipe de Aconcagua, Valparaíso	169	168
RM. Metropolitana	Chacabuco, Cordillera, Maipo, Melipilla, Santiago, Talagante	136	136
VI. O'Higgins	Cachapoal, Cardenal Caro, Colchagua	53	63
VII. Maule	Cauquenes, Curicó, Linares, Talca	65	163
VIII. Biobío	Arauco, Biobío, Concepción, Ñuble	190	315
IX. La Araucanía	Cautín, Malleco	234	251
XIV. Los Ríos	Valdivia, Ranco	412	282
X. Los Lagos	Chiloé, Llanquihue, Osorno, Palena		346
XI. Aisén	Aisén, Capitán Prat, Coihaique, General Carrera	310	337
XII. Magallanes	Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza	450	436
Juan Fernández	Isla Robinson Crusoe, Isla Alejandro Selkirk	158	153
Isla de Pascua (Easter Island)		0	34




Fig. 1: Political regions of Chile (from He 1998, modified).

---

**Taxa reported from Chile arranged alphabetically by genera and species**

The checklist is in alphabetical order of taxon name, with current names shown in bold face italic font. Illegitimate names, nomina nuda, and doubtful taxa attributed to Chile shown in non bold face italic font. Names placed in synonymy are indented and shown in a smaller font, together with the owning taxon and a literature source for the synonymy.

Literature references are given for each taxon. To show the regional distribution for each taxon abbreviations of the regions and the names of the provinces from where it is recorded, are provided. The abbreviations of the regions follow the scheme of Table 1. The regional distribution is given in the order from north to south. For the recently created Los Ríos region (region XIV) it was impossible to recheck all the literature sources to find out whether the records are from province Valdivia or from the newly created province Ranco. Therefore for records from this region no detailed provincial distribution is provided.

***Acaulon uleanum*** Müll. Hal.

Ireland et al. 2007. **Dist.** VIII. Concepción.

***Acaulon*** spec.

Matcham et al. 2007. **Dist.** XII. Magallanes.

*Achrohypnella subnervis* Herzog = *Vesiculariopsis spirifolium* fide Seki 1974.

***Achrophyllum anomalum*** (Schwägr.) H. Rob.

Larraín 2007b; Larraín 2007a; He 1998; Robinson 1975; Matteri & Schiavone 2002 (as *Pterygophyllum anomalum*, Espinosa 1941; Mitten 1869; Dusén 1903b; Cardot 1908; Brotherus 1924b; Herzog 1954; Bartram 1957; as *Pterygophyllum obscurum*, Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922, 1954, 1960; Brotherus 1924b; Reimers 1926; as *Pterygophyllum obscurum* fo. *thermalis*, Herzog & Schwabe 1939). **Dist.** IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén; XII. Antártica Chilena; Juan Fernández Is.

***Achrophyllum anomalum*** var. ***pallidum*** (Cardot & Broth.) S. He

(as *Pterygophyllum anomalum* var. *pallidum*, Cardot & Brotherus 1923). **Dist.** XI. Capitán Prat.

***Achrophyllum crassirete*** (Matteri) Matteri

Tropicos 2009; Hässel et al. 1984; Larraín 2005; Matteri 1979, 1985b; Deguchi 1991a (as *Pterygophyllum crassirete*, Matteri 1972; Seki 1974). **Dist.** V. Valparaíso; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza.

***Achrophyllum dentatum*** (Hook.f. & Wilson) Vitt & Crosby

Villagran et al. 2003; Robinson 1975 (as *Pterygophyllum denticulatum*, Mitten 1869; Dusén 1903b; Cardot 1908; Thériot 1917; Cardot & Brotherus 1923; Brotherus 1924b; Herzog 1954; as *Pterygophyllum dentatum*, Bartram 1957). **Dist.** VI. Colchagua; X. Chiloé, Osorno; XI. Aisén; XII. Antártica Chilena; Juan Fernández Is.

***Achrophyllum haesselianum*** (Matteri) Matteri

Hässel et al. 1984; Buck 2002; He 1998; Matteri 1979, 1985b; Matteri & Schiavone 2002 (as *Pterygophyllum haesselianum*, Matteri 1972; Seki 1974). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Achrophyllum magellanicum*** (Besch.) Matteri var. ***magellanicum***

Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Matteri 1979, 1985b; Deguchi 1991a; Matteri & Schiavone 2002 (as *Pterygophyllum magellanicum*, Dusén 1903b; Cardot 1908, Matteri 1972; Seki 1974). **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepcion, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Achrophyllum magellanicum*** var. ***oligodontum*** (Matteri) Matteri

Tropicos 2009; Hässel et al. 1984; Buck 2002; Matteri 1979, 1985b; Deguchi 1991a; Matteri & Schiavone 2002 (as *Pterygophyllum magellanicum* var. *oligodontum*, Matteri 1972; Seki 1974). **Dist.** VIII. Biobío, Concepcion; IX. Cautín, Malleco; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Achrophyllum tenuinerve*** (Broth.) H. Rob.

Robinson 1975 (as *Pterygophyllum tenuinerve*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957). **Dist.** Juan Fernández Is.

***Acrocladium auriculatum*** (Mont.) Mitt.

Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Matcham et al. 2007; Larraín 2005; Ireland et al. 2007; Buck 2002; Villagran et al. 2003; Schaumann 2005; He 1998; Ochyra & Matteri 2001; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Roivainen 1934; Thériot 1934b; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991a; Matteri & Schiavone 2002 (as *Acrocladium chlamydophyllum*, Dusén 1903b; Cardot 1908; as *Lembophyllum auriculatum*, Cardot 1900, 1901, 1905; as *Calliergon auriculatum*, Margadant 1972). **Dist.** VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Acrocladium chlamydophyllum* (Hook.f. & Wilson) Müll. Hal. & Broth. = *Acrocladium auriculatum* fide Wijk et al. 1959.

*Acrocladium cuspidatum* (Hedw.) Lindb. ≡ *Calliergonella cuspidata*.

*Acrocladium politum* (Hook.f. & Wilson) Mitt. = *Catagonium nitens* subsp. *nitens* var. *nitens* fide Lin 1984.

***Acroschisma wilsonii*** (Hook. f.) A. Jaeger

NY 2009; Müller 2008; Larraín 2005; Buck 2005a; He 1998; Dusén 1903a; Cardot 1908; Roivainen 1937; Seki 1974; Deguchi 1991a; Matteri & Schiavone 2002 (as *Andreaea wilsonii*, Hässel et al. 1984; Mitten 1869; Cardot & Brotherus 1923; Bartram 1952; Herzog 1954; Matteri 1985b; as *Felipponea hollermayeri*, Thériot 1935). **Dist.** XIV. Valdivia/Ranco; X. Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Aloina catillum*** (Müll. Hal.) Broth.

Cano et al. 2008a. **Dist.** XV. Parinacota.

***Aloina bifrons*** (De Not.) Delgad.

Cano et al. 2008a; Villagran et al. 2004. **Dist.** IV. Limarí; RM. Cordillera.

***Aloina brevirostris*** (Hook. & Grev.) Kindb.

Matcham et al. 2007; Matcham & Duckett in Blockeel et al. 2008a. **Dist.** XII. Magallanes.

***Aloina roseae*** (R.S. Williams) Delgad.

Delgadillo 1973; Jiménez & Cano 2007 (as *Crossidium roseae*, Bartram 1943, 1952, 1953).

**Dist.** II. Antofagasta; III. Copiapó; IV. Elqui.

*Aloinella andina* Delgad. ≡ *Aloinella galeata* var. *andina*.

***Aloinella galeata*** var. *andina* (Delgad.) Delgad. & Schiavone

(as *Aloinella andina*, Cano 2003). **Dist.** XV. Parinacota.

***Amblyodon dealbatus*** (Sw. ex Hedw.) Bruch & Schimp.

Matteri & Schiavone 2002; Matteri & Ochyra 1999. **Dist.** XII. Tierra del Fuego.

*Amblystegium chilense* Lorentz = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Amblystegium excurrens* Cardot & Broth. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Amblystegium fuegianum* Mitt. = *Warnstorffia fluitans* fide Ochyra & Matteri 2001.

*Amblystegium jaffueli* Thér. = *Leptodictyum riparium* fide Ireland et al. 2007.

*Amblystegium philonotis* Dusén, nom. nud. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

***Amblystegium serpens*** (Hedw.) Schimp.

Tropicos 2009; Müller 2009; Hässel et al. 1984; He 1998; Cardot & Brotherus 1923; Roivainen 1934; Robinson 1975; Mahu 1981; Matteri 1985b; Deguchi 1991a. **Dist.** IV. Choapa; V. Petorca, Quillota, San Antonio, Valparaíso; RM. Cordillera, Santiago; VII. Talca; VIII. Concepción, Ñuble; XII. Última Esperanza; Juan Fernández Is.

*Amblystegium tenellum* Cardot & Broth. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Amblystegium uncinatum* De Not. var. *symmetricum* (Renauld & Cardot) Dusén ≡ *Sanionia symmetrica*.

*Amphidium cyathicarpum* (Mont.) Broth. = *Amphidium tortuosum* fide Robinson 1975.

***Amphidium lapponicum*** (Hedw.) Schimp.

Müller in Blockeel et al. 2000; Frahm et al. 2000. **Dist.** VII. Talca; IX. Malleco; Juan Fernández Is.

***Amphidium tortuosum*** (Hornschr.) Cufod.

Tropicos 2009; Frahm et al. 2000; He 1998; Müller & Pereira 2006; Robinson 1975 (as *Amphidium cyathicarpum*, Hässel et al. 1984; Espinosa 1941; Costes 1921; Cardot 1908; Thériot 1917, 1921; Brotherus 1924b; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1957; Matteri 1985b; Deguchi 1991b). **Dist.** V. San Antonio, Valparaíso; RM. Cordillera; VI. Colchagua; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Palena; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

***Anacolia aurea*** Dusén, nom. nud., Dusén 1903b.

*Anacolia subsessilis* (Taylor) Broth. = *Anacolia laevisphaera* fide Herzog 1960.

*Anacolia subsessilis* var. *brevifolia* Broth. = *Anacolia laevisphaera* fide Flower in Grout 1935.

***Ancistrodes genuflexa*** (Müll. Hal.) Crosby

Larraín 2007b; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Kuc 1996; Deguchi 1991b (as *Duseniella genuflexa*, Cardot 1908; Herzog 1922, 1954, 1960; Reimers 1926; Thériot 1934b; Herzog & Schwabe 1939; Seki 1974; as *Meteoriump genuflexum*, Mitten 1869; as *Bryoduseniella genuflexa*, Robinson 1974). **Dist.** VII. Cauquenes; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

***Andreaea acutifolia*** Hook.f. & Wilson

Larraín 2005; Mitten 1869; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1937; Seki 1974; Deguchi 1991a; Matteri & Schiavone 2002. **Dist.** VIII. Biobío; IX. Malleco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Tierra del Fuego.

***Andreaea alpina*** Hedw.

Ireland et al. 2007; Mitten 1869; Roivainen 1937; Seki 1974; Robinson 1975; Matteri & Schiavone 2002 (as *Andreaea squamata*, Dusén 1903a; Cardot 1908; as *Andreaea brevifolia*, Dusén 1903a; as *Andreaea parallela* var. *brevifolia*, Cardot 1908; as *Andreaea loricata*, Dusén 1903a, 1903b; Cardot & Brotherus 1923; as *Andreaea pseudoalpina*, Dusén 1903a, Cardot 1908, Deguchi 1991a). **Dist.** VIII. Ñuble; X. Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego; Juan Fernández Is.

***Andreaea appendiculata*** Schimp.

Mitten 1869; Dusén 1903b; Cardot 1908; Matteri & Schiavone 2002. **Dist.** XII. Antártica Chilena.

*Andreaea brevifolia* Dusén = *Andreaea alpina* fide Roivainen 1937.

***Andreaea flabellata*** Müll. Hal.

NY 2009; Greene 1968; Matteri & Schiavone 2002 (as *Andreaea grimmoides*, Dusén 1903a; Cardot & Brotherus 1923; Roivainen 1937; as *Andreaea pumila*, Herzog 1954). **Dist.** XI. Aisén; XII. Antártica Chilena, Tierra del Fuego.

***Andreaea flexuosa*** R.Br. bis

NY 2009. Dist. XII. Antártica Chilena (*Buck 46204*, NY).

***Andreaea fuegiana*** (Cardot) S.W. Greene

Greene 1968; Matteri & Schiavone 2002 (as *Neoloma fuegianum*, Donat 1936; as *Neuroloma fuegianum*, Cardot & Brotherus 1923; Roivainen 1937). **Dist.** XI. Aisén; XII. Tierra del Fuego.

*Andreaea grimmoides* Dusén = *Andreaea flabellata* fide Greene 1968.

***Andreaea latinervis*** E.B. Bartram

Roivainen 1937; Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego.

***Andreaea laxifolia*** Hook.f. & Wilson

- 
- Mitten 1869; Dusén 1903b; Cardot 1908; Matteri & Schiavone 2002. **Dist.** XII. Antártica Chilena.
- Andreaea laxifolia* var. *minor* Hook.f. & Taylor  
Cardot 1908; Matteri & Schiavone 2002. **Dist.** XII. Antártica Chilena
- Andreaea leiophylla* Cardot ex G. Roth  
Cardot & Brotherus 1923; Roivainen 1937; Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego.  
*Andreaea loricata* Dusén = *Andreaea alpina* fide Roivainen 1937.
- Andreaea marginata* Hook.f. & Wilson  
Mitten 1869; Dusén 1903a, 1903b; Cardot 1908; Herzog 1954; Matteri & Schiavone 2002.  
**Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes.
- Andreaea mutabilis* Hook.f. & Wilson  
NY 2009; He 1998; Dusén 1903b; Roivainen 1937; Matteri & Schiavone 2002. **Dist.** IX.  
Cautín; X. Osorno; XII. Antártica Chilena, Magallanes, Tierra del Fuego.
- Andreaea nitida* Hook.f & Wilson  
Deguchi 1991a; Matteri & Schiavone 2002 (as *Cochlearidium aymaranum*, Ochyra & Mahu 1990). **Dist.** XV. Parinacota; XII. Magallanes.
- Andreaea pachyphylla* (Müll. Hal.) Broth.  
Dusén 1903a; Roivainen 1937; Herzog 1954; Schultze-Motel 1970; Matteri & Schiavone 2002 (as *Andreaea pachyphylla* var. *acutifolia*, Dusén 1903a; Cardot 1908). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego.  
*Andreaea pachyphylla* var. *acutifolia* Dusén = *Andreaea pachyphylla* fide Schultze-Motel 1970.  
*Andreaea parallela* Müll. Hal. var. *brevifolia* (Dusén) Cardot = *Andreaea alpina* fide Roivainen 1937.
- Andreaea patagonica* Dusén  
Dusén 1903a; Cardot 1908; Cardot & Brotherus 1923; Matteri & Schiavone 2002. **Dist.** XI.  
Aisén; XII. Tierra del Fuego.
- Andreaea pilifera* Herzog ex Thér.  
Herzog 1937. **Dist.** XI. Aisén.  
*Andreaea pseudoalpina* Müll. Hal. = *Andreaea alpina* fide Matteri 2003a.
- Andreaea pseudomutabilis* Dusén  
NY 2009; Dusén 1903a; Deguchi 1991a; Matteri & Schiavone 2002. **Dist.** XII. Antártica Chilena, Magallanes.  
*Andreaea pseudosubulata* Müll. Hal. = *Andreaea subulata* fide Schultze-Motel 1970.
- Andreaea pulvinatula* Dusén, nom. nud., Dusén 1903b.  
*Andreaea pumila* Cardot = *Andreaea flabellata* fide Greene 1968.
- Andreaea purpurascens* (Dusén) G. Roth  
Matteri & Schiavone 2002 (as *Andreaea remotifolia* var. *purpurascens*, Dusén 1903a). **Dist.** XII. Magallanes.  
*Andreaea pycnolyta* Cardot = *Andreaea regularis* fide Ochyra 1998.  
*Andreaea pygmaea* Cardot = *Andreaea regularis* fide Greene 1968.
- Andreaea regularis* Müll. Hal.  
Goffinet et al. 2006; Buck 2002; Seki 1974; Deguchi 1991a; Matteri & Schiavone 2002 (as *Andreaea pygmaea*, Cardot & Brotherus 1923; as *Andreaea verruculosa*, Roivainen 1937; Bartram 1952). **Dist.** IX. Malleco; X. Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego.
- Andreaea remotifolia* Dusén  
Tropicos 2009; Dusén 1903a; Matteri & Schiavone 2002. **Dist.** XII. Antártica Chilena, Magallanes.  
*Andreaea remotifolia* var. *purpurascens* Dusén ≡ *Andreaea purpurascens*.
- Andreaea rupestris* Hedw.  
Hässel et al. 1984; Ireland et al. 2007; He 1998; Bartram 1952; Matteri & Schiavone 2002.  
**Dist.** VIII. Arauco, Biobío, Ñuble; IX. Cautín; X. Osorno; XII. Magallanes.
- Andreaea squarrosa* Mitt.

Donat 1936; Herzog 1954. **Dist.** XI. Aisén.

*Andreaea squamata* Müll. Hal. = *Andreaea alpina* fide Robinson 1975.

***Andreaea subulata*** Harv.

Müller 2009; Ireland et al. 2007; Mitten 1869; Dusén 1903a; Roivainen 1937; Schultze-Motel 1970; Seki 1974; Deguchi 1991a; Matteri & Schiavone 2002 (as *Andreaea subulata* var. *perichaetialis*, Dusén 1903b; Cardot 1908; as *Andreaea subulata* var. *rigida*, Dusén 1903b; as *Andreaea pseudosubulata*, Cardot 1908). **Dist.** VII. Talca; VIII. Biobío, Ñuble; IX. Malleco; X. Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego.

*Andreaea subulata* var. *perichaetialis* (Hook.f. & Wilson) Müll. Hal. = *Andreaea subulata* fide Schultze-Motel 1970.

*Andreaea subulata* var. *rigida* Harv. & Müll. Hal. = *Andreaea subulata* fide Dixon 1929.

***Andreaea vaginalis*** Herzog

Donat 1936; Seki 1974. **Dist.** XI. Aisén.

***Andreaea vermicularis*** Dusén, nom. nud., Dusén 1903b.

*Andreaea verruculosa* Cardot = *Andreaea regularis* fide Greene 1968.

*Andreaea wilsonii* Hook.f. ≡ *Acroschisma wilsonii*.

*Anisothecium campylophyllum* (Taylor) Mitt. ≡ *Dicranella campylophylla*.

*Anisothecium cardotii* (R.Br. bis) Ochyra = *Dicranella campylophylla* fide Ochyra et al. 2008.

***Anisothecium elegans*** (Duby) Thér.

Thériot 1934b; Herzog & Hosseus 1938 (as *Aongstroemia elegans*, Herzog 1922). **Dist.** XIV.

Valdivia/Ranco; X. Llanquihue.

***Anisothecium fontanum*** (Herzog) Ochyra

(as *Ditrichum fontanum*, Herzog 1954). **Dist.** X. Osorno.

*Anisothecium hookeri* (Müll. Hal.) Broth. ≡ *Dicranella hookeri*.

*Anisothecium hookeri* var. *minus* Cardot & Thér.

Thériot 1929b. **Dist.** XII. Magallanes.

*Anisothecium jamesonii* Mitt. = *Anisothecium vaginatum* fide Matteri 2003a.

*Anisothecium krausei* Lorentz ≡ *Symplepharis krausei*.

*Anisothecium paludella* (Besch.) Broth. ≡ *Neomeesia paludella*.

*Anisothecium perpusillum* Dusén = *Dicranella hookeri* fide Newton 1977.

*Anisothecium persquarrosum* (Dusén) Broth. = *Dicranella campylophylla* fide Matteri & Schiavone 2002.

***Anisothecium pseudorufescens*** (Cardot & Broth.) Broth.

(as *Dicranella pseudorufescens*, Cardot & Brotherus 1923). **Dist.** XII. Magallanes.

***Anisothecium pseudorufescens*** var. *leptocladus* (Cardot & Broth.) Kühnem.

(as *Dicranella pseudorufescens* var. *leptocladus*, Cardot & Brotherus 1923). **Dist.** XII. Magallanes.

***Anisothecium skottsbergii*** (Cardot & Broth.) Broth.

Herzog 1954 (as *Dicranella skottsbergii*, Cardot & Brotherus 1923). **Dist.** X. Osorno; XII. Magallanes.

***Anisothecium vaginatum*** (Hook.) Mitt.

Tropicos 2009; He 1998; Thériot 1934b (as *Aongstroemia vaginata*, Dusén 1905b; as *Anisothecium jamesonii*, Mitten 1869; Herzog & Hosseus 1938; Herzog & Schwabe 1939).

**Dist.** RM. Santiago; VIII. Arauco, Biobío; XIV. Valdivia/Ranco; X. Llanquihue, Osorno.

*Anoectangium patagonicum* Cardot & Broth. = *Hymenostylium recurvirostrum* fide Matteri & Schiavone 2002.

*Anoectangium tenerimum* Müll. Hal. ≡ *Gymnostomum tenerimum* fide Wijk & Margadant 1959.

*Anomobryum filiforme* (Dicks.) Husn. = *Anomobryum julaceum* fide Abramov & Abramova 1983.

***Anomobryum julaceum*** (Schrad. ex P. Gaertn., B. Mey. & Scherb.) Schimp.

Tropicos 2009 (as *Anomobryum filiforme*, Espinosa 1941; He 1998; Brotherus 1924a; Cardot & Brotherus 1923; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954; as *Bryum filiforme*, Seki 1974; Ochi 1980; Deguchi 1991a). **Dist.** VIII. Arauco, Bíobio, Concepción, Ñuble; IX. Cautín; X. Llanquihue, Osorno; XI. Aisén.

***Anomobryum humillimum*** (Müll. Hal. ex E. Britton) Broth.

(as *Bryum humillimum*, Ochi 1990; Deguchi 1991a). **Dist.** X. Llanquihue.

*Anomobryum laxirete* Cardot & Broth. = *Bryum microimbricatum* fide Ochi 1982.

***Anomobryum prostratum*** (Müll. Hal.) Besch.

(as *Bryum prostratum*, Ochi 1980). **Dist.** V. Valparaíso.

*Aongstroemia elegans* (Dusén) Broth.  $\equiv$  *Anisothecium elegans*.

***Aongstroemia gayana*** (Mont.) Müll. Hal.

Tropicos 2009; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Mitten 1869; Dusén 1905b; Thériot 1921; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954; Deguchi 1991a; Costes 1921. **Dist.** V. Valparaíso; RM. Santiago; VII. Cauquenes, Linares, Talca; VIII. Bíobio, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

*Aongstroemia persquarrosa* Dusén = *Dicranella campylophylla* fide Matteri & Schiavone 2002.

*Aongstroemia vaginata* (Hook.f.) Müll. Hal.  $\equiv$  *Anisothecium vaginatum*.

*Apalodium australe* (Hook.f. & Wilson) Mitt. = *Orthodontium lineare* fide Matteri & Schiavone 2002.

***Aptychella chilensis*** Herzog

He 1998; Herzog 1954; Seki 1974. **Dist.** XIV. Valdivia/Ranco; X. Chiloé; XI. Aisén.

***Archidium julaceum*** Müll. Hal.

He 1998; Thériot 1918, 1924. **Dist.** V. San Antonio, Valparaíso; IX. Malleco.

***Archidium ohioense*** Schimp. ex Müll. Hal.

He 1998. **Dist.** V. Valparaíso.

***Arctoa fulvella*** (Dicks.) Bruch & Schimp.

Ochyra & Buck 2003. **Dist.** XII. Antártica Chilena.

*Asteriscium deciduum* Hilp.  $\equiv$  *Didymodon deciduus*.

*Asteriscium geniculatum* (Mont.) Herzog = *Didymodon australasiae* fide Jiménez et al. 2005.

*Asteriscium poeppigianum* (Müll. Hal.) Hilp. = *Didymodon vinealis* fide Sollman 1995.

***Astomiosis pacifica*** W.R.Buck & Landrum

Barrera 2006; He 1998; Buck & Landrum 1977. **Dist.** V. San Antonio, Valparaíso; Juan Fernández Is.

*Astomum chilense* R.S. Williams = *Trichostomum williamsii* fide Zander 1993.

*Astomum recurvirostre* (Müll. Hal.) G. Roth = *Weissia diffidentia* fide Zander 1993.

***Atractylocarpus patagonicus*** Herzog & Thér.

Herzog & Thériot 1933; Padberg & Frahm 1985. **Dist.** VIII. Concepción.

***Atrichopsis compressa*** (Hook.f. & Wilson) G. L. Sm.

Hässel et al. 1984; Matteri 1985b; Matteri & Schiavone 2002 (as *Psilopilum compressum*, Mitten 1869; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Herzog & Schwabe 1939; Herzog 1954; as *Atrichopsis magellanica*, Cardot & Brotherus 1923). **Dist.** X. Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Atrichopsis magellanica* Cardot = *Atrichopsis compressa* fide Smith 1969.

*Atrichum rigidum* Lorentz  $\equiv$  *Hebantia rigida*.

*Aulacomnium chilense* Müll. Hal. = *Pyrrhobryum mnioides* fide Wijk et al. 1959.

***Aulacomnium palustre*** (Hedw.) Schwägr.

He 1998; Dusén 1903b; Matteri 1985b; Matteri 1988; Matteri & Schiavone 2002. **Dist.** V. Valparaíso; IX. Cautín; XII. Tierra del Fuego.

*Austrophilbertiella ditrichoidea* (Cardot) Ochyra  $\equiv$  *Ditrichum ditrichoideum*.

*Austrophilbertiella nitens* (Herzog) Ochyra  $\equiv$  *Ditrichum nitens*.

*Barbula andersonii* (Ångström) A. Jaeger = *Syntrichia glacialis* fide Müller 2009.

*Barbula antarctica* Hampe  $\equiv$  *Syntrichia antarctica*.

*Barbula arenae* Besch.  $\equiv$  *Hennediella arenae*.

*Barbula arenicola* Dusén = *Pseudocrossidium crinitum* fide Zander 1993.

*Barbula australasiae* Hook.f. & Grev.  $\equiv$  *Didymodon australasiae* fide Zander 1978.

***Barbula austrogracilis*** Dusén

Dusén 1906a. **Dist.** VI. Colchagua.

*Barbula berteroana* Müll. Hal. = *Tortula platyphylla* fide Cano & Gallego 2008.

***Barbula calycina*** Schwägr.

(as *Tortula calycina*, Mitten 1869). **Dist.** Chile, without exact locality.

***Barbula calyculosa*** (Mitt.) A. Jaeger

Herzog 1954. **Dist.** X. Osorno.

*Barbula cardotii* Dusén  $\equiv$  *Didymodon cardotii*.

*Barbula chrysopila* Müll. Hal. = *Syntrichia princeps* fide Matteri & Schiavone 2003.

*Barbula conotricha* Müll. Hal. = *Syntrichia glacialis* fide Müller 2009.

*Barbula conotricha* var. *fagicola* Müll. Hal. = *Syntrichia glacialis* fide Matteri 2003a.

***Barbula convoluta* Hedw.**

Ireland et al. 2007. **Dist.** VIII. Concepción.

***Barbula costesii* Thér.**

Buck 2002; Thériot 1921. **Dist.** V. Valparaíso; XII. Antártica Chilena.

*Barbula densifolia* Hook.f. & Wilson ≡ *Hennediella densifolia*.

*Barbula depressa* Sull. = *Pseudocrossidium crinitum* fide Zander 1993.

*Barbula depressa* var. *denticulata* (Dusén) Thér. = *Pseudocrossidium crinitum* fide Zander 1993.

*Barbula flagellaris* Schimp. ≡ *Syntrichia flagellaris*.

*Barbula flagellaris* var. *denticulata* Dusén = *Pseudocrossidium crinitum* fide Zander 1993.

*Barbula flagellaris* var. *gracilis* Dusén = *Pseudocrossidium crinitum* fide Zander 1993.

***Barbula flavidopilosa* Dusén, nom. nud., Dusén 1903b.**

*Barbula fuegiana* (Mitt.) A. Jaeger = *Syntrichia magellanica* fide Matteri 2003a.

*Barbula fusca* Müll. Hal. ≡ *Didymodon fuscus*.

*Barbula fuscinervia* (Mitt.) A. Jaeger = *Didymodon pruinosa* fide Jiménez & Cano 2008.

*Barbula fuscoviridis* Broth. = *Didymodon fuscus* fide Jiménez & Cano 2006.

*Barbula geniculata* (Mont.) Müll. Hal. = *Didymodon australasiae* fide Jiménez et al. 2005.

*Barbula graminicolor* Müll. Hal. subsp. *subgraminicolor* Thér. = *Tortula platyphylla* fide Cano & Gallego 2008.

*Barbula kunzeana* Müll. Hal. ≡ *Hennediella kunzeana*.

*Barbula laevigata* (Mitt.) A. Jaeger ≡ *Didymodon laevigatus*.

***Barbula lamprocalyx* Müll. Hal.**

Brotherus 1924c. **Dist.** Chile, without exact locality.

*Barbula lechleri* Müll. Hal. = *Syntrichia magallanica* fide Zander 1993.

*Barbula marginatoserrata* Dusén, nom. nud. = *Syntrichia serrulata* fide Müller 2009.

***Barbula microruncinata* Dusén, nom. nud., Dusén 1903b.**

***Barbula muralis* var. *australis* Hampe, nom. inval.**

***Barbula nanophylla* Dusén, nom. nud., Dusén 1903b.**

*Barbula olivensis* Cardot = *Pseudocrossidium crinitum* fide Müller 2009.

*Barbula pachyneura* Dusén = *Pseudocrossidium leucocalyx* fide Wijk et al. 1959.

*Barbula patagonica* (Müll. Hal.) A. Jaeger ≡ *Didymodon patagonicus*.

*Barbula perangusta* Dusén, nom. nud. = *Hennediella densifolia* fide Müller 2009.

***Barbula perfirma* Dusén, nom. nud., Roivainen 1934.**

*Barbula perrubiginosa* Dusén = *Syntrichia glacialis* fide Zander 1993.

*Barbula pilifera* (Hook.f.) Brid. = *Pseudocrossidium crinitum* fide Zander 1993.

***Barbula pilifera* fo. *elata* Thér.**

Thériot 1934b. **Dist.** RM. Santiago.

*Barbula poeppigiana* Müll. Hal. = *Didymodon australasiae* fide Jiménez et al. 2005.

***Barbula purpurascens* Dusén**

Dusén 1906a; Cardot 1908; Herzog & Hosseus 1938; Herzog 1960. **Dist.** IX. Cautín; XIV.

Valdivia/Ranco; XI. Aisén.

*Barbula pusilla* (Ångström) Müll. Hal. = *Syntrichia magellanica* fide Zander 1993.

***Barbula pycnophylla* Cardot**

Dusén 1906a; Bartram 1952. **Dist.** XI. Coihaique.

*Barbula replicata* Taylor ≡ *Pseudocrossidium replicatum*.

*Barbula rigidula* (Hedw.) Mitt. ≡ *Didymodon rigidulus*.

*Barbula robusta* (Hook.f & Grev.) Brid. ≡ *Syntrichia robusta*.

*Barbula ruralis* Hedw. ≡ *Syntrichia ruralis*.

*Barbula santessonii* E.B. Bartram ≡ *Didymodon santessonii*.

***Barbula santiagensis* Broth.**

Ireland et al. 2007; He 1998; Dusén 1906b; Thériot 1934b. **Dist.** IV. Limarí; V. San Antonio, Valparaíso; RM. Santiago; VIII. Concepción.

***Barbula santiagensis* var. *piligera* Broth.**

Dusén 1906b. **Dist.** RM. Santiago; IX. Malleco.

*Barbula serrulata* (Hook. & Grev.) Brid. ≡ *Syntrichia serrulata*.

*Barbula subgraminicolor* Thér., nom. inval. = *Tortula platyphylla* fide Cano & Gallego 2008.

***Barbula unguiculata* Hedw.**

Müller 2009; Deguchi 1991b; Frey & Schaumann 2002; Schaumann 2005. **Dist.** IV. Limarí; RM. Santiago; VII. Talca; XII. Última Esperanza.

*Barbula ventanae* Müll. Hal. *ex Paris, nom. inval.*, Brotherus 1924c.

*Bartramia ambigua* Mont. = *Bartramia stricta* fide Matteri 1985a.

*Bartramia aristata* Schimp. *ex Müll. Hal.* = *Bartramia ithyphylloides* fide Fransén 2004b.

*Bartramia australis* Sw., *hom. illeg.*

*Bartramia bellolioella* B.H. Allen & Ireland

Müller 2009; Allen & Ireland 2007. **Dist.** VII. Talca; VIII. Arauco, Ñuble.

*Bartramia carinata* Mitt. = *Breutelia plicata* fide Matteri 1985a.

*Bartramia chilensis* Lorentz = *Breutelia dumosa* fide Griffin 1988.

*Bartramia cygnea* Mont. ≡ *Philonotis cygnea*.

*Bartramia dumosa* (Mitt.) Mitt. ≡ *Breutelia dumosa*.

*Bartramia fernandeziana* Cardot = *Bartramia ithyphylloides* fide Fransén 2004b.

*Bartramia fontanoides* Gillies & Grev. ≡ *Philonotis fontanoides*.

*Bartramia halleriana* var. *brachydonta* Kab. = *Bartramia mossmaniana* fide Fransén 2004a.

*Bartramia ithyphylla* subsp. *patens* (Brid.) Fransén

Fransén 2004b (as *Bartramia patens*, Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Larraín 2007a; Buck 2002; He 1998; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Brotherus 1924b; Roivainen 1934; Bartram 1952; Seki 1974; Robinson 1975; Matteri 1985a, 1985b; Matteri & Schiavone 2002; as *Bartramia leucocolea* var. *glaucoflava*, Cardot & Brotherus 1923). **Dist.** RM. Chacabuco, Santiago; VI. Colchagua; VII. Curicó, Linares; VIII. Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Bartramia ithyphylloides* Schimp. *ex Müll. Hal.*

Müller & Pereira 2006; Fransén 2004b; Dusén 1903b; Cardot 1908; Thériot 1934b; Roivainen 1934; Herzog & Schwabe 1939; Herzog 1954; Seki 1974; Matteri 1985a, 1985b; Deguchi 1991a (as *Bartramia ithyphylla*, Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Buck 2002; Villagran et al. 2003; Schaumann 2005; He 1998; Matteri & Schiavone 2002; as *Bartramia aristata*, Dusén 1903b; Cardot 1908; Thériot 1918, 1934b; Brotherus 1924b; Reimers 1926; Herzog & Hosseus 1938; Bartram 1957; Robinson 1975; as *Bartramia fernandeziana*, Brotherus 1924b; as *Bartramia ithyphylla* var. *arenae*, Dusén 1903b; Cardot 1908; as *Bartramia leptophylla*, Cardot & Brotherus 1923). **Dist.** RM. Cordillera; VII. Cauquenes; VIII. Arauco, Biobío, Concepcion, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno, Chiloé; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.

*Bartramia leptophylla* Cardot & Broth. = *Bartramia ithyphylloides* fide Fransén 2004b.

*Bartramia leucocolea* Cardot var. *glaucoflava* Broth. & Cardot = *Bartramia ithyphylla* subsp. *patens* fide Fransén 2004b.

*Bartramia magellanica* Ångström, *hom. illeg.* = *Bartramia mossmaniana* fide Fransén 2004a.

*Bartramia mossmaniana* Müll. Hal.

Tropicos 2009; Goffinet et al. 2006; Fransén 2004 (as *Bartramia halleriana*, Tropicos 2009; Hässel et al. 1984; Matcham et al. 2007; Larraín 2005; Buck 2002; Villagran et al. 2003; Schaumann 2005; He 1998; Cardot 1908; Herzog 1922; Cardot & Brotherus 1923; Thériot 1935; Roivainen 1934; Herzog & Hosseus 1938; as *Bartramia halleriana*, Mitten 1869; Bartram 1952; Seki 1974; Matteri 1985a, 1985b; Deguchi 1991a; Matteri & Schiavone 2002; as *Bartramia magellanica*, Mitten 1869; Dusén 1903b). **Dist.** VIII. Arauco, Bíobio, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Bartramia patens* Brid. ≡ *Bartramia ithyphylla* subsp. *patens*.

*Bartramia patens* var. *minor* Dusén = *Bartramia ithyphylla* subsp. *patens* fide Fransén 2004b.

*Bartramia patens* var. *robusta* (Hook.f. & Wilson) Matteri = *Bartramia robusta*.

*Bartramia plicata* (Mitt.) Mitt. ≡ *Breutelia plicata*.

*Bartramia potosica* Mont.

Ireland et al. 2007. **Dist.** VIII. Ñuble.

*Bartramia pusilla* Sull., hom. illeg. = *Philonotis scabrifolia* fide Wijk et al. 1959.

*Bartramia reticulata* P. Beauv. = *Bartramia ithyphylla* subsp. *patens* fide Fransén 2004b.

***Bartramia robusta*** Hook.f. & Wilson

Cardot 1908 (as *Bartramia patens* var. *robusta*, Hässel et al. 1984; Matcham et al. 2007; Matteri 1985a, 1985b; Matteri & Schiavone 2002; as *Exodokidium donati*, Herzog 1937; as *Breutelia robusta*, Dusén 1903b). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Bartramia rupestris* Mitt. = *Breutelia plicata* fide Matteri 1985a.

***Bartramia stricta*** Brid.

Tropicos 2009; Hässel et al. 1984; He 1998; Matteri 1985a; Deguchi 1991a; Matteri 1985b; Matteri & Schiavone 2002 (as *Bartramia ambigua*, Espinosa 1941; Pereira et al. 2006; Müller & Pereira 2006, Mitten 1869; Thériot 1917; Brotherus 1924a; Reimers 1926; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954, 1960; Bartram 1952; Seki 1974; Costes 1921). **Dist.** IV. Choapa, Limarí; V. Aconcagua, Petorca, Quillota, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Melipilla, Santiago, Talagante; VI. Cachapoal, Cardenal Caro, Colchagua; VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

*Bartramia vagans* Hook.f. & Wilson ≡ *Philonotis vagans*.

*Bartramidula cygnea* (Mont.) Paris ≡ *Philonotis cygnea*.

*Bartramidula exigua* (Sull.) A. Jaeger = *Philonotis scabrifolia* fide Wijk et al. 1967.

*Blindia antarctica* Müll. Hal. ≡ *Hymenoloma antarcticum*.

*Blindia arcuata* Mitt. = *Blindia magellanica* fide Dixon 1914.

*Blindia auriculata* Müll. Hal. = *Holodontium strictum* fide Ochyra 1993.

*Blindia brevipes* Müll. Hal. = *Hymenoloma antarcticum* fide Ochyra et al. 2008.

*Blindia churuccana* Besch. = *Kiaeria pumila* fide Ochyra 1993.

***Blindia contexta*** (Hook. f. & Wilson) Müll. Hal.

Dusén 1903b; Cardot 1908. **Dist.** XI. Aisén; XII. Magallanes.

*Blindia curviseta* Mitt. = *Blindia magellanica* fide Bartlett & Vitt 1986.

*Blindia globularis* Dusén = *Blindia magellanica* fide Dixon 1914.

*Blindia humilis* Müll. Hal. = *Kiaeria pumila* fide Ochyra 1993.

***Blindia inundata*** (Cardot) Cardot

NY 2009; Roivainen 1937; Herzog 1960; Matteri & Schiavone 2002; Frahm 2001a (as *B. magellanica* var. *inundata*, Hässel et al. 1984; Herzog & Schwabe 1939; Matteri 1985b). **Dist.** XIV. Valdivia/Ranco; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Blindia leptotrichocarpa* Müll. Hal. = *Ditrichum hookeri* fide Cardot in Dixon 1914.

*Blindia lygodipoda* Müll. Hal. = *Blindia magellanica* fide Bartlett & Vitt 1986.

***Blindia magellanica*** Schimp. var. ***magellanica***

Tropicos 2009; Müller 2009; Hässel et al. 1984; Buck 2002; Ireland & Bellolio 2002; He 1998; Dusén 1903b; Cardot 1908; Thériot 1921; Cardot & Brotherus 1923; Roivainen 1937; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Seki 1974; Matteri 1985b; Deguchi 1991b; Matteri & Schiavone 2002 (as *Blindia arcuata*, Mitten 1869; Dusén 1903b; Cardot 1908; as *Blindia curviseta*, Hässel et al. 1984; Mitten 1869; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1934, 1937; Herzog & Schwabe 1939; Matteri 1985b; as *Blindia globularis*, Dusén 1903b, 1905b; Cardot 1908; *Blindia pseudolygodipoda*, Hässel et al. 1984; Cardot & Brotherus 1923; Matteri 1985b). **Dist.** VII. Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno, Palena; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Easter I.

*Blindia magellanica* var. *inundata* (Cardot) Herzog ≡ *Blindia inundata*.

*Blindia praticola* Cardot & Broth. = *Blindia magellanica* fide Bartlett & Vitt 1986.

*Blindia pseudolygodipoda* Cardot = *Blindia magellanica* fide Bartlett & Vitt 1986.

*Blindia pseudorobusta* Dusén = *Blindia robusta* fide Matteri 1985b.

***Blindia robusta*** Hampe

NY 2009; Hässel et al. 1984; Matteri 1985b; Matteri & Schiavone 2002 (as *Blindia pseudorobusta*, Dusén 1903b, 1905b; Roivainen 1937; as *Blindia tenuifolia*, Mitten 1869; Dusén 1905b; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1937; Herzog & Hosseus 1938; Herzog 1954). **Dist.** XIV. Valdivia/Ranco; X. Chiloé; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Blindia savatieriiana* Müll. Hal. = *Kiaeria pumila* fide Ochyra 1993.

*Blindia skottsbergii* Cardot fo. *robusta* Cardot = *Chorisodontium aciphyllum* fide Ochyra et al. 2008.

*Blindia subinclinata* Müll. Hal. = *Hymenoloma crispulum* fide Ochyra 1998.

*Blindia sulphurea* Dusén, nom. nud. = *Hymenoloma crispulum* fide Cardot 1908.

*Blindia tenuifolia* (Hook.f. & Wilson) Mitt. = *Blindia robusta* fide Matteri 1985b.

***Blindia torrentium*** Cardot & Broth.

Müller 2009; Deguchi 1991b; Matteri & Schiavone 2002. **Dist.** XIV. Valdivia/Ranco; XII. Magallanes.

***Brachymenium acuminatum*** Harv.

Ireland et al. 2007; He 1998; Ochi 1980, 1982 (as *Brachymenium meyenianum* var. *ellipticum*, Thériot 1928; as *Bryum ellipticum*, Mitten 1869). **Dist.** IV. Choapa; V. San Antonio; RM. Santiago; VI. Colchagua; VII. Curicó, Linares; VIII. Arauco, Biobío, Concepción, Ñuble.

***Brachymenium chilense*** Ochi & Mahu

Ochi & Mahu 1988. **Dist.** V. San Antonio; RM. Cordillera; VI. Cachapoal.

*Brachymenium ellipticum* A. Jaeger = *Brachymenium acuminatum* fide Ochi 1980.

***Brachymenium exile*** (Dozy & Molk.) Bosch & Sande Lac.

Ireland et al. 2007 (as *Brachymenium porteri*, Thériot 1925). **Dist.** VIII. Concepción; IX. Cautín.

***Brachymenium indicum*** (Dozy & Molk.) Bosch & Sande Lac.

Ireland & Bellolio 2002; He 1998. **Dist.** RM. Santiago; Easter I.

***Brachymenium magellanicum*** (Sull.) Paris

Dusén 1903b; Ochi 1982; Matteri & Schiavone 2002 (as *Bryum magellanicum*, Mitten 1869; as *Peromnion magellanicum*, Sullivant 1850). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego.

***Brachymenium meyenianum*** (Hampe) A. Jaeger

Herzog & Schwabe 1939; Herzog 1954 (as *Bryum meyenianum*, Mitten 1869). **Dist.** V. Valparaíso; VIII. Ñuble.

*Brachymenium meyenianum* var. *ellipticum* (Mitt.) Thér. = *Brachymenium acuminatum* fide Ochi 1980.

*Brachymenium porteri* Thér. = *Brachymenium exile* fide Ochi 1980, 1982.

***Brachymenium robertii*** Broth.

Tropicos 2009; He 1998; Ochi 1982. **Dist.** RM. Santiago; VI. Cachapoal; VIII. Concepción.

*Brachysteleum chimborazense* (Spruce ex Mitt.) Thér. var. *obtusifolium* Thér. ≡ *Ptychomitrium hieronymi* var. *obtusifolium* fide Cao et al. 2006.

*Brachysteleum deltorii* Thér. ≡ *Ptychomitrium deltorii*.

*Brachysteleum fernandezianum* (Mitt.) Thér. ≡ *Ptychomitrium fernandesianum*.

***Brachytheciastrum collinum*** (Schleich. ex Müll. Hal.) Ignatov & Huttunen

(as *Brachythecium collinum*, Müller 2009). **Dist.** XI. General Carrera.

***Brachytheciastrum microcollinum*** (E.B. Bartram) Ignatov & Huttunen

(as *Brachythecium microcollinum*, Larraín 2007a; Roivainen 1934; Bartram 1946; McFarland 1988). **Dist.** VIII. Ñuble; X. Chiloé; XII. Tierra del Fuego.

***Brachytheciastrum paradoxum*** (Hook. f. & Wilson) Ignatov & Huttunen

(as *Brachythecium paradoxum*, Tropicos 2009; Müller 2009; Hässel et al. 1984; Buck 2002; He 1998; Matteri & Schiavone 2002; Cardot 1901; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1934; Herzog 1954; Seki 1974; Matteri 1985b; McFarland 1988; Deguchi 1991a; as *Hypnum paradoxum*, Mitten 1869). **Dist.** RM. Cordillera; VII. Talca; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Brachythecium albicans*** (Hedw.) Schimp.

Larraín 2007b; Larraín 2005; Buck 2002; Villagran et al. 2003; McFarland 1988; Matteri & Schiavone 2002 (as *Brachythecium morenoi*, Dusén 1903b; Cardot 1908; as *Brachythecium sericeo-virens*, Cardot 1908; Seki 1974; Deguchi 1991a; as *Brachythecium spurio-albicans*, Dusén 1903b). **Dist.** RM. Santiago; VIII. Ñuble; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Brachythecium austroglareosum*** (Müll. Hal.) Paris

Ochyra et al. 2008; Hässel et al. 1984; Larraín 2007a; Buck 2002; McFarland 1988; Matteri & Schiavone 2002 (as *Brachythecium georgicoglareosum*, Cardot 1908; Bartram 1952; as *Brachythecium patagonicum*, Hässel et al. 1984; Cardot & Brotherus 1923; Matteri 1985b). **Dist.** X. Chiloé; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Brachythecium austrosalebrosum*** (Müll. Hal.) Paris

Hässel et al. 1984; He 1998; Seki 1974; Matteri 1985b; McFarland 1988; Matteri & Schiavone 2002. **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Brachythecium cavifolium*** Herzog

Frey & Schaumann 2002; Schaumann 2005. **Dist.** IX. Cautín.

*Brachythecium collinum* (Schleich. ex Müll. Hal.) Schimp. ≡ *Brachytheciastrum collinum*.

***Brachythecium conostomum*** (Taylor) A. Jaeger

Ireland et al. 2007; He 1998; Reimers 1926; Herzog & Hosseus 1938; McFarland 1988 (as *Brachythecium grandirete*, Brotherus 1925; as *Brachythecium pumilum*, Dusén 1905a). **Dist.** VIII. Arauco, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue.

*Brachythecium cuspidarioides* Dusén = *Brachythecium subplicatum* fide McFarland 1988.

*Brachythecium filirepens* Dusén ≡ *Sciuro-hypnum filirepens*.

*Brachythecium flagellare* (Hedw.) Jenn., nom. inval. = *Sciuro-hypnum plumosum* fide McFarland 1988.

*Brachythecium fuegianum* Broth. ≡ *Sciuro-hypnum fuegianum*.

*Brachythecium georgicoglareosum* (Müll. Hal.) Paris = *Brachythecium austrosalebrosum* fide Ochyra et al. 2008.

*Brachythecium glaciale* Schimp. ≡ *Sciuro-hypnum glaciale*.

*Brachythecium grandirete* Müll. Hal. = *Brachythecium conostomum* fide McFarland 1988.

*Brachythecium longiderrvens* E.B. Bartram = *Sciuro-hypnum filirepens* fide McFarland 1988.

***Brachythecium longidens*** (Müll. Hal.) Paris

Matteri & Schiavone 2002 (as *Stereophyllum fuegianum*, Dusén 1903b; Cardot 1908). **Dist.** XII. Antártica Chilena.

*Brachythecium macrogynum* Cardot = *Brachythecium subpilosum* fide McFarland 1988.

*Brachythecium majusculum* Dusén, nom. nud. = *Sciuro-hypnum fuegianum* fide Ochyra et al. 2008.

*Brachythecium majusculum* M.E. Newton = *Sciuro-hypnum fuegianum* fide Ochyra et al. 2008.

*Brachythecium microcollinum* E.B. Bartram ≡ *Brachytheciastrum microcollinum*.

*Brachythecium morenoi* Müll. Hal. = *Brachythecium albicans* fide McFarland 1988.

*Brachythecium paradoxum* (Hook.f. & Wilson) A. Jaeger ≡ *Brachytheciastrum paradoxum*.

*Brachythecium patagonicum* Cardot & Broth. = *Brachythecium austroglareosum* fide McFarland 1988.

*Brachythecium plumosum* (Hedw.) Schimp. ≡ *Sciuro-hypnum plumosum*.

***Brachythecium praelongum*** Schimp. ex Müll. Hal.

Buck 2002; Schaumann 2005; Frey & Schaumann 2002; McFarland 1988 (as *Brachythecium trachychaete*, Dusén 1905a). **Dist.** IX. Cautín; XI. Aisén; XII. Antártica Chilena.

*Brachythecium pumilum* Dusén = *Brachythecium conostomum* fide McFarland 1988.

***Brachythecium rutabulum*** (Hedw.) Schimp.

NY 2009; Tropicos 2009; Müller 2009; He 1998; Reimers 1926; McFarland 1988; Matteri & Schiavone 2002 (as *Brachythecium rivulare*, Thériot 1934b). **Dist.** VII. Talca; VIII. Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé; XII. Antártica Chilena, Magallanes.

*Brachythecium sericeo-virens* (Müll. Hal.) Kindb., nom. obsc. = *Brachythecium austroglareosum* fide Matteri & Schiavone 2002.

*Brachythecium spegazzinii* (Müll. Hal.) Paris ≡ *Hypnum spegazzinii*.

*Brachythecium spuri-albicans* Müll. Hal. = *Brachythecium albicans* fide McFarland 1988.

***Brachythecium subpilosum*** (Hook.f. & Wilson) A. Jaeger

Tropicos 2009; Ochyra et al. 2008; Hässel et al. 1984; Buck 2002; Villagran et al. 2003; Schaumann 2005; He 1998; Cardot 1908; Matteri 1985b; McFarland 1988; Matteri &

Schiavone 2002 (as *Brachythecium macrogynum*, Seki 1974; Deguchi 1991a; as *Hypnum subpilosum*, Mitten 1869). **Dist.** VIII. Biobío, Ñuble; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Brachythecium subplicatum*** (Hampe) A. Jaeger

Tropicos 2009; Müller 2009; Goffinet et al. 2006; Hässel et al. 1984; Buck 2002; He 1998; Cardot 1908; Roivainen 1934; Herzog & Schwabe 1939; Seki 1974; Matteri 1985b; McFarland 1988; Deguchi 1991a; Matteri & Schiavone 2002 (as *Brachythecium cuspidarioides*, Dusén 1903b, 1905a; as *Brachythecium turgens*, Dusén 1903b, 1905a; Herzog 1922, 1954). **Dist.** VII. Talca; VIII. Biobío, Concepción, Ñuble; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, General Carrera; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Brachythecium subtilicaule* Dusén, nom. nud. = *Sciuro-hypnum filirepens* fide McFarland 1988.

*Brachythecium trachychaete* Dusén = *Brachythecium praelongum* fide McFarland 1988.

*Brachythecium turgens* Dusén = *Brachythecium subplicatum* fide McFarland 1988.

*Braunia chilensis* Broth., nom. nud. = *Hedwigidium chilense*, nom. nud., fide Fleischer 1920.

***Braunia*** spec.

De Luna & Biasuso 2001. **Dist.** Chile, without exact locality.

***Breutelia affinis*** (Hook.) Mitt.

Griffin 1986. **Dist.** X. Chiloé.

***Breutelia angustiretis*** E.B. Bartram

Hässel et al. 1984; Bartram 1946; Seki 1974; Matteri 1973c, 1985a, 1985b; Matteri & Schiavone 2002. **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Breutelia aureola*** (Besch. ex Müll. Hal.) Besch.

NY 2009; Hässel et al. 1984; He 1998; Dusén 1903b; Cardot 1908; Herzog 1954; Matteri 1973c, 1985a, 1985b; Griffin 1988; Deguchi 1991a; Matteri & Schiavone 2002. **Dist.** IX. Cautín; XIV. Valdivia/Ranco; X. Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Breutelia brachycoma* Besch. = *Breutelia dumosa* fide Matteri 1973c.

*Breutelia chilensis* (Lorentz) Paris = *Breutelia dumosa* fide Herzog 1954.

*Breutelia chrysura* (Müll. Hal.) Broth. = *Breutelia integrifolia* fide Matteri 1973c.

*Breutelia cuspidatissima* (Müll. Hal.) Paris = *Breutelia polygastrica* fide Griffin 1988.

***Breutelia dumosa*** Mitt.

Díaz et al. 2008; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1934; Herzog & Schwabe 1939; Herzog 1954; Seki 1974; Matteri 1973c, 1985a, 1985b; Griffin 1988; Deguchi 1991a; Matteri & Schiavone 2002 (as *Bartramia dumosa*, Mitten 1869; as *Breutelia brachycoma*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Herzog & Schwabe 1939; as *Breutelia chilensis*, Cardot 1908; Herzog 1922; Roivainen 1934; Herzog & Schwabe 1939; as *Bartramia chilensis*, Lorentz 1866). **Dist.** VIII. Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Breutelia elongata*** (Hook.f. & Wilson) Mitt.

Hässel et al. 1984; Dusén 1903b; Matteri 1981, 1985b. **Dist.** XII. Magallanes, Última Esperanza.

*Breutelia glabrifolia* Dusén = *Breutelia integrifolia* fide Matteri 1973c.

*Breutelia graminicola* (Müll. Hal.) Broth. = *Breutelia integrifolia* fide Matteri 1973c.

*Breutelia hariotiana* (Besch. ex Müll. Hal.) Besch. = *Breutelia plicata* fide Brotherus 1902-1909.

***Breutelia integrifolia*** (Taylor) A. Jaeger

Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Buck 2002; He 1998; Cardot 1908; Roivainen 1934; Herzog 1954; Seki 1974; Matteri 1973c, 1985a, 1985b; Deguchi 1991a; Matteri & Schiavone 2002 (as *Breutelia chrysura*, Thériot 1924, 1925; Herzog 1954; as *Breutelia glabrifolia*, Dusén 1903b, 1905a; Cardot 1908; as *Breutelia graminicola*, Cardot & Brotherus 1923; as *Breutelia skottsbergii*, Cardot & Brotherus 1923). **Dist.** VIII. Biobío,

Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

**Breutelia masafuerae** Broth.

Brotherus 1924b; Bartram 1957; Robinson 1975; Griffin 1988; Müller 2002 (as *Breutelia subplicata* var. *masafuerae*, Matteri 1973c). **Dist.** X. Llanquihue, Palena; Juan Fernández Is.

**Breutelia plicata** Mitt.

Hässel et al. 1984; Schaumann 2005; He 1998; Mitten 1869; Dusén 1903b; Reimers 1926; Herzog 1954; Seki 1974; Matteri 1973c, 1985a, 1985b; Griffin 1988; Deguchi 1991a; Matteri & Schiavone 2002 (as *Bartramia plicata*, Mitten 1869; as *Bartramia carinata*, Mitten 1869; as *Breutelia harriotiana*, Dusén 1903b; Cardot & Brotherus 1923; as *Bartramia rupestris*, Mitten 1869; as *Breutelia rupestris*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; *Breutelia subelongata*, Dusén 1903b, 1905a; Herzog & Schwabe 1939). **Dist.** IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Breutelia robusta* (Hook.f. & Wilson) A. Jaeger ≡ *Bartramia robusta*.

*Breutelia rupestris* (Mitt.) A. Jaeger = *Breutelia plicata* fide Matteri 1973c.

*Breutelia skottsb ergii* Cardot = *Breutelia integrifolia* fide Matteri 1973c.

*Breutelia subelongata* Broth. = *Breutelia plicata* fide Matteri 1973c.

**Breutelia subplicata** Broth.

Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Thériot 1911, 1934b, 1935; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Herzog 1954, 1960; Seki 1974; Robinson 1975; Matteri 1973c, 1985a, 1985b; Griffin 1988; Deguchi 1991a; Matteri & Schiavone 2002. **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

*Breutelia subplicata* var. *masafuerae* (Broth.) Matteri ≡ *Breutelia masafuerae*.

**Breutelia tomentosa** (Sw. ex Brid.) A. Jaeger

Ireland et al. 2007. **Dist.** VIII. Concepción.

**Bruchia hampeana** Müll. Hal.

(as *Sporledera hampeana*, Mitten 1969). **Dist.** „E regno chilensi“, without exact locality. Note: Rushing (1986) left this species untreated.

*Bryodusenia genuflexa* (Müll. Hal.) H. Rob. ≡ *Ancistrodes genuflexa*.

**Bryoerythrophyllum berthoanum** (Thér.) J.A. Jiménez

Jiménez 2007 (as *Didymodon berthoanus*, Thériot 1926). **Dist.** V. Valparaíso; RM. Talagante; VII. Curicó.

**Bryoerythrophyllum bolivianum** (Müll. Hal.) R.H. Zander

Cano et al. 2008b. **Dist.** XV. Parinacota.

**Bryoerythrophyllum campylocarpum** (Müll. Hal.) H.A. Crum

He 1998; Robinson 1975 (as *Didymodon calymeridictyon*, Brotherus 1924b; Bartram 1957; as *Didymodon linearis*, Brotherus 1924b). **Dist.** IX. Cautín; Juan Fernández Is.

*Bryoerythrophyllum fuscinervium* (Mitt.) R.H.Zander = *Didymodon pruinosis* fide Jiménez & Cano 2008.

**Bryoerythrophyllum jamesonii** (Taylor) H.A. Crum

Zander 1978. **Dist.** Juan Fernández Is.

**Bryoerythrophyllum recurvirostrum** (Hedw.) P.C. Chen

Buck 2002; Matteri & Schiavone 2002; Hässel et al. 1984. **Dist.** XII. Antártica Chilena, Última Esperanza.

*Bryoporteria chilensis* Thér. = *Camptodontium cryptodon* fide Reimers 1936.

**Bryum aerugo** Dusén, nom. nud., Dusén 1903b.

**Bryum algovicum** Sendtn. ex Müll. Hal.

Schaumann 2005; Ochi 1980, 1990; Deguchi 1991a; Matteri & Schiavone 2002 (as *Bryum rigochaete*, Dusén 1903b; Cardot & Brotherus 1923). **Dist.** XII. Magallanes, Última Esperanza.

***Bryum alpinum*** With.

Larraín & Ochyra in Blockeel et al. 2008b. **Dist.** X. Palena.

*Bryum ambylyodon* Müll. Hal. = *Bryum archangelicum* fide Holyoak 2004.

*Bryum ambyolepis* Cardot = *Bryum argenteum* var. *muticum* fide Ochyra et al. 2008.

*Bryum andicola* Hook.f. = *Bryum billardieri* fide Ochi 1980.

***Bryum anisodontaceum*** Dusén, *nom. nud.*, Dusén 1903b.

*Bryum anomobryooides* Cardot & Broth. = *Bryum dichotomum* fide Ochyra 2008.

***Bryum archangelicum*** Bruch & Schimp.

Ochyra et al. 2008 (as *Bryum ambylyodon*, Buck 2004; Ochi 1980, 1990; Deguchi 1991a;

Matteri & Schiavone 2002; as *Bryum inclinatum* var. *magellanicum*, Cardot 1900, 1901, 1908;

Herzog 1922). **Dist.** RM. Santiago; XII. Antártica Chilena, Magallanes, Tierra del Fuego.

*Bryum arenae* Müll. Hal. = *Bryum argenteum* fide Brotherus 1904.

***Bryum argenteum*** Hedw.

Larraín 2007b; Hässel et al. 1984; Matcham et al. 2007; Larraín 2005; Ireland et al. 2007; Pereira et al. 2006; Buck 2002; Villagran et al. 2003; Ireland & Bellolio 2002; Cardot 1908; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Robinson 1975; Matteri 1985b; Ochi 1990; Deguchi 1991a; Matteri & Schiavone 2002 (as *Bryum arenae*, Dusén 1903b; Cardot 1908; as *Bryum candicans*, Thériot 1918; as *Bryum griseum*, Thériot 1917; Costes 1921; as *Bryum ambyolepis*, Costes 1921). **Dist.** V. Valparaíso; VII. Curicó, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.; Easter I.

***Bryum argenteum* var. *lanatum*** (P. Beauv.) Hampe

Brotherus 1924; Espinosa 1941. **Dist.** Easter I.

***Bryum argenteum* var. *muticum*** Brid.

Ochyra et al. 2008 (as *Bryum ellipsifolium*, Seki 1974; Ochi 1982; as *Bryum myurella*, Dusén 1903b, 1905a). **Dist.** XI. Aisén; XII. Tierra del Fuego.

*Bryum aspillaiae* Thér. = *Bryum dichotomum* fide Ochi 1980.

***Bryum australe*** Hampe

Ochi 1982; Deguchi 1991a (as *Pohlia magnifica*, Hässel et al. 1984; He 1998; Matteri 1985b; as *Webera magnifica*, Herzog 1954). **Dist.** V. San Antonio; X. Llanquihue; XI. Aisén; XII. Magallanes, Última Esperanza.

*Bryum austro-chilense* E.B. Bartram = *Bryum mucronatum* fide Ochi 1982.

*Bryum austropolare* Cardot = *Bryum pseudotriquetrum* fide Ochi 1970.

***Bryum beyrichianum*** (Hornschr.) Müll. Hal.

Mitten 1869; Ochi 1981 (as *Rhodobryum beyrichianum*, Reimers 1926). **Dist.** XIV. Valdivia/Ranco.

*Bryum bicolor* Dicks. = *Bryum dichotomum* fide Ochi 1980.

***Bryum billardieri*** Schwägr.

Larraín 2007b; Larraín 2005; Pereira et al. 2006; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Ochi 1980, 1982, 1990; Deguchi 1991a (as *Bryum andicola*, Tropicos 2009; Matcham et al. 2007; Mitten 1869; Herzog & Hosseus 1938; Herzog & Schwabe 1939; as *Bryum lechleri*, Espinosa 1941; Muñoz & Pisano 1947; Thériot 1915, 1918, 1935; Herzog 1922; Brotherus 1924a, 1924b; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Robinson 1975; as *Bryum valdiviae*, Lorentz 1864). **Dist.** IV. Limarí; V. Aconcagua; RM. Santiago; VII. Cauquenes, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; Juan Fernández Is.

*Bryum brachychaete* Cardot & Broth. = *Bryum pseudotriquetrum* fide Ochi 1980.

*Bryum brachycarpum* E.B. Bartram = *Bryum pseudotriquetrum* fide Ochi 1980.

*Bryum brevigemmatum* Dusén, *nom. nud.* = *Bryum clavatum* fide Ochi 1980.

***Bryum caespiticium*** Hedw.

Buck 2002; Seki 1974; Matteri & Schiavone 2002. **Dist.** XI. Aisén. XII. Antártica Chilena.

***Bryum campoanum*** Thér.

Larraín 2007b; Thériot 1926; Ochi 1982. **Dist.** IX. Malleco; X. Chiloé.

***Bryum campylothecium*** Taylor

Ochi 1980, 1982 (as *Bryum jaffueli*, Thériot 1926). **Dist.** IV. Choapa; V. Valparaíso; IX. Malleco.

***Bryum canariense*** Brid.

Ochi 1980. **Dist.** XIV. Valdivia/Ranco.

*Bryum candicans* Taylor = *Bryum argenteum* fide Ochi 1980.

***Bryum capillare*** Hedw.

Matcham et al. 2007; Buck 2002; Seki 1974; Ochi 1980, 1982, 1990; Deguchi 1991a (as *Bryum chilense*, Herzog 1922; *Bryum philippianum*, Mitten 1869; Herzog & Hosseus 1938; Herzog 1954; as *Bryum puconense*, Herzog & Hosseus 1938). **Dist.** VIII. Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes.

*Bryum capillare* subsp. *torquescens* (Bruch ex D'Or.) Kindb. ≡ *Bryum torquescens*.

*Bryum chilense* Reichardt = *Bryum capillare* fide Ochi 1980.

*Bryum chilense* Thér. = *Bryum clavatum* fide Ochi 1980.

***Bryum chorizodontum*** Cardot & Broth.

Barrera 2006; Cardot & Brotherus 1923. **Dist.** XII. Magallanes.

***Bryum chryseum*** Mitt.

Bartram 1957; Robinson 1975; Ochi 1980, 1982. **Dist.** V. Valparaíso; Juan Fernández Is.

***Bryum clavatum*** (Schimp.) Müll. Hal.

Buck 2002; Matteri & Schiavone 2002; Mitten 1869; Ochi 1980; Deguchi 1991a (as *Bryum brevigemmatum*, Dusén 1903b; as *Bryum chiloense*, Thériot 1926; as *Bryum cochlaerifolium*, Donat 1936, Herzog 1960; as *Bryum concavifolium*, Thériot 1926; Costes 1921; Herzog & Schwabe 1939; as *Bryum erythrocarpoides*, Seki 1974; as *Bryum fernandezianum*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957; Robinson 1975; as *Bryum microphyllum* and *Bryum pycnotylum*, Cardot & Brotherus 1923; as *Bryum reichertii*, Herzog 1926). **Dist.** V. Valparaíso; VII. Linares; VIII. Concepción; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena; Juan Fernández Is.

*Bryum cochlaerifolium* Cardot & Broth. = *Bryum clavatum* fide Ochi 1980.

***Bryum coelophyllum*** D.C. Eaton

Matteri & Schiavone 2002; Eaton 1892. **Dist.** XII. Magallanes.

*Bryum concavifolium* Thér. = *Bryum clavatum* fide Ochi 1980.

***Bryum coronatum*** Schwägr.

Mitten 1869; Seki 1974; Ochi 1980. **Dist.** XI. Aisén.

*Bryum corralense* Herzog & Thér. = *Bryum dichotomum* fide Ochi 1980.

*Bryum crassinervium* Lorentz = *Bryum paradoxum* fide Ochi 1980.

***Bryum delitescens*** Cardot

Cardot & Brotherus 1923; Matteri & Schiavone 2002. **Dist.** XII. Magallanes.

***Bryum demissum*** Dusén, nom. nud., Dusén 1903b.

***Bryum densifolium*** Brid.

Ireland et al. 2007. **Dist.** VIII. Ñuble.

*Bryum dicarpum* E.B. Bartram = *Bryum pseudotriquetrum* fide Ochi 1980.

***Bryum dichotomum*** Hedw.

Hässel et al. 1984; He 1998; Matteri & Schiavone 2002; Ochi 1980, 1990; Mahu 1981; Matteri 1985b; Deguchi 1991a (as *Bryum aspillagae*, Thériot 1917; Costes 1921; as *Bryum bicolor*, Pereira et al. 2006; Seki 1974; as *Bryum corralense*, Herzog & Hosseus 1938; as *Bryum miserum*, Cardot 1908; Herzog & Schwabe 1939; as *Bryum urbanskyi*, Matteri & Schiavone 2002; Ochi 1982; as *Bryum anomobryooides*, Cardot & Brotherus 1923; as *Bryum laetevirens*, Cardot & Brotherus 1923; Herzog 1954; Ochi 1982). **Dist.** V. Valparaíso; RM. Santiago; VII. Talca; VIII. Concepción; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén; XII. Magallanes, Última Esperanza, Tierra del Fuego.

***Bryum donati*** Thér.

Thériot 1934b; Donat 1936; Ochi 1982. **Dist.** XI. Aisén.

***Bryum elegantulum*** Lorentz

Brotherus 1924a; Espinosa 1941. **Dist.** VIII. Concepción.

*Bryum ellipsifolium* Müll. Hal. = *Bryum argenteum* var. *muticum* fide Ochyra et al. 2008.

*Bryum ellipticum* Mitt. = *Brachymenium acuminatum* fide Ochi 1980.

*Bryum erythrocarpoides* Müll. Hal. & Hampe = *Bryum clavatum* fide Ochi 1980.

*Bryum fernandezianum* Broth. = *Bryum clavatum* fide Ochi 1980.

*Bryum filiforme* Dicks. = *Anomobryum julaceum* fide Abramov & Abramova 1983.

***Bryum flavopallidum*** Dusén, *nom. nud.*, Dusén 1903b.

*Bryum flexisetum* Mitt. = *Bryum pallescens* fide Ochi 1980.

*Bryum fuegianum* E.B. Bartram = *Bryum uliginosum* fide Ochi 1982.

***Bryum funkii*** Schwägr.

Buck 2002; Ochi 1982 (as *Bryum pertenerum*, Thériot 1926). **Dist.** IX. Malleco; XII. Antártica Chilena, Tierra del Fuego.

***Bryum gayanum*** Mont.

Larraín 2007b; Buck 2002; Mitten 1869; Ochi 1982. **Dist.** X. Chiloé; XI. Aisén; XII. Antártica Chilena.

***Bryum gemmatum*** Müll. Hal.

Dusén 1903b; Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego.

***Bryum gilliesii*** Hook.

Ireland et al. 2007; Mitten 1869; Ochi 1982; Ochi & Mahu 1988. **Dist.** V. Valparaíso; VIII. Biobío, Ñuble; XIV. Valdivia/Ranco.

***Bryum gracili-torquescens*** Müll. Hal. in sched., *nom. nud.*, Thériot 1917, 1918; Costes 1921.

*Bryum griseum* Dusén ex Thér. = *Bryum argenteum* fide Ochi 1980.

*Bryum hamatum* Dusén, *nom. nud.* = *Bryum viridescens* fide Ochi 1977.

*Bryum heterophyllum* Cardot & Broth., *hom. illeg.* = ? *Bryum archangelicum* fide Ochi 1982.

*Bryum hickenii* Herzog = *Bryum pseudotriquetrum* fide Seki 1974.

*Bryum humillimum* Müll. Hal. ex Britt. = *Anomobryum humillimum*.

*Bryum inclinatum* (Brid.) Bland. var. *magellanicum* Cardot = *Bryum archangelicum* fide Ochyra et al. 2008.

*Bryum jaftueli* Thér. = *Bryum campylotheum* fide Ochi 1980.

*Bryum kermesinum* Herzog & Thér. = *Bryum subapiculatum* fide Ochi 1980.

*Bryum laetevirens* Cardot & Broth. = *Bryum dichotomum* fide Ochyra et al. 2008.

***Bryum laevigatum*** Hook.f. & Wilson

Hässel et al. 1984; Larraín 2007a; Buck 2002; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Thériot 1935; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954; Seki 1974; Thériot 1934b; Ochi 1980; Matteri 1985b; Deguchi 1991a (as *Bryum submicrolaevigatum*, Cardot & Brotherus 1923). **Dist.** VIII. Biobío; XI. Aisén; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Bryum lamprochaete*** Dusén

Dusén 1903b; Cardot & Brotherus 1923; Matteri & Schiavone 2002. **Dist.** XII. Magallanes.

*Bryum lechleri* Müll. Hal. = *Bryum billardieri* fide Ochi 1980.

***Bryum leuco-aristatum*** Dusén, *nom. nud.*, Dusén 1903b.***Bryum liliputianum*** Dusén, *nom. nud.*, Dusén 1903b.***Bryum lonchochaete*** Dusén, *nom. nud.*, Dusén 1903b.

*Bryum longidens* Thér. = *Bryum pseudocapillare* fide Ochi 1980.

*Bryum macrochaete* Cardot = *Bryum pseudotriquetrum* fide Ochi 1980.

*Bryum macropelma* Müll. Hal. = *Bryum pseudotriquetrum* fide Ochi 1980.

***Bryum macrophyllum*** Cardot & Broth.

Hässel et al. 1984; Matteri & Schiavone 2002; Matteri 1985b; Ochi 1990; Deguchi 1991a.

**Dist.** X. Chiloé; XI. Aisén; XII. Última Esperanza.

***Bryum macrosporum*** E.B. Bartram

Bartram 1946; Matteri & Schiavone 2002. **Dist.** XII. Magallanes, Tierra del Fuego.

*Bryum magellanicum* (Sull.) Müll. Hal. = *Brachymenium magellanicum*.

*Bryum malacophyllum* Cardot & Broth. = *Bryum pseudotriquetrum* fide Ochi 1980.

*Bryum megalothecium* Thér. = *Bryum orthothecium* fide Ochi 1982.

*Bryum meyenianum* Hampe = *Brachymenium meyenianum*.

***Bryum microimbricatum*** Ochi

Matteri & Schiavone 2002; Ochi 1982 (as *Anomobryum laxirete*, Cardot & Brotherus 1923).

**Dist.** XII. Tierra del Fuego.

*Bryum microphyllum* Cardot & Broth. = *Bryum clavatum* fide Ochi 1980.

***Bryum minusculum*** Müll. Hal.

Dusén 1903b; Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego.

*Bryum miserum* Cardot = ? *Bryum dichotomum* fide Ochi 1980.

***Bryum mucronatum*** Mitt.

Matteri & Schiavone 2002 (as *Bryum obscurum*, Cardot & Brotherus 1923; as *Bryum austro-chilense*, Roivainen 1934; Bartram 1946; as *Bryum roivainenii*, Bartram 1946). **Dist.** VIII. Ñuble; XII. Magallanes, Tierra del Fuego.

***Bryum muehlenbeckii*** Bruch & Schimp.

Ochi 1982 (as *Bryum porteri*, Thériot 1926). **Dist.** V. San Antonio; RM. Cordillera, Santiago.

*Bryum myurella* Dusén = *Bryum argenteum* var. *muticum* fide Ochyra et al. 2008.

***Bryum nivale*** Müll. Hal.

Buck 2002; Mitten 1869; Ochi 1982. **Dist.** VIII. Biobío; XII. Antártica Chilena.

*Bryum obscurum* Cardot & Broth., hom. illeg. = *Bryum mucronatum* fide Ochi 1982.

***Bryum orbiculatifolium*** Cardot & Broth.

NY 2009; Buck 2002; Cardot & Brotherus 1923; Herzog 1954; Ochi 1982, 1990; Deguchi 1991a. **Dist.** VIII. Biobío; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena, Última Esperanza.

***Bryum orthothecium*** Cardot & Broth.

Larraín 2007b; Barrera 2006; Cardot & Brotherus 1923; Ochi 1982; Ochi & Mahu 1988 (as *Bryum megalothecium*, Thériot 1926; Bartram 1943). **Dist.** II. Antofagasta; VIII. Concepción; X. Chiloé, Osorno; XII. Magallanes.

***Bryum pachytheca*** Müll. Hal.

Ochi 1982. **Dist.** V. San Antonio.

***Bryum pallens*** Sw.

Buck 2002; Matteri & Schiavone 2002; Ochi 1982 (as *Bryum pauperculum*, Bartram 1946).

**Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego.

***Bryum pallescens*** Schleich ex Schwägr.

Hässel et al. 1984; Matteri & Schiavone 2002; Ochi 1982; Matteri 1985b (as *Bryum flexisetum*, Bartram 1943). **Dist.** III. Atacama; XII. Magallanes, Última Esperanza.

***Bryum paradoxum*** Schwägr.

Ochi 1980 (as *Bryum crassinervium*, Lorentz 1866, Costes 1921). **Dist.** V. Valparaíso; XIV. Valdivia/Ranco.

*Bryum parvulum* Cardot, hom. illeg. = *Bryum uliginosum* fide Ochi 1982.

*Bryum pauperculum* E.B. Bartram = *Bryum pallens* fide Ochi 1982.

***Bryum perlimbatum*** Cardot

Hässel et al. 1984; Villagran et al. 2004; Schaumann 2005; Matteri & Schiavone 2002; Cardot 1908; Herzog 1922, 1954; Cardot & Brotherus 1923; Seki 1974; Ochi 1982; Matteri 1985b (as *Bryum pseudothyridium*, Bartram 1946). **Dist.** IV. Limarí; IX. Cautín; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Bryum pertenerum* Thér. = *Bryum funkii* fide Ochi 1982.

*Bryum philippianum* Müll. Hal. = *Bryum capillare* fide Ochi 1980.

***Bryum platyphyllum*** (Schwägr.) Müll. Hal.

Mitten 1869; Ochi 1982 (as *Bryum tenuicaule*, Mitten 1869; Costes 1921). **Dist.** V. Valparaíso; VIII. Biobío.

*Bryum pleuricolor* Dusén ex Thér. = *Bryum dichotomum* fide Ochi 1980.

*Bryum porteri* Thér. = *Bryum muehlenbeckii* fide Ochi 1982.

*Bryum prostratum* Müll. Hal. ≡ *Anomobryum prostratum*.

***Bryum pseudocapillare*** Besch.

Ochi 1980, 1982 (as *Bryum longidens*, Thériot 1926; Costes 1921). **Dist.** V. Valparaíso.

*Bryum pseudothyridium* E.B. Bartram = *Bryum perlimbatum* fide Ochi 1982.

***Bryum pseudotriquetrum*** (Hedw.) Schwägr.

Larraín 2007b; Hässel et al. 1984; Larraín 2007a; Buck 2002; Matteri & Schiavone 2002; Bartram 1952; Seki 1974; Ochi 1980, 1990; Matteri 1985b; Deguchi 1991a (as *Bryum austropolare*, Thériot 1934b; as *Bryum brachycarpum*, Bartram 1946; as *Bryum brachychaete*, Cardot & Brotherus 1923; as *Bryum dicarpum*, Bartram 1946; as *Bryum hickenii*, Herzog 1926; as *Bryum macrochaete*, Herzog 1954; as *Bryum macropelma*, Mitten 1869; as *Bryum malacophyllum*, Herzog 1954; as *Bryum steffenii*, Herzog 1926; Seki 1974; as *Bryum weberoides*, Cardot & Brotherus 1923). **Dist.** RM. Santiago; X. Chiloé, Llanquihue; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Bryum puconense* Herzog & Thér. = *Bryum capillare* fide Ochi 1982.

*Bryum pycnotylum* Cardot & Broth. = *Bryum clavatum* fide Ochi 1980.

*Bryum reichertii* Herzog = *Bryum clavatum* fide Ochi 1980.

***Bryum revolutum*** Müll. Hal.

Ireland et al. 2007. **Dist.** VIII. Concepción.

*Bryum rigochaete* Dusén = *Bryum algovicum* fide Ochi 1980.

*Bryum roivainenii* E.B. Bartram = *Bryum mucronatum* fide Ochi 1982.

***Bryum rubens*** Mitt.

Ochi & Mahu 1988. **Dist.** RM. Santiago.

***Bryum rubromarginatum*** Ochi

He 1998; Ochi 1982, 1990; Deguchi 1991a (as *Rhodobryum chilensis*, Thériot 1924). **Dist.** RM. Santiago.

***Bryum sauteri*** Bruch & Schimp.

Arts 1995. **Dist.** V. Valparaíso.

*Bryum schleicheri* Schwägr. fo. *heterophyllum* Thér. ≡ *Bryum turbinatum* fo. *heterophyllum* fide Podpéra 1973.

*Bryum steffenii* Dusén ex Herzog = *Bryum pseudotriquetrum* fide Ochi 1980.

***Bryum subapiculatum*** Hampe

Ochi 1980, 1990; Deguchi 1991a (as *Bryum kermesinum*, Herzog & Schwabe 1939). **Dist.** X. Llanquihue; XI. Aisén.

***Bryum subclavatum*** Thér.

Thériot 1926. **Dist.** IX. Malleco.

***Bryum subgracillimum*** Thér.

Thériot 1926. **Dist.** VIII. Concepción.

*Bryum submicrolaevigatum* Cardot & Broth. = *Bryum laevigatum* fide Ochi 1980.

*Bryum sublamprocarpus* Cardot & Broth. = *Bryum uliginosum* fide Ochi 1982.

*Bryum tenuicaule* Mont. = *Bryum platyphyllum* fide Ochi 1982.

***Bryum tenuirete*** Dusén, nom. nud., Dusén 1903b; Cardot 1908.

***Bryum torquescens*** Bruch ex De Not.

Larraín 2007b; Mitten 1869; Thériot 1928. **Dist.** VII. Linares; X. Chiloé.

***Bryum turbinatum*** (Hedw.) Turner

Schaumann 2005; Seki 1974; Ochi 1982 (as *Bryum uspallatense*, Herzog 1916). **Dist.** V. Valparaíso; RM. Santiago; VIII. Ñuble; IX. Cautín; XI. Aisén; XII. Magallanes.

***Bryum turbinatum*** (Hedw.) Turner fo. *heterophyllum* (Thér.) Podp.

(as *Bryum schleicheri* fo. *heterophyllum*, Thériot 1926). **Dist.** RM. Maipo.

*Bryum turbinatum* var. *patagonicum* Broth., nom. nud., Herzog 1922.

***Bryum uliginosum*** (Brid.) Bruch & Schimp.

Buck 2002; Matteri & Schiavone 2002; Ochi 1982 (as *Bryum fuegianum*, Bartram 1946; as *Bryum parvulum*, Cardot & Brotherus 1923; as *Bryum sublamprocarpus*, Cardot & Brotherus 1923). **Dist.** XI. Aisén; XII. Antártica Chilena, Tierra del Fuego.

*Bryum urbanskyi* Broth. = *Bryum dichotomum* fide Ochyra et al. 2008.

*Bryum uspallatense* Herzog = *Bryum turbinatum* fide Ochi 1982.

***Bryum valparaisense*** Thér.

Ireland et al. 2007; Arts et al. 1995; Thériot 1917; Herzog & Hosseus 1938; Ochi 1982; Costes 1921. **Dist.** V. Valparaíso; RM. Santiago; VIII. Concepción; XIV. Valdivia/Ranco.

*Bryum vernicosum* Dusén, *hom. illeg.*, Dusén 1903b; Cardot & Brotherus 1923.

*Bryum viridescens* Welw. & Duby

Ochi 1982 (as *Bryum hamatum*, Dusén 1903b; Muñoz & Pisano 1947). **Dist.** IV. Limarí; South Chile.

*Bryum weberoides* Cardot & Broth. = *Bryum pseudotriquetrum* fide Ochi 1980.

*Bryum zeballosicum* Cardot & Broth.

Ochi 1982. **Dist.** RM. Santiago.

*Bucklandiella bartramii* (Rov.) Rov.

(as *Racomitrium bartramii*, Tropicos 2009; He 1998; Matteri & Schiavone 2002; Robinson 1975; Deguchi 1984, 1987; as *Bucklandia bartramii*, Roivainen 1955b). **Dist.** IX. Malleco, X. Llanquihue; Juan Fernández Is.

*Bucklandiella crispipila* (Taylor) Ochyra & Bednarek-Ochyra

(as *Racomitrium crispipilum*, Larraín 2005; He 1998; Robinson 1975; Deguchi 1984, 1991a; as *Racomitrium geminatum*, Roivainen 1955a; as *Racomitrium integrripilum*, Dusén 1906b; Cardot 1908; Herzog 1954; as *Racomitrium striatipilum*, Tropicos 2009; Buck 2002; Hässel et al. 1984; Espinosa 1941; Dusén 1906b; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; Thériot 1935; Herzog & Hosseus 1938; Roivainen 1955a; Seki 1974; Matteri 1985b; as *Racomitrium substriatipilum*, Roivainen 1955a). **Dist.** VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza, Tierra del Fuego; Juan Fernández Is.

*Bucklandiella crispula* (Hook. f. & Wilson) Bednarek-Ochyra & Ochyra

(as *Racomitrium crispulum*, Hässel et al. 1984; He 1998; Bartram 1952, 1957; Robinson 1975; Deguchi 1984, 1987; Matteri 1985b; as *Racomitrium flavescens*, Cardot 1900, 1901; Dusén 1906b; as *Racomitrium heterostichoides* var. *acutifolium*, Dusén 1906b; as *Racomitrium skottsbergii*, Cardot & Brotherus 1923; as *Racomitrium subulifolium*, Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1955a). **Dist.** VIII. Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Bucklandiella didyma* (Mont.) Ochyra & Bednarek-Ochyra

Ochyra et al. 2008; Matcham et al. 2007 (as *Racomitrium didymum*, Tropicos 2009; Buck 2002; Larraín 2005; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Mitten 1869; Reimers 1926; Thériot 1935; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954, 1960; Seki 1974; Deguchi 1991a; as *Racomitrium nigritum*, Mitten 1869; Dusén 1903b; Cardot 1908; Roivainen 1955a; Robinson 1975; as *Racomitrium symphyodontum*, Espinosa 1941; Dusén 1903b; Dusén 1906b; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; Herzog 1954; Roivainen 1955a; Seki 1974; as *Grimmia depressa* var. *terrestris*, Dusén 1903b; as *Racomitrium convolutum*, Mitten 1869; Brotherus 1924b; Herzog & Hosseus 1938; Herzog 1954; as *Racomitrium subrupestre*, Matteri & Schiavone 2002; Roivainen 1955a). **Dist.** VII. Linares, Talca; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique, General Carrera; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Bucklandiella heterostichoides* (Cardot) Ochyra & Bednarek-Ochyra

(as *Racomitrium heterostichoides*, Hässel et al. 1984; Buck 2002; Matteri & Schiavone 2002; Dusén 1906b; Roivainen 1955a; Matteri 1985b). **Dist.** X. Llanquihue; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Bucklandiella lamprocarpa* (Müll. Hal.) Ochyra & Bednarek-Ochyra

(as *Racomitrium lamprocarpum*, Tropicos 2009; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Cardot 1908; Deguchi 1991a; as *Racomitrium limbatum*, Bartram 1946; as *Racomitrium looseri*, Thériot 1934b; as *Racomitrium pachyneuron*, Herzog 1954, 1960; Seki

1974; as *Racomitrium sublamprocarpum*, Dusén 1903b; as *Racomitrium subnigritum*, Dusén 1903b; Dusén 1906b; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; Bartram 1952; Herzog 1954; Roivainen 1955a; Bartram 1957; Seki 1974; as *Racomitrium pachyneuron* fo. *aquaticum*, Herzog & Schwabe 1939). **Dist.** RM. Santiago; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Bucklandiella orthotrichacea*** (Müll. Hal.) Ochyra & Bednarek-Ochyra

(as *Racomitrium orthotrichaceum*, Buck 2002; He 1998; Matteri & Schiavone 2002; Deguchi 1984, 1991a; as *Racomitrium stenocladooides*, Roivainen 1955a; as *Racomitrium stenocladum*, Dusén 1906b; Cardot 1908; Herzog & Hosseus 1938). **Dist.** VII. Talca; XIV. Valdivia/Ranco; X. Chiloé; XI. Aisén; XII. Antártica Chilena, Última Esperanza.

***Bucklandiella pachydictyon*** (Cardot) Ochyra & Bednarek-Ochyra

(as *Racomitrium pachydictyon*, Hässel et al. 1984; Buck 2002; Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Herzog & Hosseus 1938; Roivainen 1955a; Seki 1974; Matteri 1985b; as *Racomitrium symphyodontum* var. *muticum*, Dusén 1906b). **Dist.** IX. Cautín; XIV. Valdivia/Ranco; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Bucklandiella ptychophylla*** (Mitt.) Ochyra & Bednarek-Ochyra

(as *Racomitrium ptychophyllum*, Bartram 1952). **Dist.** XII. Magallanes, Última Esperanza.

***Bucklandiella rupestris*** (Hook. f. & Wilson) Ochyra & Bednarek-Ochyra

(as *Racomitrium rupestre*, Eaton 1892; He 1998; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Dusén 1906b; Cardot 1908; Cardot & Brotherus 1923; Thériot 1925; Roivainen 1934, 1955b; Deguchi 1984, 1991a; as *Racomitrium stenocladum* var. *obtusum*, Dusén 1906b; as *Racomitrium crispulum* var. *rupestre*, Seki 1974). **Dist.** VIII. Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Osorno, Palena; XI. Aisén. XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza..

***Bucklandiella sudetica*** (Funck) Ochyra & Bednarek-Ochyra

Ochyra et al. 2008 (as *Racomitrium sudeticum*, Matteri & Schiavone 2002; as *Racomitrium andreaeoides*, Herzog 1954; as *Racomitrium austrogeorgicum*, Hässel et al. 1984; Roivainen 1955a; Matteri 1985b; as *Racomitrium austrogeorgicum* var. *kranckii*, Roivainen 1955a). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Callicostella pallida*** (Hornschr.) Ångström

(as *Schizomitrion pallidum*, Deguchi 1991a). **Dist.** X. Osorno.

***Callicostella scabriuscula*** (Müll. Hal.) A. Jaeger

(as *Hookeria scabriuscula*, Mitten 1869). **Dist.** Chile australis, without exact locality.

*Calliergidium austro-stramineum* (Müll. Hal.) E.B. Bartram = *Warnstorffia fontinaliopsis* fide Ochyra & Matteri 2001.

*Calliergon auriculatum* (Mont.) Margad. ≡ *Acrocladium auriculatum*.

*Calliergon sarmentosum* (Wahlenb.) Kindb. ≡ *Warnstorffia sarmentosa*.

*Calliergon stramineum* (Dicks. ex Brid.) Kindb. = *Straminergon stramineum* (Dicks. ex Brid.) Hedenäs

***Calliergonella cuspidata*** (Hedw.) Loeske

Larraín 2007b; Villagran et al. 2003; He 1998 (as *Acrocladium cuspidatum*, Deguchi 1991a).

**Dist.** IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue.

***Calyptopogon mnioides*** (Schwägr.) Broth.

Tropicos 2009; Müller 2009; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Buck 2005b; He 1998; Matteri & Schiavone 2002; Dusén 1906a; Cardot 1908; Thériot 1921; Herzog 1922, 1954, 1960; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Calyptopogon crispatulus*, Cardot 1908; as *Streptopogon mnioides*, Mitten 1869). **Dist.** V. Valparaíso; RM. Cordillera; VII. Cauquenes; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Calyptopogon crispatulus* (Müll. Hal.) Broth. = *Calyptopogon mnioides* fide Salmon 1903.

***Calyptrochaeta apiculata*** (Hook. f. & Wilson) Vitt var. *apiculata*

Hässel et al. 1984; Larraín 2007a; Buck 2002 & 2005a; Vitt 1979; Matteri 1985b; Matteri & Schiavone 2002 (as *Eriopus apiculatus*, Mitten 1869; Cardot 1908; Bartram 1952; Herzog 1954; Matteri 1975b). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Calyptrochaeta apiculata*** (Hook.f. & Wilson) Vitt var. *spathulata* (Matteri) Matteri  
(as *Eriopus apiculatus* var. *spathulatus*, Matteri 1975b). **Dist.** VI. Colchagua.

***Calyptrochaeta flexicollis*** (Mitt.) Vitt

Vitt 1979 (as *Eriopus flexicollis*, Cardot & Brotherus 1923; Matteri 1975b). **Dist.** XI. Aisén.

***Calyptrochaeta grandiretis*** (Broth.) H. Rob.

Robinson 1975 (as *Eriopus grandiretis*, Brotherus 1924b; Bartram 1957; Matteri 1975b). **Dist.** Juan Fernández Is.

***Calyptrochaeta leptoloma*** (Broth.) H. Rob.

Robinson 1975 (as *Eriopus leptoloma*, Brotherus 1924b; Matteri 1975b). **Dist.** Juan Fernández Is.

***Calyptrochaeta mollis*** (Besch.) Matteri

(as *Eriopus bescherellei*, Matteri 1975b; as *Distichophyllum molle*, Costes 1921; Dusén 1903b; Cardot 1908; Thériot 1917, 1925; Herzog 1954). **Dist.** V. Valparaíso; VI. Colchagua; IX. Cautín; XI. Aisén; XII. Antártica Chilena, Magallanes.

***Calyptrochaeta odontoloma*** (Dusén ex Matteri) Matteri

Hässel et al. 1984; Larraín 2005; He 1998; Matteri & Schiavone 2002; Matteri 1985b; Deguchi 1991a (as *Eriopus odontoloma*, Matteri 1975b). **Dist.** X. Llanquihue; XI. Aisén; XII. Magallanes, Última Esperanza.

*Camptochaeta arbusculans* Broth. ex E.B. Bartram = *Lembophyllum orbiculatum* fide Robinson 1970.

*Camptochaeta gracilis* (Hook.f. & Wilson) Paris = *Fallaciella gracilis*.

*Camptochaete orbiculata* (Thér.) H. Rob. = *Lembophyllum orbiculatum*.

*Camptodontium brotheri* Dusén = *Camptodontium cryptodon* fide Reimers 1936.

***Camptodontium brotheri*** var. *grandirete* Dusén

Dusén 1906b; Cardot 1908. **Dist.** IX. Malleco; XII. Tierra del Fuego.

***Camptodontium cryptodon*** (Mont.) Reim.

Müller 2009; Hässel et al. 1984; Larraín 2005; Ireland et al. 2007; He 1998; Herzog & Hosseus 1938; Seki 1974; Deguchi 1991a; Matteri & Schiavone 2002 (as *Dicranoweisia tenella*, Dusén 1903b; as *Camptodontium brotheri*, Dusén 1905a, 1906b; Cardot 1908; Reimers 1926; Herzog 1954, 1960; as *Dicranoweisia cryptodon*, Roivainen 1934; as *Dicranum cryptodon*, Mitten 1869; as *Bryopoteria chilensis*, Thériot 1933). **Dist.** RM. Cordillera; VII. Talca; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Magallanes, Última Esperanza.

*Campyliadelphus polygamus* (Schimp.) Kanda = *Campylium polygamum*.

*Campyliadelphus stellatus* (Hedw.) Kanda = *Campylium stellatum*.

***Campylium polygamum*** (Schimp.) C.E.O. Jensen

Tropicos 2009; He 1998; Ochyra & Matteri 2001; Seki 1974; Matteri & Schiavone 2002; Hedenäs 2003 (as *Campyliadelphus polygamus*, Hässel et al. 1984; Matteri 1985b). **Dist.** III. Copiapo; V. Petorca, San Antonio, Valparaíso; RM. Chacabuco, Santiago; VI. Colchagua; VIII. Concepción, Ñuble; XIV. Valdivia/Ranco; XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Campylium stellatum*** (Hedw.) C.E.O. Jensen

(as *Campyliadelphus stellatus*, Matteri 1985b). **Dist.** XII. Última Esperanza.

***Campyloporodium euchlorum*** (Mont.) Matteri

Matteri & Calabrese 1999 (as *Dicranella euchlora*, Mitten 1869; as *Dicranella flexipes*, Cardot & Brotherus 1923; Seki 1974; as *Dicranella costata*, Brotherus 1924b; Robinson 1975; as *Dicranella aulacocarpa*, Mitten 1869). **Dist.** Chile, provinciae meridionalis. XIV. Valdivia/Ranco; X. Chiloé; XI. Aisén; Juan Fernández Is.

*Campyloporodium flaccidum* Herzog = *Campyloporodium medium* fide Giese & Frahm 1985.

***Campylopus medium* (Duby) Giese & J.-P. Frahm**

Ireland et al. 2007; He 1998; Frahm 2005; Giese & Frahm 1985 (as *Campylopus flaccidum*, Herzog 1926; Seki 1974). **Dist.** VIII. Arauco; IX. Malleco; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén.

*Campylopus aberrans* Broth. = *Campylopus purpureocaulis* subsp. *aberrans*.

***Campylopus aberrans* var. *viridis* Broth.**

Barrera 2006; Brotherus 1924b. **Dist.** Juan Fernández Is.

***Campylopus acuminatus* Mitt.**

Larraín 2007b; Larraín 2007a; He 1998; Frahm 2005; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Frahm 1976; Frahm 1988 (as *Campylopus crassissimus*, Dusén 1903b; Dusén 1905c; Roivainen 1934; Frahm 1976; as *Campylopus fuegianus*, Dusén 1905c; Frahm 1976; as *Campylopus sulphureo-nigritus*, Dusén 1903b, 1905c; Cardot 1908; Herzog 1960; Frahm 1976; as *Campylopus sordido-nigritus*, Dusén 1903b). **Dist.** IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Campylopus acuminatus* Mitt. var. *kirkii* (Mitt.) J.-P. Frahm**

Frahm 2005. **Dist.** XIV. Valdivia/Ranco.

***Campylopus aureonitens* (Müll. Hal.) A. Jaeger subsp. *recurvifolius* (Dusén) J.-P. Frahm**

Larraín 2007a; He 1998; Frahm 1988 (as *Campylopus recurvifolius*, Dusén 1905c; Herzog & Hosseus 1938; Frahm 1976). **Dist.** VII. Curicó; VIII. Biobío; IX. Cautín; X. Chiloé, Llanquihue.

*Campylopus blindioides* Broth. = *Campylopus pyriformis* fide Frahm 1988.

*Campylopus campoanus* Thér. = *Campylopus modestus* fide Frahm 1988.

*Campylopus canescens* (Müll. Hal.) Schimp. = *Campylopus introflexus* fide Frahm 1988.

*Campylopus carbonicolus* Thér. = *Campylopus modestus* fide Frahm 1988.

*Campylopus chalarobasis* Müll. Hal. = *Campylopus incrassatus* fide Frahm 1988.

***Campylopus chilensis* De Not.**

Tropicos 2009; Larraín 2005; Pereira et al. 2006; Frahm 2005; Müller & Pereira 2006; Mitten 1869; Frahm 1988; Matteri & Schiavone 2002 (as *Campylopus flavonigritus*, Dusén 1903b, 1905c; Cardot 1908; Cardot & Brotherus 1923; Frahm 1976; as *Campylopus patagonicus*, Dusén 1905c; Seki 1974; Frahm 1976; Deguchi 1991a). **Dist.** VII. Cauquenes, Talca; XIV. Valdivia/Ranco; X. Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes.

***Campylopus clavatus* (R. Br.) Wilson**

Tropicos 2009; Larraín 2007b; Larraín 2005; Ireland et al. 2007; Buck 2002; He 1998; Villagran et al. 2003; Ireland & Bellolio 2002; Frahm 2005; Müller & Pereira 2006; Robinson 1975; Frahm 1976; Frahm 1988; Deguchi 1991a (as *Campylopus leptodus*, Mitten 1869; Cardot 1908; Thériot 1925, 1935; Bartram 1952, 1957; as *Pilopogon leptodus*, Dusén 1905c; Herzog 1922; as *Thysanomitrion leptodus*, Brotherus 1924b; Herzog & Hosseus 1938; Herzog & Schwabe 1939; as *Campylopus xanthophyllum*, Thériot 1918; Frahm 1976; as *Campylopus leptodus* fo. *elongata-appressa* Thér., Thériot 1935). **Dist.** V. San Antonio, Valparaíso; VII. Cauquenes, Curicó, Linares; VIII. Arauco, Concepción; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes; Juan Fernández Is.; Easter I.

*Campylopus crassissimus* Besch. = *Campylopus acuminatus* fide Frahm 1988.

*Campylopus dicranodontoides* Broth. = *Campylopus vesticaulis* fide Frahm 1988.

*Campylopus fernandezianus* E.B. Bartram = *Dicranoloma menziesii* fide Robinson 1975.

*Campylopus fibrobasis* Dusén = *Campylopus pyriformis* fide Frahm 1988.

*Campylopus flavissimus* (Müll. Hal.) Besch. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Campylopus flavonigritus* Dusén = *Campylopus chilensis* fide Frahm 1988.

*Campylopus flavo-viridis* Dusén = *Campylopus incrassatus* fide Frahm 1988.

***Campylopus flexicaulis* Cardot & Thér., nom. nud.**, Barrera 2006.***Campylopus fragilis* (Brid.) Bruch & Schimp.**

Ireland et al. 2007. **Dist.** VIII. Arauco.

*Campylopus fuegianus* Dusén = *Campylopus acuminatus* fide Frahm 1988.

*Campylopus guaiitecae* Dusén = *Campylopus vesticaulis* fide Frahm 1988.

*Campylopus hamatus* Broth. = *Chorisodontium* spec. fide Frahm (1999, 2005)

Rovainen 1937; Frahm 1976; Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego.

*Campylopus hygrophilus* Broth. = *Campylopus vesticaulis* fide Frahm 1987.

***Campylopus incrassatus*** Müll. Hal.

Tropicos 2009; Larraín 2007b; Larraín 2007a; He 1998; Buck 2002; Müller & Pereira 2006; Mitten 1869; Dusén 1905c; Thériot 1917; Herzog & Hosseus 1938; Herzog 1960; Frahm 1976; Frahm 1988; Deguchi 1991a; Costes 1921 (as *Campylopus chalarobasis*, Thériot 1934b; Frahm 1976; as *Campylopus flavo-viridis*, Dusén 1905c; Seki 1974; Frahm 1976). **Dist.** IV. Limarí; V. Aconcagua, Petorca, Quillota, San Antonio, Valparaíso; RM. Santiago, Talagante; VI. Cachapoal; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena.

***Campylopus introflexus*** (Hedw.) Brid.

Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Larraín 2005; He 1998; Buck 2002 & 2005b; Espinosa 1941; Villagran et al. 2003; Ireland & Bellolio 2002; Frahm 2005; Müller & Pereira 2006; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Dusén 1905c; Cardot 1908; Brotherus 1924a, 1924b, 1924; Rovainen 1937; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Herzog 1954, 1960; Bartram 1957; Seki 1974; Robinson 1975; Frahm 1976; Matteri 1985b; Deguchi 1991a (as *Campylopus canescens*, Cardot 1908; Frahm 1976; as *Campylopus truncatus*, Brotherus 1924b; Reimers 1926; Thériot 1934b; Herzog & Hosseus 1938; Frahm 1976). **Dist.** IV. Choapa, Limarí; V. Petorca, Valparaíso; RM. Maipo; VII. Cauquenes, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.; Easter I.

*Campylopus kunkelii* E.B. Bartram = *Campylopus pyriformis* fide Frahm 1988.

*Campylopus laetevirens* (Broth.) J.-P. Frahm = *Campylopus laxoventralis* fide Frahm 1988.

*Campylopus laniger* Besch. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Campylopus laxiretis* E.B. Bartram = *Campylopus pyriformis* fide Frahm 1988.

***Campylopus laxoventralis*** Herzog ex J.-P. Frahm

Frahm 1988; Deguchi 1991a (as *Campylopus laetevirens*, Frahm 1976; as *Thysanomitrium laetevirens*, Barrera 2006; Brotherus 1924a; Espinosa 1941). **Dist.** VIII. Concepción.

*Campylopus leptodius* Mont. = *Campylopus clavatus* fide Sainsbury 1955.

*Campylopus macrophyllus* (Kunze ex Müll.Hal.) Mitt. = *Bryohumbertia filifolia* fide Frahm 1999.

*Campylopus masafuerae* J.-P. Frahm = *Campylopus pyriformis* fide Frahm 1988.

***Campylopus maulensis*** Broth., nom. nud., Espinosa 1941 (VIII. Concepción).

***Campylopus modestus*** Cardot

He 1998; Cardot 1908; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Frahm 1976; Frahm 1988 (as *Campylopus campoanus*, Thériot 1918; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Frahm 1976; as *Campylopus carbonicolus*, Thériot 1918; Frahm 1976; as *Campylopus permollis*, Thériot 1926, 1934b; Frahm 1976). **Dist.** VIII. Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno.

***Campylopus morenoi*** (Müll. Hal.) Paris

Dusén 1903b; Frahm 1975. **Dist.** Patagonia australis. Note: The species doesn't belong to *Campylopus*, but the generic position is uncertain (Frahm 1999, 2005).

***Campylopus occultoviridis*** Dusén, nom. nud., Dusén 1903b.

*Campylopus orthocomus* Besch. = *Chorisodontium aciphyllum* fide Brotherus 1909.

***Campylopus paschalis*** Cardot & Ther., nom. nud., Barrera 2006.

***Campylopus patagonicus*** Dusén, nom. nud., Dusén 1903b.

*Campylopus patagonicus* Broth. = *Campylopus chilensis* fide Frahm 1988.

*Campylopus perhorridus* Dusén = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Campylopus permollis* Thér. = *Campylopus modestus* fide Frahm 1988.

***Campylopus pilifer*** Brid.

Tropicos 2009; Frahm 2005; Gradstein & Sipman 1978 (as *Campylopus polytrichoides*, Brotherus 1924b; Frahm 1976; Espinosa 1941). **Dist.** VIII. Arauco, Biobío, Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Palena; Juan Fernández Is.

*Campylopus polytrichoides* De Not. = *Campylopus pilifer* fide Gradstein & Sipman 1978.

***Campylopus purpureocaulis*** Dusén

Tropicos 2009; Hässel et al. 1984; Larraín 2007a; Dusén 1903b, 1905c; Cardot 1908; Cardot & Brotherus 1923; Herzog 1954; Frahm 1976; Matteri 1985b; Frahm 1988; Matteri & Schiavone 2002. **Dist.** VIII. Concepción; X. Chiloé, Llanquihue; XI. Aisén; XII. Magallanes, Última Esperanza.

***Campylopus purpureocaulis*** subsp. ***aberrans*** (Broth.) J.-P. Frahm ex Frank Müll.

Frahm 1987, 1988 (as *Campylopus aberrans*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957; Robinson 1975). **Dist.** Juan Fernández Is.

***Campylopus pyriformis*** (Schultz) Brid.

Larraín 2007b; Larraín 2007a; Frahm 1988, 2005 (as *Campylopus blindioides*, Brotherus 1924b; Robinson 1975; Frahm 1976; as *Campylopus fibrobasis*, Dusén 1905c; Cardot 1908; Thériot 1934b; Herzog & Hosseus 1938; Herzog 1954; as *Campylopus kunkelii*, Bartram 1957; Robinson 1975; Frahm 1976; as *Campylopus laxiretis*, Bartram 1957; as *Campylopus masafuerae*, Frahm 1976; as *Campylopus subareodictyon*, Brotherus 1924b; Frahm 1976; as *Campylopus torquatus*, Frahm 1976; as *Campylopus kunkelii*, Robinson 1975; as *Campylopus areodictyon*, Brotherus 1924b; Frahm 1976). **Dist.** IV. Choapa; V. Petorca, Valparaíso; VIII. Concepción; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno, Palena; XI. Aisén; Juan Fernández Is.

*Campylopus recurvifolius* Dusén ≡ *Campylopus aureonitens* subsp. *recurvifolius*.

***Campylopus richardii*** Brid.

Frahm 1976 (as *Thysanomitrium richardii*, Brotherus 1924b; Espinosa 1941). **Dist.** Juan Fernández Is.

*Campylopus saddleanus* Besch. = *Campylopus vesticaulis* fide Frahm 1988.

*Campylopus saxicola* Broth. = *Campylopus vesticaulis* fide Frahm 1987.

*Campylopus sordidonigrus* Dusén, nom. nud. = *Campylopus acuminatus* fide Frahm 1988.

*Campylopus spegazzinii* (Müll. Hal.) Paris ≡ *Chorisodontium spegazzinii*.

***Campylopus spiralis*** Dusén

Dusén 1905c; Cardot 1908; Herzog & Schwabe 1939; Frahm 1976; Thériot 1934b, 1935. **Dist.** RM. Santiago; IX. Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Magallanes.

*Campylopus subareodictyon* Broth. = *Campylopus pyriformis* fide Frahm 1988.

*Campylopus sulphureo-nigritus* Dusén = *Campylopus acuminatus* fide Frahm 1988.

*Campylopus torquatus* Mitt. = *Campylopus pyriformis* fide Frahm 1988.

*Campylopus truncatus* Müll. Hal. = *Campylopus introflexus* fide Frahm 1987.

*Campylopus turficola* Broth. = *Campylopus vesticaulis* fide Frahm 1987.

***Campylopus vesticaulis*** Mitt.

Ireland et al. 2007; Ireland & Bellolio 2002; Matteri & Schiavone 2002; Frahm 1988 (as *Campylopus guaitecae*, Dusén 1905c; Thériot 1934b; Cardot & Brotherus 1923; Roivainen 1937; Frahm 1976; Deguchi 1991a; as *Campylopus saddleanus*, Dusén 1903b; Cardot 1908; Roivainen 1937; Frahm 1976; as *Campylopus dicranodontoides*, *C. saxicola*, *C. turficola* and *C. hygrophilus*, Espinosa 1941; Brotherus 1924; as *Campylopus dicranodontoides*, Barrera 2006; as *Campylopus hygrophilus*, Barrera 2006; as *Campylopus saxicola*, Barrera 2006; as *Campylopus turficola*, Barrera 2006). **Dist.** VIII. Arauco, Concepción; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén; XII. Magallanes, Tierra del Fuego; Juan Fernández Is.; Easter I.

*Campylopus xanthophyllus* Mont. = *Campylopus clavatus* fide Frahm 1988.

***Campylopus*** spec.

Fuentes 1913. **Dist.** Easter I.

***Campylostelium saxicola*** (F. Weber & D. Mohr) Bruch & Schimp.

Ireland et al. 2007. **Dist.** VIII. Arauco, Concepción, Ñuble.

***Catagoniopsis berteroana*** (Mont.) Broth.

Tropicos 2009; Larraín 2005; Villagran et al. 2004; He 1998; Pereira et al. 2006; Espinosa 1941; Müller & Pereira 2006; Thériot 1917, 1918, 1928; Brotherus 1924a, 1924b; Herzog & Hosseus 1938; Bartram 1952; Herzog 1954; Robinson 1975; Deguchi 1991a; Costes 1921 (as *Hypnum berteroanum*, Mitten 1869). **Dist.** IV. Choapa, Limarí; V. Petorca, Quillota, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Melipilla, Santiago, Talagante; VI. Cardenal Caro; VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; Juan Fernández Is.

*Catagonium complanatum* (Cardot & Broth.) Broth. = *Catagonium nitens* subsp. *nitens* var. *nitens* fide Lin 1984.

*Catagonium myurum* Cardot & Thér. ≡ *Catagonium nitens* subsp. *nitens* var. *myurum*.

***Catagonium nitens*** (Brid.) Cardot subsp. ***nitens*** var. ***nitens***

Tropicos 2009; Goffinet et al. 2006; Larraín 2007b; Larraín 2005; He 1998; Buck 2002; Villagran et al. 2003; Schaumann 2005; Müller & Pereira 2006; Matteri & Schiavone 2002; Deguchi 1991b (as *Catagonium politum*, Hässel et al. 1984; as *Acrocladium politum*, Mitten 1869; as *Eucatagonium politum*, Dusén 1903b; Brotherus 1908; Cardot 1908; Herzog 1922, 1954, 1960; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Seki 1974; Robinson 1975; Matteri 1985b; as *Orthorrhynchium chilense*, Williams 1924). **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Bíobio, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes; Juan Fernández Is.

***Catagonium nitens*** subsp. ***nitens*** var. ***myurum*** (Cardot & Thér.) S.H. Lin

Tropicos 2009; Schaumann 2005; Deguchi 1991b; Matteri & Schiavone 2002 (as *Catagonium myurum*, Hässel et al. 1984; Thériot 1929b; Matteri 1985b). **Dist.** VIII. Ñuble; IX. Cautín, Malleco; X. Llanquihue, Osorno; XII. Magallanes, Última Esperanza.

***Catagonium nitidum*** (Hook. f. & Wilson) Broth.

Goffinet et al. 2006; Hässel et al. 1984; Ireland et al. 2007; Matteri & Schiavone 2002; Roivainen 1934; Matteri 1985b (as *Hypnum nitidum*, Cardot 1908; as *Stereodon nitidus*, Mitten 1869; Dusén 1903b). **Dist.** VII. Curicó; VIII. Ñuble; IX. Cautín; X. Chiloé; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Catagonium politum* (Hook.f. & Wilson) Dusén = *Catagonium nitens* subsp. *nitens* var. *nitens* fide Lin 1984.

*Catagonium politum* var. *phyllolygonum* (Müll. Hal.) Cardot = *Catagonium nitens* subsp. *nitens* var. *nitens* fide Lin 1984.

*Catagonium politum* var. *filescens* Cardot & Broth. = *Catagonium nitens* subsp. *nitens* var. *nitens* fide Lin 1984.

*Ceratodon amblyocalyx* Müll. Hal. ex Ångström = *Ceratodon purpureus* subsp. *convolutus* fide Burley & Pritchard 1990.

*Ceratodon antarcticus* Cardot = *Ceratodon purpureus* fide Ochyra 1988.

*Ceratodon chilensis* (Mont.) Paris ≡ *Chrysoblastella chilensis*.

*Ceratodon convolutus* Reichardt ≡ *Ceratodon purpureus* subsp. *convolutus*.

*Ceratodon crassinervis* Lorentz = *Ceratodon purpureus* subsp. *convolutus* fide Burley & Pritchard 1990.

*Ceratodon grossiretis* Cardot = *Ceratodon purpureus* fide Ochyra 1998.

***Ceratodon purpureus*** (Hedw.) Brid. subsp. ***purpureus***

Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Matcham et al. 2007; Larraín 2005; Buck 2002; Pereira et al. 2006; Espinosa 1941; Villagran et al. 2003; Ireland & Bellolio 2002; Müller & Pereira 2006; Matteri & Schiavone 2002; Mitten 1869; Dusén 1905b; Cardot 1908; Thériot 1918, 1935; Herzog 1922, 1954; Cardot & Brotherus 1923; Brotherus 1924b; Roivainen 1934, 1937; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Robinson 1975; Deguchi 1991a (as *Ceratodon purpureus* var. *fastigiatus*, Thériot 1918; as *Ceratodon grossiretis*, Thériot 1926). **Dist.** IV. Limarí; V. Valparaíso; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.; Easter I.

*Ceratodon purpureus* var. *amblyocalyx* Müll. Hal. = *Ceratodon purpureus* subsp. *convolutus* fide Burley & Pritchard 1990.

***Ceratodon purpureus* subsp. *convolutus*** (Reichardt) Burley

Larraín 2005; Matteri & Schiavone 2002 (as *Ceratodon amblyocalyx*, Ångström 1876; as *Ceratodon purpureus* var. *amblyocalyx*, Cardot 1900, 1901, 1908; Dusén 1903b; Dusén 1905b; as *Ceratodon convolutus*, Dusén 1905b; as *Ceratodon crassinervis*, Thériot 1918, 1921, 1935; Reimers 1926; Herzog & Hosseus 1938; as *Ceratodon valdiviae*, Müller 1900). **Dist.** VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Tierra del Fuego. Note: The taxonomic status of this taxon is uncertain and should be confirmed by biosystematic studies including molecular methods (Ochyra et al. 2008).

*Ceratodon purpureus* var. *fastigiatus* Warnst. = *Ceratodon purpureus* subsp. *purpureus* fide Burley & Pritchard 1990.

***Ceratodon purpureus* subsp. *stenocarpus*** (Bruch & Schimp.) Dixon

He 1998 (as *Ceratodon stenocarpus*, Ireland et al. 2007). **Dist.** VIII. Arauco, Biobío, Concepción, Ñuble; XIV. Valdivia/Ranco.

*Ceratodon valdiviae* Müll. Hal. = *Ceratodon purpureus* subsp. *convolutus* fide Burley & Pritchard 1990.

*Cheilotrichia chilensis* (Mont.) Broth. = *Chrysoblastella chilensis*.

*Cheilotrichia dubia* Dusén = *Chrysoblastella chilensis* fide Reimers 1926, Buck 1981.

***Chenia leptophylla*** (Müll. Hal.) R.H. Zander

Müller 2002; Ireland & Bellolio 2002. **Dist.** VII. Talca; Easter I.

***Chileobryon callicostelloides*** (Broth. ex Thér.) Enroth

Tropicos 2009; Pereira et al. 2006; Müller & Pereira 2006; Enroth 1992 (as *Pinnatella callicostelloides*, Espinosa 1941; Brotherus 1924a; Herzog 1954; as *Pinnatella macrosticta*, Brotherus 1924b; Robinson 1975; as *Porotrichum callicostelloides*, Thériot 1917, 1926; as *Porotrichum callicostelloides* var. *distichum*, Thériot 1924). **Dist.** IV. Choapa, Limarí; V. Aconcagua, Petorca, Quillota, San Antonio, Valparaíso; VI. Cardenal Caro, Colchagua; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; Juan Fernández Is.

***Chorisodontium aciphyllum*** (Hook. f. & Wilson) Broth.

Hässel et al. 1984; Larraín 2007a; Schaumann 2005; Müller & Pereira 2006; Matteri & Schiavone 2002; Roivainen 1937; Bartram 1952, 1957; Robinson 1975; Matteri 1985b; Hyvönen 1991 (as *Dicranodontium schwabei*, Herzog & Schwabe 1939; as *Campylopus laniger*, Dusén 1903b; as *Dicranum lanigerum*, Dusén 1905b; Cardot 1908; Cardot & Brotherus 1923; as *Chorisodontium lanigerum*, Roivainen 1937; Bartram 1952; Seki 1974; Deguchi 1991a; as *Dicranum leucopterum*, Dusén 1903b, 1905b; Cardot 1908; as *Chorisodontium leucopterum*, Hässel et al. 1984; Roivainen 1937; Seki 1974; Matteri 1985b; as *Dicranum macropus*, Mitten 1869; as *Chorisodontium macropus*, Roivainen 1937; Deguchi 1991a; as *Chorisodontium nordenskjoldii*, Roivainen 1937; as *Campylopus orthocomus*, Dusén 1903b; as *Chorisodontium orthocomum*, Roivainen 1937; as *Dicranum orthocomum*, Cardot 1908; as *Chorisodontium sphagneticolum*, Roivainen 1937; as *Dicranum aciphyllum*, Mitten 1869; Cardot 1900, 1901, 1908; Dusén 1905b; Cardot & Brotherus 1923; as *Dicranum rigens*, Cardot 1901, 1908; as *Dicranum scaberrimum*, Dusén 1903b; as *Campylopus flavissimus*, Cardot 1901; Dusén 1903b; Dusén 1905c; Cardot 1908; Frahm 1976; as *Chorisodontium fulvastrum*, Frahm 1988; as *Campylopus perhorridus*, Dusén 1905c; Roivainen 1937; Herzog & Hosseus 1938; Frahm 1976; as *Dicranum perhorridum*, Cardot 1908). **Dist.** VII. Cauquenes; VIII. Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Chorisodontium dicranellatum*** (Dusén) Roiv.

Schaumann 2005; Roivainen 1937; Seki 1974; Matteri & Schiavone 2002; Deguchi 1991a; Hyvönen 1991 (as *Dicranum dicranellatum*, Dusén 1903b, 1905b; Cardot 1908). **Dist.** IX. Cautín; X. Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego.

*Chorisodontium fulvastrum* (Besch.) Broth. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Chorisodontium lanigerum* (Müll. Hal.) Broth. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Chorisodontium leucopterum* (Müll. Hal.) Roiv. = *Chorisodontium aciphyllum* fide Matteri 2003a.

***Chorisodontium luridum*** E.B. Bartram

Schaumann 2005; Matteri & Schiavone 2002; Roivainen 1937; Deguchi 1991a; Hyvönen 1991; Frey & Schaumann 2002. **Dist. IX.** Cautín. X. Llanquihue; XII. Tierra del Fuego.

*Chorisodontium macropus* (Kunze ex Müll. Hal.) Broth. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

***Chorisodontium magellanicum*** (Cardot) E.B. Bartram

Rovainen 1937; Hyvönen 1991; Matteri & Schiavone 2002 (as *Dicranum magellanicum*, Dusén 1905b; Cardot 1908). **Dist. XII.** Magallanes, Tierra del Fuego.

*Chorisodontium microdus* (Lorentz) Broth. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Chorisodontium nordenskioldii* (Cardot) Roiv. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Chorisodontium orthocomum* (Besch.) Roiv. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

*Chorisodontium sericeum* E.B. Bartram = *Ditrichum hookeri* fide Hyvönen 1991.

***Chorisodontium spegazzinii*** (Müll. Hal.) Roiv.

Tropicos 2009; Hässel et al. 1984; Roivainen 1937; Matteri 1985b; Hyvönen 1991; Matteri & Schiavone 2002 (as *Campylopus spegazzinii*, Cardot 1900, 1901; Dusén 1903b). **Dist. XII.** Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Chorisodontium sphagneticolum* Roiv. = *Chorisodontium aciphyllum* fide Hyvönen 1991.

***Chrysoblastella chilensis*** (Mont.) Reimers

Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Müller & Pereira 2006; Blockeel et al. 2002; Deguchi & Oginuma 1989; Matteri 1984a; Reimers 1926; Herzog & Hosseus 1938; Deguchi 1991a (as *Ceratodon chilensis*, Paris 1903-1906; as *Cheilotrichia chilensis*, Thériot 1934b; Herzog 1954; Seki 1974; Matteri 1985b; as *Tortula chilensis*, Mitten 1869; as *Cheilotrichia dubia*, Dusén 1905b; Thériot 1934b; Seki 1974). **Dist. VII.** Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza.

***Chryso-hypnum diminutivum*** (Hampe) W.R. Buck

He 1998. **Dist. XIV.** Valdivia/Ranco.

***Cinclidotus aquaticus*** (Hedw.) Bruch & Schimp.

He 1998. **Dist. XIV.** Valdivia/Ranco.

***Cinclidium stygium*** Sw.

Buck 2002; Matteri & Schiavone 2002; Cardot & Brotherus 1923. **Dist. XII.** Antártica Chilena, Magallanes, Última Esperanza.

***Cladomnion crenato-obtusum*** Dusén, nom. nud., Dusén 1903b.

*Cladomnion gracile* (Hampe) Mitt. ≡ *Glyphothecium gracile*.

*Cladomnion valdiviae* Müll. Hal. = *Glyphothecium sciurooides* fide Hattaway 1984.

***Cladomniopsis crenato-obtusa*** M. Fleisch.

Hässel et al. 1984; Buck 2002 & 2005a; Matteri 1973a, 1985b; Matteri & Schiavone 2002; Kühnemann & Goncalves Carralves 1975. **Dist. XI.** Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Cochlearidium aymaranum* Ochyra & Mahu = *Andreaea nitida* fide Churchill & Linares 1995a.

*Codonoblepharon menziesii* Schwägr. ≡ *Zygodon menziesii*.

***Codiophorus laevigatus*** (A. Jaeger) Bednarek-Ochyra & Ochyra

Bednarek-Ochyra 2006; Larraín 2007a (as *Racomitrium laevigatum*, Perrier 2005; He 1998; Matteri & Schiavone 2002; Dusén 1903b, 1906b; Cardot 1908; Robinson 1975; Deguchi 1991a; as *Racomitrium loriforme*, Espinosa 1941; Dusén 1906b; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; as *Racomitrium plicatum*, Donat 1936; as *Racomitrium scabrifolium*, Bartram 1946; as *Racomitrium willii*, Hässel et al. 1984; Cardot & Brotherus 1923; Roivainen 1955a; Seki 1974; Matteri 1985b). **Dist. XIV.** Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, General Carrera; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Conostomum australe* Sw., hom. illeg. = *Conostomum pentastichum* fide Ochyra et al. 2008.

***Conostomum magellanicum*** Sull.

Goffinet et al. 2006; Hässel et al. 1984; Sullivant 1850; Buck 2002 & 2004; Matteri & Schiavone 2002; Frahm et al. 1996; Dusén 1903b; Cardot 1908; Matteri 1985a, 1985b; Deguchi 1991a (as *Conostomum perangulatum*, Cardot 1908; as *Conostomum perangulatum* var. *majus*, Cardot & Brotherus 1923). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Conostomum microphyllum* Cardot & Broth., *nom. nud.*, Deguchi 1991a.

***Conostomum pentastichum*** (Brid.) Lindb.

Seki 1974; Matteri 1985a, 1985b; Deguchi 1991a; Hässel et al. 1984; Matteri & Schiavone 2002 (as *Conostomum tetragonum*, Goffinet et al. 2006; Buck 2002, 2004; as *Conostomum australe*, Mitten 1869; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; as *Conostomum australe* var. *microphyllum*, Cardot & Brotherus 1923; as *Conostomum australe* var. *piliferum* Cardot & Brotherus 1923). **Dist.** IX. Malleco; X. Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Conostomum perangulatum* Cardot = *Conostomum magellanicum* fide Matteri 1984b.

*Conostomum perangulatum* var. *majus* Cardot & Broth. = *Conostomum magellanicum* fide Frahm et al. 1996.

***Conostomum perpusillum*** Cardot & Broth.

Hässel et al. 1984; Cardot & Brotherus 1923; Matteri 1985a, 1985b; Frahm et al. 1996; Matteri & Schiavone 2002. **Dist.** XII. Magallanes, Última Esperanza.

***Coscinodon boliviensis*** Broth.

Tropicos 2009. **Dist.** XI. Coihaique (*Mancilla* 8150, MO, det. C. Delgadillo).

***Coscinodon pseudocribrosus*** Hastings

Tropicos 2009. **Dist.** V. Los Andes (*Mahú* 23593, MO, det. C. Delgadillo).

***Coscinodontella bryanii*** R.S. Williams

Cano 2003. **Dist.** XV. Parinacota.

***Costesia macrocarpa*** (Schimp.) Cuvertino, Miserere & Buffa

Cuvertino et al. 2009 (as *Costesia spongiosa*, Larraín et al. 2009; Villagran et al. 2004; Thériot 1917, 1921; Costes 1921; as *Pottia macrocarpa*, Schimper 1836; as *Funaria macrocarpa*, Zander 1993; as *Tortula macrocarpa*, Mitten 1869). **Dist.** IV. Choapa, Limarí; V. Quillota, Valparaíso; RM. Santiago; VI. Cachapoal.

*Costesia spongiosa* Thér. = *Costesia macrocarpa* fide Cuvertino et al. 2009.

***Cratoneuron filicinum*** (Hedw.) Spruce

Tropicos 2009; Larraín 2005; Robinson 1964; Matteri 1985b; Hedenäs 2003. **Dist.** II. Antofagasta; III. Copiapó; IV. Choapa; V. Petorca, San Antonio, Valparaíso; RM. Cordillera, Santiago; VI. Colchagua; VIII. Biobío, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Osorno.

*Cratoneuron perplicatum* (Dusén) Broth. = *Drepanocladus longifolius* fide Ochyra 1989.

***Cratoneuropsis relaxa*** (Hook. f. & Wilson) M. Fleisch. ex Broth. subsp. ***minor*** (Wilson & Hook.f.) Ochyra

Ochyra et al. 2008 (as *Cratoneuropsis relaxa*, He 1998; Tropicos 2009; as *Hygroamblystegium austrofluviale*, Thériot 1924; Bartram 1943; as *Lescuraea chilensis*, He 1998; Herzog 1954; as *Orthotheciella varia*, Pereira et al. 2006; Buck 2002; Larraín 2007a; He 1998; Müller & Pereira 2006; Ochyra & Matteri 2001; Matteri & Schiavone 2002; as *Hygroamblystegium varium*, Goffinet et al. 2006; as *Pseudoleskeia chilensis*, Larraín 2005; Deguchi 1991b; as *Amblystegium chilensis*, Lorentz 1866; as *Hygroamblystegium chilensis*, Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954; Seki 1974; as *Sciaromium gracile*, Dusén 1903b; as *Hygroamblystegium filum*, Hässel et al. 1984; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Matteri 1985b; as *Pseudoleskeia filum*, Thériot 1918; Herzog 1922; as *Hygroamblystegium fuegianum*, Larraín 2005; Roivainen 1934; Herzog & Hosseus 1938; Herzog 1960; Seki 1974; as *Pseudoleskeia fuegiana*, Cardot 1905 & 1908; Thériot 1915, 1917; Herzog 1922; Cardot & Brotherus 1923; as *Leskea fuegiana*, Dusén 1903b; as *Pseudoleskeia lurida*, Herzog 1922; as *Amblystegium tenellum*, Herzog 1954; as *Hygroamblystegium fuegianum* var. *skottsbergii*, Roivainen 1934; Bartram 1946; as *Hygroamblystegium filum* var. *compactum*, Bartram 1946; as

*Hygroamblystegium fuegianum* var. *excurrens*, Bartram 1946; as *Amblystegium excurrens*, Cardot & Brotherus 1923; as *Hygroamblystegium fuegianum* var. *gracilis*, Bartram 1946; as *Pseudeoleskea fuegiana* var. *gracilis*, Cardot & Brotherus 1923; as *Hygroamblystegium fuegianum* var. *secundum*, Bartram 1946). **Dist.** II. Antofagasta; III. Chañaral; IV. Choapa, Elqui, Limarí; V. Aconcagua, Petorca, Quillota, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Melipilla, Santiago, Talagante; VI. Colchagua, San Vicente; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Biobío, Ñuble; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Crossidium* spec.**

Matcham et al. 2007. **Dist.** XII. Magallanes.

*Crossidium roseae* (R.S. Williams) E.B. Bartram, hom. illeg. ≡ *Aloina roseae*.

***Cryphaea consimilis* Mont.**

Ireland et al. 2007; Pereira et al. 2006; He 1998; Müller & Pereira 2006; Rao 2001; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922; Reimers 1926; Herzog & Hosseus 1938; Seki 1974. **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Palena; XI. Aisén, Coihaique.

*Cryphaea mollis* Dusén ≡ *Cryphaeophilum molle*.

***Cryphaea patens* Hornsch. ex Müll. Hal.**

Rao 2001. **Dist.** IX. Cautín.

*Cryphaea pulchella* Paris & Schimp. = *Dendrocryphaea lechleri* fide Griffin et al. 1982.

*Cryphaea tenella* Mitt. = *Dendrocryphaea lechleri* fide Griffin et al. 1982.

***Cryphaeophilum molle* (Dusén) M. Fleisch.**

Ireland et al. 2007; He 1998; Müller & Pereira 2006; Deguchi 1991b; Müller 2002; Kühnemann & Goncalves Carralves 1976 (as *Cryphaea mollis*, Dusén 1903b, 1905a; Cardot 1908; as *Cryphaeophilum molle* var. *enerve*, Herzog 1954; Seki 1974). **Dist.** VII. Cauquenes; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén

*Cryphaeophilum molle* (Dusén) M. Fleisch. var. *enerve* Herzog = *Cryphaeophilum molle* fide Müller 2002.

***Cryptopapillaria penicillata* (Dozy & Molk.) M. Menzel**

Ireland et al. 2007. **Dist.** VIII. Arauco, Concepción.

*Cyathophorum splendidissimum* (Mont.) Hampe & Lorentz ≡ *Schimperobryum splendidissimum*.

***Cyclodictyon sublimbatum* (Müll. Hal.) Kuntze**

(as *Hookeria sublimbata*, Mitten 1869). **Dist.** Chile, without exact locality (leg. Poeppig).

*Cyptodon crassinervis* Broth. ≡ *Dendrocryphaea crassinervis*.

*Cynodontium affine* (Müll. Hal.) Mitt. = *Ditrichum difficile* fide Seppelt 1982.

*Cynodontium conicum* (Mont.) Mitt. ≡ *Ditrichum conicum*.

*Cynodontium elongatum* (Hook.f. & Wilson) Mitt. = *Ditrichum cylindricarpum* fide Seppelt 1982.

*Cynodontium hookeri* (Müll. Hal.) Mitt. ≡ *Ditrichum hookeri*.

*Cynodontium hyalinum* (Mitt.) Mitt. ≡ *Ditrichum hyalinum*.

***Daltonia aristata* Geh. & Hampe**

(as *Daltonia uleana*, Reimers 1926). **Dist.** XIV. Valdivia/Ranco.

***Daltonia gracilis* Mitt.**

Larraín 2007b; Hässel et al. 1984; Larraín 2007a; Ireland et al. 2007; He 1998; Bartram 1931, 1952; Robinson 1975; Matteri 1975b, 1985b; Deguchi 1991a (as *Daltonia krauseana*, Dusén 1905a; Herzog 1954). **Dist.** VIII. Arauco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

*Daltonia krauseana* Müll. Hal. = *Daltonia gracilis* fide Bartram 1931.

***Daltonia patagonica* Dusén, nom. nud.**, Dusén 1903b.

***Daltonia trachydonta* Mitt.**

Tropicos 2009; Bartram 1931; Seki 1974; Matteri 1975b; Deguchi 1991a (as *Daltonia valdiviae*, Herzog 1922). **Dist.** VIII. Arauco, Biobío; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén.

*Daltonia uleana* Müll. Hal. = *Daltonia aristata* fide Bartram 1931.

*Daltonia valdiviae* Herzog = *Daltonia trachydonta* fide Bartram 1931.

***Dendrocryphaea crassinervis* (Broth.) Enroth**

He 1998 (as *Cyptodon crassinervis*, Brotherus 1924b; Robinson 1975). **Dist.** XIV. Valdivia/Ranco; Juan Fernández Is.

***Dendrocryphaea cuspidata* (Sull.) Broth.**

Tropicos 2009; Müller 2009; Larraín 2007a; Ireland et al. 2007; He 1998; Mitten 1869; Thériot 1924, 1934b; Brotherus 1924b; Herzog 1954, 1960. **Dist.** V. Valparaíso; VI. Cardenal Caro; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; Juan Fernández Is.

***Dendrocryphaea gorveana* (Mont.) Paris & Schimp.**

Larraín 2007a; Larraín 2005; Müller & Pereira 2006; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922; Seki 1974. **Dist.** VII. Cauquenes, Talca; XIV. Valdivia/Ranco; X. Chiloé, Palena; XI. Aisén.

***Dendrocryphaea lechleri* (M. Fleisch.) Paris & Schimp. ex Thér.**

Ireland et al. 2007; Müller & Pereira 2006; Thériot 1934b (as *Dendrocryphaea ramosissima*, as *Cryphaea pulchella*, Cardot 1908; as *Dendrocryphaea pulchella*, Thériot 1934b; as *Cryphaea tenella*, Mitten 1869; Dusén 1903b; as *Dendrocryphaea tenella* Thériot 1934b). **Dist.** VII. Cauquenes; VIII. Arauco, Concepción; IX. Cautín; XIV. Valdivia/Ranco.

*Dendrocryphaea pulchella* (Paris & Schimp.) M. Fleisch. = *Dendrocryphaea lechleri* fide Griffin et al. 1982.

*Dendrocryphaea ramosissima* (Paris) Wijk & Margad. = *Dendrocryphaea lechleri* fide Griffin et al. 1982.

*Dendrocryphaea tenella* (Mitt.) Thér. = *Dendrocryphaea lechleri* fide Griffin et al. 1982.

***Dendrohypopterygium arbuscula* (Brid.) Kruijer**

Kruijer 2002 (as *Arbusculohypopterygium arbuscula*, Schaumann 2005; as *Hypopterygium arbuscula*, He 1998; Tropicos 2009; Larraín 2007b; Perrier 2005; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; Matteri & Schiavone 2002; Seki 1974; Robinson 1975; Matteri 1973b, 1985b; Deguchi 1991b; as *Hypopterygium thouini*, Eaton 1892; Espinosa 1941; Mitten 1869; Dusén 1903b; Cardot 1908; Thériot 1915, 1918; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Brotherus 1924b; Reimers 1926; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952, 1957; as *Hypopterygium wolffhugelii*, Herzog 1922). **Dist.** V. Aconcagua, Valparaíso; VI. Colchagua; VIII. Arauco, Biobío; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Capitán Prat; XII. Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Dendroligotrichum dendroides* (Brid. ex Hedw.) Broth. subsp. *dendroides***

Tropicos 2009; Larraín 2007b; Perrier 2005; Hässel et al. 1984; Matcham et al. 2007; Döbbeler & Triebel 2000; Buck 2004; Döbbeler 2003; Larraín 2005; Espinosa 1941; Villagran et al. 2003; Schaumann 2005; He 1998; Schiavone & Hyvönen 1993; Matteri & Schiavone 2002; Mitten 1869; Cardot 1908; Thériot 1918; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Brotherus 1924b; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952, 1957; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991b; Schiavone 1993 (as *Polytrichadelphus dendroides*, Cardot 1900, 1901; Dusén 1903b; as *Oligotrichum dendroides*, Kindberg 1888). **Dist.** VIII. Arauco, Biobío; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén, Capitán Prat; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Dendroligotrichum squulosum* (Hook. f. & Wilson) Cardot**

Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Döbbeler 2003; Schaumann 2005; He 1998; Schiavone & Hyvönen 1991; Matteri & Schiavone 2002; Mitten 1869; Cardot 1908; Herzog 1954; Seki 1974; Matteri 1985b; Deguchi 1991b; Schiavone 1993 (as *Polytrichadelphus squamosa*, Dusén 1903b). **Dist.** XIV. Valdivia/Ranco; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Desmatodon bellii* E.B. Bartram ≡ *Hennediella bellii*.

*Desmatodon subtophaceus* (R.S. Williams) R.S. Williams = *Didymodon australasiae* fide Zander 1978.

*Dichodontium dicranelloides* Cardot = *Dicranella campylophylla* fide Ochyra & Newton 1986.

*Dichodontium paludella* Besch. = *Neomeesia paludella*.

*Dichodontium persquarrosum* (Dusén) Cardot = *Dicranella campylophylla* fide Matteri & Schiavone 2002.

*Dichodontium persquarrosum* var. *falklandicum* Cardot = *Dicranella campylophylla* fide Matteri & Schiavone 2002.

*Dicranella aulacocarpa* (Mont.) Mitt. = *Campylopodium euchlorum* fide Matteri & Calabrese 1999.

*Dicranella buckiana* Larraín & Ochyra, nom. nud., Larraín 2007b (X. Chiloé).

***Dicranella campylophylla*** (Taylor) A. Jaeger

(as *Anisothecium cardotii*, Matteri & Schiavone 2002; He 1998; as *Dicranella patagonica*, Herzog 1922; as *Anisothecium persquarrosum*, Dusén 1903b; Roivainen 1934, 1937; Bartram 1952; Herzog 1954; as *Aongstroemia persquarrosa*, Dusén 1905b; as *Dichodontium persquarrosum*, Cardot 1908; Cardot & Brotherus 1923; as *Dichodontium persquarrosum* var. *falklandicum*, Cardot 1908; as *Dicranella cardotii*, Tropicos 2009; Ochyra & Newton 1986; Hässel et al. 1984; Villagran et al. 2003; Ireland & Bellolio 2002; Seki 1974; Matteri 1985b; Deguchi 1991a. **Dist.** V. Aconcagua; RM. Cordillera; VIII. Arauco, Biobío; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Magallanes, Tierra del Fuego, Última Esperanza; Easter I.

*Dicranella cardotii* (R. Br. bis) Dixon = *Dicranella campylophylla* fide Ochyra et al. 2008.

***Dicranella circinata*** Herzog

NY 2009; Herzog 1954. **Dist.** X. Chiloé, Llanquihue.

*Dicranella costata* Broth. = *Campylopodium euchlorum* fide Matteri & Calabrese 1999.

*Dicranella euchlora* (Mont.) Lorentz ≡ *Campylopodium euchlorum*.

*Dicranella flexipes* Cardot & Broth. = *Campylopodium euchlorum* fide Matteri & Calabrese 1999.

*Dicranella flexiseta* Dusén, nom. nud., Paris 1903-1906.

*Dicranella fuegiana* Cardot & Broth. = *Ditrichum heteromallum* fide Ochyra et al. 2008.

***Dicranella harrisi*** (Müll. Hal.) Broth.

Tropicos 2009. **Dist.** VIII. Concepción (*Ireland & Bellolio 31893, MO*).

***Dicranella hawaiiaca*** (Müll. Hal.) Broth.

Ireland & Bellolio 2002. **Dist.** Easter I.

***Dicranella hookeri*** (Müll. Hal.) Cardot

Hässel et al. 1984; Matcham et al. 2007; Larraín 2005; Buck 2002; Matteri & Ochyra 1999; He 1998; Cardot 1908; Thériot 1924; Seki 1974; Matteri 1985b; Deguchi 1991a (as *Anisothecium hookeri*, Ireland & Bellolio 2002; Matteri & Schiavone 2002; Thériot 1929b; Roivainen 1937; Herzog & Hosseus 1938; Herzog 1954; as *Anisothecium perpusillum*, Dusén 1903b; as *Chorisodontium sericeum*, Bartram 1946; as *Dicranella perpusilla*, Cardot & Brotherus 1923; as *Dicranella subclathrata*, Thériot 1924; as *Meesia patagonica*, Dusén 1903b; Cardot 1908; as *Dichodontium dicranelloides*, Cardot 1905; as *Dicranella patagonica*, Herzog 1922). **Dist.** IV. Elqui; V. Aconcagua, Petorca, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Santiago; VI. Cachapoal; VII. Curicó, Talca; VIII. Biobío; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Easter I.

***Dicranella hookeri*** var. *flexisubulata* Cardot & Broth.

Cardot & Brotherus 1923; Seki 1974. **Dist.** XI. Aisén.

*Dicranella jamesonii* (Mitt.) Broth. = *Anisothecium vaginatum* fide Matteri 2003a.

*Dicranella kunzeana* Müll. Hal. ≡ *Leptotrichella kunzeana*.

*Dicranella paludella* (Besch.) Dusén ≡ *Neomeesia paludella*.

*Dicranella patagonica* Müll. Hal. = *Dicranella hookeri* fide Ochyra 1999b.

*Dicranella perpusilla* (Dusén) Cardot = *Dicranella hookeri* fide Newton 1977.

*Dicranella pseudorufescens* Cardot & Broth. ≡ *Anisothecium pseudorufescens*.

*Dicranella pseudorufescens* var. *leptoclada* Cardot & Broth. ≡ *Anisothecium pseudorufescens* var. *leptocladus*.

*Dicranella skottsbergii* Cardot & Broth. ≡ *Anisothecium skottsbergii*.

*Dicranella subclathrata* Lorentz = *Dicranella hookeri* fide Ochyra 1999b.

*Dicranodontium asperifolium* (Mitt.) Broth. ≡ *Campylopus asperifolius*.

*Dicranodontium schwabei* Herzog & Thér. = *Chorisodontium aciphyllum* fide Müller 2002.

*Dicranoloma australe* (Besch.) Paris = *Dicranoloma robustum* fide Matteri & Schiavone 2002.

***Dicranoloma australe*** var. *schwabei* Herzog & Thér. in Herzog & Schwabe

Herzog & Schwabe 1939. **Dist.** X. Llanquihue.

***Dicranoloma billardierei*** (Brid.) Paris var. ***billardierei***

Díaz et al. 2008; Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Ireland et al. 2007; Espinosa 1941; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Thériot 1918, 1935; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Brotherus 1924b; Roivainen 1934, 1937; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952, 1957; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991a (as *Dicranoloma fernandezianum*, Barrera 2006; Brotherus 1924b; Bartram 1957; as *Dicranum billardierei*, Mitten 1869; Dusén 1903b; Cardot 1908; as *Leucoloma billardieri*, Dusén 1905b). **Dist.** V. Valparaíso; VII. Cauquenes; VIII. Arauco, Concepción; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Dicranoloma billardierei*** var. ***compactum*** (Cardot) Cardot & Broth.

Matteri & Schiavone 2002 (as *Dicranum billardierei* var. *compactum*, Cardot 1908). **Dist.** XI. Aisén; XII. Magallanes.

***Dicranoloma capillare*** (Dusén) Broth.

Schaumann 2005; Seki 1974; Deguchi 1991a (as *Dicranum capillare*, Cardot 1908; as *Leucoloma capillare*, Dusén 1905b; as *Leucoloma nigricaule* var. *gracile*, Dusén 1905b). **Dist.** IX. Cautín; X. Llanquihue; XI. Aisén.

***Dicranoloma capillifoloides*** Broth.

Espinosa 1941; Brotherus 1924b; Bartram 1957; Robinson 1975. **Dist.** Juan Fernández Is.

*Dicranoloma capillifolium* (Cardot) Thér. = *Dicranoloma menziesii* fide Greene 1986.

***Dicranoloma chilense*** (De Not.) Ochyra & Matteri

Goffinet et al. 2006; Larraín 2007b; Matcham et al. 2007; Buck 2002; Larraín 2007a; Schaumann 2005; He 1998; Matteri & Schiavone 2002 (as *Dicranoloma nigricaule*, Cardot & Brotherus 1923; Brotherus 1924b; Roivainen 1937; Bartram 1952; Seki 1974; Robinson 1975; Deguchi 1991a; as *Dicranum nigricaule*, Cardot 1901; Dusén 1903b; Cardot 1908; as *Leucoloma nigricaule*, Dusén 1905b; as *Dicranum peruncinatum*, Dusén 1903b; Cardot 1908; as *Leucoloma peruncinatum*, Dusén 1905b; as *Dicranum racovitzae*, Cardot 1900, 1901). **Dist.** V. Valparaíso; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego; Juan Fernández Is.

***Dicranoloma dusenii*** (Broth.) Broth.

Herzog 1954 (as *Leucoloma dusenii*, Dusén 1905b). **Dist.** VIII. Arauco; X. Osorno.

*Dicranoloma fernandezianum* Broth. = *Dicranoloma billardierei* fide Robinson 1975.

*Dicranoloma fuegianum* (Dusén) Broth. = *Dicranoloma harriotii* fide Wijk et al. 1962.

***Dicranoloma harriotii*** (Müll. Hal.) Paris var. ***harriotii***

Hässel et al. 1984; Matteri & Schiavone 2002; Cardot & Brotherus 1923; Roivainen 1937; Herzog 1954; Seki 1974; Matteri 1985b (as *Dicranum harriotii*, Cardot 1900, 1901; as *Leucoloma harriotii*, Dusén 1905b; as *Leucoloma fuegianum*, Dusén 1905b). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Dicranoloma harriotii*** var. ***laxum*** (Dusén) Cardot & Broth.

Cardot & Brotherus 1923 (as *Leucoloma fuegianum* var. *laxum*, Dusén 1905b). **Dist.** XII. Magallanes.

***Dicranoloma hollermayeri*** Thér.

Thériot 1935. **Dist.** XIV. Valdivia/Ranco.

***Dicranoloma imponens*** (Mont.) Renaud

Díaz et al. 2008; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; Matteri & Schiavone 2002; Thériot 1921; Cardot & Brotherus 1923; Roivainen 1934, 1937; Herzog & Schwabe 1939; Matteri 1985b (as *Dicranum imponens*, Eaton 1892; Cardot 1908; as *Leucoloma imponens*, Dusén 1905b; as *Dicranum involutifolium*, Sullivant 1850). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Dicranoloma kunkelii* H. Rob.

Robinson 1975. **Dist.** Juan Fernández Is.

*Dicranoloma menziesii* (Hook. f. & Wilson) Paris

Larraín 2005; He 1998; Brotherus 1924b; Robinson 1975 (as *Dicranoloma capillifolium*, Thériot 1918; Cardot & Brotherus 1923; Herzog & Hosseus 1938; Herzog 1954, 1960; Bartram 1957; *Dicranum capillifolium*, Barrera 2006; Cardot 1908; as *Campylopus fernandezianus*, Bartram 1957; Frahm 1976; as *Leucoloma capillifolium*, Dusén 1905b). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Magallanes; Juan Fernández Is.

*Dicranoloma menziesii* var. *chilense* Thér.

Thériot 1924. **Dist.** Without exact locality.

*Dicranoloma muelleri* (Dusén) Roiv.

Larraín 2007b; Villagran et al. 2003; Roivainen 1937; Herzog 1954; Seki 1974; Deguchi 1991a (as *Leucoloma muelleri*, Dusén 1905b). **Dist.** IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Magallanes, Tierra del Fuego.

*Dicranoloma nigricaula* (Ångström) Paris = *Dicranoloma chilense* fide Ochyra & Matteri 1996.

*Dicranoloma nigricaula* var. *flexuosulum* (Dusén) E.B. Bartram

(as *Leucoloma nigricaula* var. *flexuosulum*, Dusén 1905b). **Dist.** XIV. Valdivia/Ranco.

*Dicranoloma perremotifolium* (Dusén) Broth.

Tropicos 2009; Larraín 2005; Villagran et al. 2003; He 1998; Roivainen 1934; Herzog 1954, 1960 (as *Dicranum perremotifolium*, Dusén 1903b; Cardot 1908; as *Leucoloma perremotifolium*, Dusén 1905b). **Dist.** VIII. Biobío; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén.

*Dicranoloma perremotifolium* var. *fragile* (Dusén) Thér.

Thériot 1935 (as *Leucoloma perremotifolium* var. *fragile*, Dusén 1905b). **Dist.** VIII. Arauco; XIV. Valdivia/Ranco; X. Osorno.

*Dicranoloma peruncinatum* (Dusén) Broth. = *Dicranoloma chilense* fide Wijk et al. 1962.

*Dicranoloma pungens* (Hook.f. & Wilson) Paris = *Dicranoloma robustum* fide Sainsbury 1955.

*Dicranoloma robustum* var. *pungens* Hook.f. & Wilson = *Dicranoloma robustum* fide Sainsbury 1955.

*Dicranoloma robustum* (Hook. f. & Wilson) Paris var. *robustum*

Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Buck 2002; Larraín 2005; Villagran et al. 2003; Schaumann 2005; Matteri & Schiavone 2002 (as *Dicranoloma australe*, Cardot & Brotherus 1923; Roivainen 1937; Seki 1974; as *Dicranum australe*, Dusén 1903b; Cardot 1908; as *Leucoloma robustum* var. *flexuosum*, Dusén 1905b; He 1998; Herzog 1922; Cardot & Brotherus 1923; Roivainen 1937; Herzog & Hosseus 1938; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991a; as *Dicranoloma pungens*, Reimers 1926; Thériot 1935; Herzog & Hosseus 1938; Herzog & Schwabe 1939; as *Dicranum pungens*, Cardot 1908; as *Dicranum grandialare*, Dusén 1903b; as *Dicranum robustum*, Eaton 1892; Mitten 1869; Cardot 1900, 1901, 1908; Dusén 1903b; as *Leucoloma grandialare*, Dusén 1905b; as *Leucoloma robustum*, Dusén 1905b; as *Dicranoloma robustum* var. *pungens*, Eaton 1892). **Dist.** IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Dicranoloma robustum* var. *longisetaceum* Herzog

Larraín 2005; Herzog & Hosseus 1938. **Dist.** XIV. Valdivia/Ranco; X. Osorno.

*Dicranoloma robustum* var. *setosum* (Hook. f. & Wilson) Sainsbury

(as *Dicranoloma setosum*, Herzog 1922, 1954; Roivainen 1934; Bartram 1952; Seki 1974, as *Dicranum setosum*, Cardot 1908; as *Leucoloma setosum*, Dusén 1905b). **Dist.** XIV. Valdivia/Ranco; X. Osorno; XI. Aisén; XII. Magallanes.

*Dicranoloma robustum* var. *strictifolium* (Dusén) Wijk & Margad.

(as *Leucoloma muelleri* var. *strictifolium*, Dusén 1905b; as *Dicranum setosum* var. *strictifolium*, Cardot 1908). **Dist.** XI. Aisén.

*Dicranoloma setosum* (Hook.f. & Wilson) Paris = *Dicranoloma robustum* var. *setosum*.

*Dicranoloma subimponens* (Cardot) Broth.

- Matteri & Schiavone 2002; Cardot & Brotherus 1923; Roivainen 1937; Seki 1974. **Dist. XI.**  
Aisén; XII. Magallanes, Tierra del Fuego.
- Dicranoweisia antarctica* (Müll. Hal.) Paris ≡ *Hymenoloma antarcticum*.  
*Dicranoweisia antarctica* fo. *breviseta* Roiv. = *Hymenoloma antarcticum* fide Ochyra et al. 2008.  
*Dicranoweisia austrocrispula* (Müll. Hal.) Paris = *Hymenoloma crispulum* fide Ochyra et al. 2008.  
*Dicranoweisia brevipes* (Müll. Hal.) Cardot = *Hymenoloma antarcticum* fide Ochyra et al. 2008.  
*Dicranoweisia breviseta* Cardot = *Hymenoloma antarcticum* fide Ochyra et al. 2008.  
*Dicranoweisia crispula* (Hedw.) Lindb. ex Milde ≡ *Hymenoloma crispulum*.  
*Dicranoweisia cryptodon* (Mitt.) Paris ≡ *Camptodontium cryptodon*.  
*Dicranoweisia humilis* (Müll. Hal.) Broth. = *Kiaeria pumila* fide Ochyra 1993a.  
*Dicranoweisia jugellifera* Dusén ≡ *Hymenoloma jugelliferum*.  
*Dicranoweisia mackayi* (Broth. & Dixon) Broth. = *Hymenoloma antarcticum* fide Ochyra et al. 2008.  
*Dicranoweisia nordenskjoeldii* (Dusén) Reim. = *Hymenoloma antarcticum* fide Ochyra et al. 2008.  
*Dicranoweisia perpulvinata* Dusén = *Hymenoloma crispulum* fide Cardot 1908.  
*Dicranoweisia subglobosa* (Herzog) S. He ≡ *Hymenoloma subglobosa*.  
*Dicranoweisia subinclinata* (Müll. Hal.) Broth. = *Hymenoloma crispulum* fide Ochyra 1998.  
*Dicranoweisia tenella* Dusén, nom. nud. = *Camptodontium cryptodon* fide Reimers 1936.  
*Dicranoweisia turpis* (Cardot) Ochyra ≡ *Hymenoloma turpe*.  
*Dicranum aciphyllum* Hook.f. & Wilson ≡ *Chorisodontium aciphyllum*.  
*Dicranum antarcticum* Müll. Hal. ≡ *Hymenoloma antarcticum*.  
*Dicranum australe* Besch. = *Dicranoloma robustum* fide Matteri & Schiavone 2002.  
*Dicranum billardierei* Brid. ≡ *Dicranoloma billardierei*.  
*Dicranum billardierei* var. *compactum* Cardot ≡ *Dicranoloma billardierei* var. *compactum*.  
*Dicranum billardierei* var. *flavicans* Cardot  
Cardot 1908. **Dist. XII.** Última Esperanza.  
*Dicranum capillare* (Dusén) Cardot ≡ *Dicranoloma capillare*.  
*Dicranum capillifolium* (Broth.) Cardot = *Dicranoloma menziesii* fide Robinson 1975.  
*Dicranum cardotii* R.Br. bis = *Dicranella campylophylla* fide Ochyra et al. 2008.  
*Dicranum chilense* De Not. ≡ *Dicranoloma chilense*.  
*Dicranum cirrhifolium* Schimp. ex Dusén = *Platyneuron praealtum* fide Ochyra & Bednarek-Ochyra 1997.  
*Dicranum cryptodon* Mont. ≡ *Camptodontium cryptodon*.  
*Dicranum dicranellatum* Dusén ≡ *Chorisodontium dicranellatum*.  
*Dicranum euchloron* Mont. ≡ *Campylopodium euchloron*.  
*Dicranum grandialare* Dusén, nom. nud. = *Dicranoloma robustum* fide Cardot 1908.  
*Dicranum harriotii* Hook.f. & Wilson ≡ *Dicranoloma harriotii*.  
*Dicranum imponens* Mont. ≡ *Dicranoloma imponens*.  
*Dicranum inerme* Mitt. = *Holodontium strictum* fide Ochyra 1993a.  
*Dicranum involutifolium* Sull. = *Dicranoloma imponens* fide Wijk et al. 1962.  
*Dicranum lanigerum* Müll. Hal. = *Chorisodontium aciphyllum* fide Hyvönen 1991.  
*Dicranum laticostatum* Cardot = *Platyneuron praealtum* fide Ochyra & Bednarek-Ochyra 1997.  
*Dicranum leucopterum* Müll. Hal. = *Chorisodontium aciphyllum* fide Hyvönen 1991.  
*Dicranum macropus* Kunze ex Müll. Hal. = *Chorisodontium aciphyllum* fide Hyvönen 1991.  
*Dicranum magellanicum* Cardot ≡ *Chorisodontium magellanicum*.  
*Dicranum nigricaulе* Ångström = *Dicranoloma chilense* fide Ochyra & Matteri 1996.  
*Dicranum orthocomum* (Besch.) Müll. Hal. = *Chorisodontium aciphyllum* fide Hyvönen 1991.  
*Dicranum percompactum* Dusén, nom. nud. = *Chorisodontium magellanicum* fide Roivainen 1937.  
*Dicranum perhorridum* (Dusén) Cardot = *Chorisodontium aciphyllum* fide Hyvönen 1991.  
*Dicranum perremotifolium* (Dusén) Cardot ≡ *Dicranoloma perremotifolium*.  
*Dicranum peruncinatum* (Dusén) Cardot = *Dicranoloma chilense* fide Ochyra & Matteri 1996.  
*Dicranum pumilum* (Mitt.) Mitt. ≡ *Kiaeria pumila*.  
*Dicranum pungens* Hook.f. & Wilson = *Dicranoloma robustum* fide Sainsbury 1955.  
*Dicranum racovitzae* Cardot = *Dicranoloma chilense* fide Ochyra & Matteri 1996.  
*Dicranum ramulosum* Mitt. = *Kiaeria pumila* fide Ochyra 1993.  
*Dicranum rigens* Besch. = *Chorisodontium aciphyllum* fide Cardot 1916.  
*Dicranum robustum* Hook.f. & Wilson ≡ *Dicranoloma robustum*.  
*Dicranum robustum* var. *giganteum* Cardot  
Cardot 1908. **Dist. XII.** Magallanes.  
*Dicranum robustum* var. *lagunicola* (Dusén) Cardot  
Cardot 1908 (as *Leucoloma robustum* var. *lagunicola*, Dusén 1905b). **Dist. XII.** Magallanes.  
*Dicranum scaberrimum* Broth. ex Dusén = *Chorisodontium aciphyllum* fide Cardot 1909.  
*Dicranum setosum* Hook.f. & Wilson ≡ *Dicranoloma robustum* var. *setosum*.  
*Dicranum setosum* var. *strictifolium* (Dusén) Cardot = *Dicranoloma robustum* var. *strictifolium*.

*Didymodon acutus* (Brid.) K. SaitoCano 2003. **Dist.** XV. Parinacota.*Didymodon ampliretis* E.B. BartramHässel et al. 1984; Matteri & Schiavone 2002; Bartram 1946; Matteri 1985b. **Dist.** XII. Magallanes, Tierra del Fuego, Última Esperanza.*Didymodon andreaeoides* Cardot & Broth.Tropicos 2009; Müller 2009; Hässel et al. 1984; Matteri 1985b; Matteri & Schiavone 2002. **Dist.** IX. Cautín; XIV. Valdivia/Ranco; X. Osorno; XI. Coihaique; XII. Magallanes, Última Esperanza.*Didymodon australasiae* (Hook. & Grev.) R.H. ZanderTropicos 2009; Müller 2009; Jiménez & Cano 2007; Jiménez et al. 2005; He 1998; Zander 1978 (as *Barbula australasiae*, Dusén 1906a; as *Tortula australasiae*, Mitten 1869; as *Tortula graminicolor*, Mitten 1869; as *Desmatodon subtophaceus*, Williams 1915; as *Didymodon subtophaceus*, Herzog 1954; as *Tortula geniculata*, Mitten 1869; as *Asteriscium geniculatum*, Herzog & Hosseus 1938; Herzog 1954; as *Barbula poeppigiana*, Espinosa 1941; Thériot 1917, 1928; Costes 1921; Brotherus 1924a). **Dist.** XV. Parinacota; II. El Loa; IV. Choapa, Elqui, Limarí; V. Aconcagua, Petorca, Valparaíso; RM. Chacabuco, Melipilla, Santiago; VI. Cachapoal, Colchagua; VII. Talca; VIII. Concepción; IX. Cautín; XI. Aisén; XII. Última Esperanza.*Didymodon berthoanus* Thér. ≡ *Bryoerythrophyllum berthoanus*.*Didymodon calympericidictyon* Broth. = *Bryoerythrophyllum campylocarpum* fide Robinson 1975.*Didymodon cardotii* (Dusén) R.H. Zander(as *Barbula cardotii*, Dusén 1905a, Dusén 1906a). **Dist.** XII. Magallanes.*Didymodon coquimbensis* J.A. Jiménez & CanoJiménez & Cano 2007. **Dist.** IV. Elqui.*Didymodon deciduus* R.H. ZanderZander 1993 (as *Asteriscium deciduum*, Herzog & Hosseus 1938). **Dist.** VIII. Biobío.*Didymodon fuscus* (Müll. Hal.) J.A. Jiménez & CanoJiménez & Cano 2007 (as *Barbula fusca*, Costes 1921; Dusén 1906a; Cardot 1908; Thériot 1918, 1921, 1928; Herzog & Hosseus 1938; Bartram 1952; as *Tortula fusca*, Mitten 1869; as *Barbula fuscoviridis*, Williams 1915; Thériot 1921). **Dist.** IV. Choapa, Elqui, Limarí; V. Petorca, Quillota, San Antonio, Valparaíso; RM. Santiago; VI. Cachapoal; VII. Cauquenes; VIII. Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén.*Didymodon laevigatus* (Mitt.) R.H. Zander(as *Barbula laevigata*, Dusén 1906b; Cardot 1908). **Dist.** XI. Aisén.*Didymodon linearis* Broth. = *Bryoerythrophyllum campylocarpum* fide Robinson 1975.*Didymodon luridus* Hornsch. ex Spreng.Tropicos 2009. **Dist.** XIV. Valdivia/Ranco (*Mahú 11737, 12313, 12317, MO*, det. Jiménez).*Didymodon orbignyanus* (Müll. Hal.) Broth.Brotherus 1924a; Espinosa 1941. **Dist.** RM. Santiago.*Didymodon patagonicus* (Mitt.) Broth.(as *Barbula patagonica*, Dusén 1903b). **Dist.** XII. Patagonia.*Didymodon reflexus* Thér.Thériot 1924. **Dist.** V. Valparaíso.*Didymodon rigidulus* Hedw.Tropicos 2009; Pereira et al. 2006; Schaumann 2005; Frey & Schaumann 2002; Matteri & Schiavone 2002 (as *Barbula rigidula*, Roivainen 1934). **Dist.** IV. Limarí; VII. Talca; VIII. Arauco, Ñuble. X. Llanquihue; XII. Fuegian region.*Didymodon santessonii* (E.B. Bartram) J.A. Jiménez & Cano

(as *Barbula santessonii*, Bartram 1952; Herzog 1954; Seki 1974). **Dist.** IV. Choapa, Limarí; V. Aconcagua, Quillota, San Antonio, Valparaíso; VI. Cardenal Caro; XI. Aisén.

**Didymodon schilleri** Herzog & Thér.

NY 2009; Herzog & Hosseus 1938. **Dist.** IX. Cautín; X. Palena.

*Didymodon schimperi* (Mont.) Broth. = *Tortula atrovirens* fide Zander 1993.

*Didymodon subtophaceus* R.S. Williams = *Didymodon australasiae* fide Zander 1978.

*Didymodon torquatus* (Taylor) Catcheside = *Didymodon vinealis* fide Sollman 1995.

**Didymodon tophaceus** (Brid.) Lisa

Tropicos 2009. **Dist.** IV. Choapa (*Mahú 12571, 11839*, MO, det. Jiménez), Limarí (*Mahú 24358*, MO, det. Jiménez); V. San Antonio (*Mahú 23410*, MO, det. Jiménez), Valparaíso (*Mahú 11747*, MO, det. Jiménez); RM. Cordillera (*Mahú 23247*, MO, det. Jiménez), Melipilla (*Mahú 20083*, MO, det. Jiménez).

**Didymodon umbrosus** (Müll. Hal.) R. H. Zander

Tropicos 2009; Müller 2009. **Dist.** IV. Limarí; RM. Santiago.

**Didymodon vinealis** (Brid.) R.H. Zander

Villagran et al. 2004; He 1998; Müller & Pereira 2006 (as *Asteriscium poeppigianum*, Herzog & Hosseus 1938; Herzog 1954; as *Weissia poeppigiana*, Mitten 1869). **Dist.** IV. Coquimbo, Limarí; V. Aconcagua, Valparaíso; RM. Santiago, Talagante; VII. Cauquenes, Linares; VIII. Biobío, Concepción; IX. Malleco; XIV. Valdivia/Ranco; XI. Aisén.

**Diphyscium pilmaiquen** (Crosby) Magombo

Ireland et al. 2007; Magombo 2003 (as *Muscoflorschuetzia pilmaiquen*, Crosby 1977, 1978; Deguchi 1991a; as *Florschuetzia pilmaiquen*, Barrera 2006). **Dist.** VIII. Arauco; X. Osorno.

*Diplostichum poeppigii* (Müll. Hal.) Cardot, hom. illeg. = *Eustichia longirostris* fide Allen 2002.

*Dissodon magellanicum* (Brid.) Hampe ≡ *Tayloria magellanica*.

*Dissodon mirabilis* Cardot ≡ *Tayloria mirabilis*.

**Distichium capillaceum** (Hedw.) Bruch & Schimp.

Hässel et al. 1984; Buck 2002; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Dusén 1903b, 1905b; Roivainen 1937; Bartram 1952; Matteri 1985b; Deguchi 1991a (as *Distichium capillaceum* var. *compactum*, Matteri & Schiavone 2002; Hässel et al. 1984). **Dist.** VII. Curicó, Talca; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Distichium capillaceum* var. *compactum* (Huebener) Dalla Torre & Sarnth. = *Distichium capillaceum* fide Ochyra et al. 2008.

**Distichophyllum assimile** Broth.

Brotherus 1924b; Bartram 1957; Robinson 1975; Matteri 1975b. **Dist.** XIV. Valdivia/Ranco; Juan Fernández Is.

*Distichophyllum cavifolium* (Cardot) Cardot = *Distichophyllum eremita*fide Matteri 1975b.

*Distichophyllum cavifolium* var. *montanum* Cardot = *Distichophyllum eremita*fide Matteri 1975b.

*Distichophyllum crispatisimum* Dusén, nom. nud. = *Distichophyllum ellipticum* fide Matteri 1975b.

**Distichophyllum dicksonii** (Hook. & Grev.) Mitt.

Larraín 2007b; Hässel et al. 1984; He 1998; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog & Hosseus 1938; Herzog 1954; Seki 1974; Matteri 1975b, 1985b; Deguchi 1991a. **Dist.** XIV. Valdivia/Ranco; X. Chiloé; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

**Distichophyllum ellipticum** Herzog

Larraín 2007b; Hässel et al. 1984; Larraín 2007a; Matteri & Schiavone 2002; Herzog 1954; Matteri 1975b, 1985b (as *Distichophyllum crispatisimum*, Dusén 1903b; Herzog & Schwabe 1939). **Dist.** X. Chiloé; XI. Aisén; XII. Magallanes, Última Esperanza.

**Distichophyllum eremita** (A. Jaeger) Paris

Hässel et al. 1984; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Seki 1974; Matteri 1975b, 1985b (as *Distichophyllum cavifolium*, Cardot 1908; as *Distichophyllum cavifolium* var. *montanum*, Cardot & Brotherus 1923; as *Distichophyllum procumbens*, Mitten 1869). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Distichophyllum fasciculatum* Mitt.

Herzog 1960. **Dist.** XIV. Valdivia/Ranco.

*Distichophyllum fernandezianum* Broth.

He 1998; Matteri 1975b. **Dist.** XIV. Valdivia/Ranco; Juan Fernández Is.

*Distichophyllum flaccidum* (Hook.f. & Wilson) Mitt.

Hässel et al. 1984; Buck 2005b; He 1998; Mitten 1869; Cardot 1908; Matteri 1975b, 1985b; Matteri & Schiavone 2002 (as *Mniadelphus flaccidus*, Dusén 1903b). **Dist.** IX. Malleco; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Distichophyllum grandifolium* Matteri

Matteri 1975b. **Dist.** X. Llanquihue.

*Distichophyllum krausei* (Lorentz) Mitt.

Hässel et al. 1984; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Cardot 1908; Matteri 1975b, 1985b; Deguchi 1991a (as *Mniadelphus krausei*, Dusén 1903b; as *Distichophyllum nigricans*, Dusén 1903b; Cardot 1908). **Dist.** V. Valparaíso; VII. Cauquenes; VIII. Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Distichophyllum molle* Besch. ≡ *Calyptrochaete mollis*.

*Distichophyllum nanospathulatum* Herzog

Schaumann 2005; He 1998; Herzog 1954; Matteri 1975b. **Dist.** XIV. Valdivia/Ranco; X. Osorno; XI. Aisén.

*Distichophyllum nigricans* Besch. = *Distichophyllum krausei* fide Matteri 1975a.

*Distichophyllum patagonicum* Besch.

Dusén 1903b; Cardot 1908. **Dist.** XII. Magallanes.

*Distichophyllum procumbens* Mitt., hom. illeg. = *Distichophyllum eremita* fide Matteri 1975b.

*Distichophyllum rotundifolium* (Hook.f. & Wilson) Müll. Hal. & Broth.

Schaumann 2005; Streimann 1999; He 1998; Cardot & Brotherus 1923; Herzog 1960; Matteri 1975b; Deguchi 1991a. **Dist.** X. Llanquihue, Osorno; XI. Aisén; XII. Tierra del Fuego; Juan Fernández Is.

*Distichophyllum subelimbatum* Broth.

Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957; Robinson 1975; Matteri 1975b.

**Dist.** Juan Fernández Is.

*Distichophyllum submersum* Matteri

Hässel et al. 1984; Matteri 1975b, 1985b; Matteri & Schiavone 2002. **Dist.** XII. Magallanes, Tierra del Fuego, Última Esperanza.

*Distichophyllum theriotianum* Matteri

Matteri 1975b. **Dist.** XI. Aisén.

*Ditrichum affine* (Müll. Hal.) Hampe. = *Ditrichum difficile* fide Seppelt 1982.

*Ditrichum austrogeorgicum* (Cardot) Seppelt = *Ditrichum hyalinum* fide Ochyra 1998.

*Ditrichum brotherusii* (R. Br. bis) Seppelt

Buck 2002; Matteri & Schiavone 2002; Deguchi 1991a (as *Pseudodistichium fuegianum*, Roivainen 1937). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego.

*Ditrichum conicum* (Mont.) Mitt.

Ochyra 1999c; Matteri & Schiavone 2002; Dusén 1903b, 1905b; Cardot 1908; Cardot & Brotherus 1923; Thériot 1935; Roivainen 1937; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Deguchi 1991a (as *Cynodontium conicum*, Mitten 1869; as *Pseudodistichium atlanticum*, Robinson 1964; as *Pseudodistichium taitaoense*, Froehlich 1953; as *Ditrichum conicum* var. *glaciale*, Cardot & Brotherus 1923). **Dist.** IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Tierra del Fuego, Última Esperanza.

*Ditrichum conicum* var. *glaciale* Cardot & Broth. = *Ditrichum conicum* fide Ochyra 1999c.

*Ditrichum cylindricarpum* (Müll. Hal.) F. Muell.

Larraín 2007b; Buck 2002; Larraín 2007a; Ireland et al. 2007; He 1998; Deguchi 1991a (as *Cynontodium elongatum*, Mitten 1869; as *Ditrichum elongatum*, Cardot 1908; Herzog 1922, 1954; Seki 1974). **Dist.** VIII. Arauco, Biobío, Ñuble; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes.

***Ditrichum difficile*** (Duby) M. Fleisch.

Tropicos 2009; Larraín 2007b; Larraín 2005; Villagran et al. 2003; Schaumann 2005; Ireland & Bellolio 2002; He 1998; Müller & Pereira 2006; Robinson 1975; Deguchi 1991a; Matteri & Schiavone 2002 (as *Cynontodium affine*, Mitten 1869; as *Ditrichum affine*, Espinosa 1941; Dusén 1903b, 1905b; Cardot 1908; Thériot 1915; Herzog 1922; Brotherus 1924b; Seki 1974; as *Ditrichum flexifolium*, Thériot 1921; Herzog & Hosseus 1938; Bartram 1957; Robinson 1975; as *Ditrichum rufescens*, Matteri 1985b; Hässel et al. 1984; as *Ditrichum stenostomum*, Cardot 1908; Roivainen 1937). **Dist.** VII. Cauquenes, Linares; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.; Easter I.

***Ditrichum ditrichoideum*** (Cardot) Ochyra

Ochyra et al. 2008 (as *Philibertia ditrichoidea*, Hässel et al. 1984; Cardot & Brotherus 1923; Herzog & Hosseus 1938; Matteri 1985b; as *Ditrichum gemmiferum*, Ochyra & Lewis Smith 1998; Ochyra 1999a; Ochyra & Deguchi 1999). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza.

*Ditrichum elongatum* (Hook.f. & Wilson) Mitt. = *Ditrichum cylindricarpum* fide Seppelt 1982.

*Ditrichum flexifolium* Hampe = *Ditrichum difficile* fide Magill 1981.

*Ditrichum fontanum* Herzog ≡ *Anisothecium fontanum*.

*Ditrichum gemmiferum* Ochyra & Lewis-Smith = *Ditrichum ditrichoideum* fide Ochyra et al. 2008.

***Ditrichum hallei*** Cardot & Broth.

Barrera 2006; Cardot & Brotherus 1923; Roivainen 1934, 1937; Matteri & Schiavone 2002.

**Dist.** VIII. Ñuble; XII. Tierra del Fuego.

***Ditrichum heteromallum*** (Hedw.) E. Britton

Hässel et al. 1984; Ochyra 1999c; Matteri 1985b; Deguchi 1991a; Matteri & Schiavone 2002 (as *Ditrichum homomallum*, Cardot & Brotherus 1923; as *Ditrichum homomallum* var. *leptocephalum*, Cardot & Brotherus 1923; as *Dicranella fuegiana*, Buck 2002; Matteri & Schiavone 2002). **Dist.** XI. Aisén; XII. Antártica Chilena, Tierra del Fuego, Última Esperanza.

*Ditrichum homomallum* (Hedw.) Hampe = *Ditrichum heteromallum* fide Matsui & Iwatsuki 1990.

*Ditrichum homomallum* var. *leptocephalum* Cardot & Broth. = *Ditrichum heteromallum* fide Ochyra 1999c.

***Ditrichum hookeri*** (Müll. Hal.) Hampe

Tropicos 2009; Matteri & Schiavone 2002; Dusén 1903b, 1905b; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1937; Herzog 1954; Seki 1974; Deguchi 1991a (as *Blindia leptotrichocarpa*, Dusén 1903b; as *Chorisodontium sericeum*, Hässel et al. 1984; Bartram 1946; Matteri 1985b; as *Cynontodium hookeri*, Mitten 1869). **Dist.** IX. Arauco; X. Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Ditrichum hyalinocuspidatum*** Cardot

Ochyra et al. 2008; Matteri & Schiavone 2002; Cardot & Brotherus 1923. **Dist.** XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Ditrichum hyalinum*** (Mitt.) Kuntze

Buck 2002; Schaumann 2005; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Herzog 1954; Seki 1974; Deguchi 1991a; Ochyra 1999a (as *Cynontodium hyalinum*, Mitten 1869; as *Ditrichum austro-georgicum*, Deguchi 1991a; as *Pseudodistichium austrogeorgicum*, Roivainen 1937; Matteri 1985b; Hässel et al. 1984). **Dist.** IX. Cautín; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Ditrichum lewis-smithii* Ochyra = *Ditrichum hyalinocuspidatum* fide Ochyra et al. 2008.

***Ditrichum longisetum*** (Lorentz) Hampe

Espinosa 1941; Dusén 1903b, 1905b; Cardot 1908; Brotherus 1924b; Herzog & Schwabe 1939; Bartram 1957; Seki 1974; Robinson 1975. **Dist.** XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

**Ditrichum nitens** (Herzog) Frank Müll.

(as *Philibertiella nitens*, Herzog 1960; Matteri 1985b; Hässel et al. 1984). **Dist.** XIV. Valdivia/Ranco; X. Osorno; XII. Magallanes, Última Esperanza.

*Ditrichum paealtum* (Mitt.) Kuntze ≡ *Platyneuron paealtum*.

**Ditrichum roivanenii** E.B. Bartram & Roiv.

Rovainen 1937; Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego.

*Ditrichum rufescens* (Hampe) Hampe = *Ditrichum difficile* fide Allen 1994.

*Ditrichum stenostomum* Cardot = *Ditrichum difficile* fide Allen 1994.

**Ditrichum strictum** (Hook.f. & Wilson) Hampe

He 1998; Dusén 1903b; Cardot 1908. **Dist.** IX. Malleco.

**Drepanocladus aduncus** (Hedw.) Warnst.

Hässel et al. 1984; Matteri 1985b; Deguchi 1991a (as *Hypnum aduncum*, Cardot 1908; as *Drepanocladus aduncus* var. *kneiffii*, He 1998; as *Drepanocladus kneiffii*, Deguchi 1991a; as *Drepanocladus polycarpos*, Ochyra & Matteri 2001; Matteri & Schiavone 2002). **Dist.** RM. Santiago; VIII. Biobío; X. Osorno, Palena; XII. Magallanes, Tierra del Fuego, Última Esperanza.

*Drepanocladus aduncus* var. *kneiffii* (Schimp.) Mönk. = *Drepanocladus aduncus* fide Hedenäs 2003.

*Drepanocladus austrostramineus* (Müll. Hal.) Broth. ex Paris = *Warnstorffia fontinaliopsis* fide Ochyra & Matteri 2001.

*Drepanocladus cossonii* (Schimp.) Loeske ≡ *Scorpidium cossonii*.

*Drepanocladus exannulatus* (Schimp.) Warnst. ≡ *Warnstorffia exannulata*.

**Drepanocladus exannulatus** var. **falcifolius** (Renauld) Grout

(as *Drepanocladus fluitans* var. *falcifolius*, Thériot 1924). **Dist.** RM. Maipo.

*Drepanocladus fluitans* (Hedw.) Warnst. ≡ *Warnstorffia fluitans*.

*Drepanocladus fluitans* var. *australe* (Cardot) Broth. = *Drepanocladus longifolius* fide Ochyra & Matteri 2001.

*Drepanocladus fluitans* var. *falcifolius* (Renauld) Thér. ≡ *Drepanocladus exannulatus* var. *falcifolius* fide Grout 1929.

*Drepanocladus fuegianus* (Mitt.) Broth. ex Paris = *Warnstorffia fluitans* fide Ochyra & Matteri 2001.

*Drepanocladus kneiffii* (Schimp.) Warnst. var. *chilense* Thér.

Thériot 1924. **Dist.** RM. Maipo.

*Drepanocladus laculosus* (Müll. Hal.) Broth. = *Warnstorffia fontinaliopsis* fide Ochyra & Matteri 2001.

**Drepanocladus longifolius** (Mitt.) Broth. ex Paris

Müller 2009; Buck 2002; Vanderpoorten et al. 2003; Ochyra & Matteri 2001; Matteri & Schiavone 2002; Cardot & Brotherus 1923; Rovainen 1934; Bartram 1952 (as *Cratoneuron perpicratum*, Brotherus 1909; as *Hypnum longifolium*, Dusén 1903b; Cardot 1908). **Dist.** RM. Cordillera; VII. Talca; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego.

**Drepanocladus perpicratum** (Dusén) G. Roth

Hedenäs 2003 (as *Richardsiopsis lacustris*, Ochyra & Mahu 1988). **Dist.** XV. Parinacota.

*Drepanocladus polycarpos* (Blandow ex Voit) Warnst. = *Drepanocladus aduncus* fide Hedenäs 2003.

*Drepanocladus revolvens* (Sw. ex anon.) Warnst. ≡ *Scorpidium revolvens*.

**Drepanocladus secundifolius** (Müll. Hal.) Dixon

Matteri & Schiavone 2002 (as *Rhaphidostegium secundifolium*, Dusén 1903b; Cardot 1908; as *Sematophyllum secundifolium*, Mitten 1869). **Dist.** XII. Antártica Chilena. Note: The generic position of this species is uncertain.

**Drepanocladus sordidus** (Müll. Hal.) Hedenäs

Hedenäs 2003. **Dist.** III. Copiapó.

*Drepanocladus symmetricus* (Renauld & Cardot) Cardot ≡ *Sanionia symmetrica*.

*Drepanocladus uncinatus* (Hedw.) Warnst. ≡ *Sanionia uncinata*.

*Drepanocladus uncinatus* var. *plumulosus* (Schimp.) Warnst.

Cardot & Brotherus 1923. **Dist.** XI. Aisén.

*Drepanocladus uncinatus* var. *stenocarpus* Cardot & Broth. = *Sanionia uncinata* fide Ochyra & Matteri 2001.

*Drepanocladus uncinatus* var. *symmetricus* (Renauld & Cardot) Grout ≡ *Sanionia symmetrica*.

***Drummondia obtusifolia*** Müll. Hal.

Tropicos 2009; He 1998; Mitten 1869; Herzog & Hosseus 1938; Herzog 1954, 1960. **Dist.** VII. Linares; VIII. Ñuble; IX. Cautín; X. Osorno.

*Duseniella genuflexa* (Müll. Hal.) Broth. ≡ *Ancistrodes genuflexa*.

*Ectropothecium berberidis* Dusén ≡ *Rhaphidorrhynchium berberidis*.

*Ectropothecium spirifolium* Dusén ≡ *Vesiculariopsis spirifolium*.

***Encalypta armata*** Broth. ex Dusén

Müller 2009 (as *Encalypta berthoana*, Thériot 1923). **Dist.** IV. Limarí; RM. Santiago; XI. General Carrera.

***Encalypta asperifolia*** Mitt.

Tropicos. **Dist.** XV. Parinacota (*Moreno* 12981, 12980, 12982, MO, det. Robinson).

*Encalypta australis* Mitt. = *Encalypta vulgaris* fide Dixon 1926.

*Encalypta austro-ciliata* Broth. = *Encalypta ciliata* fide Horton 1983.

*Encalypta berthoana* Thér. = *Encalypta armata* fide Horton 1983.

***Encalypta ciliata*** Hedw.

Buck 2002; Matteri & Schiavone 2002; Deguchi 1991a (as *Encalypta austro-ciliata*, Hässel et al. 1984; Dusén 1906a; Cardot & Brotherus 1923; Matteri 1985b). **Dist.** VIII. Biobío; XI. General Carrera; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Encalypta obtusata* Cardot & Broth. = *Encalypta vulgaris* fide Müller 2009.

*Encalypta patagonica* Broth. = *Encalypta rhaftocarpa* fide Ochyra 1998.

***Encalypta procera*** Bruch

Müller 2009. **Dist.** XI. General Carrera.

***Encalypta rhaftocarpa*** Schwägr.

Matteri & Schiavone 2002; Deguchi 1991a (as *Encalypta patagonica*, Dusén 1903b, 1905a, 1906a; Cardot 1908; Matteri 1985b; Hässel et al. 1984). **Dist.** XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Encalypta vulgaris*** Hedw.

(as *Encalypta australis*, Mitten 1869; as *Encalypta obtusata*, Matteri 1985b; Hässel et al. 1984). **Dist.** X. Chiloé; XII. Magallanes, Última Esperanza.

***Entodon truncatus*** (Müll. Hal.) Mitt.

Mitten 1869. **Dist.** Without exact locality.

***Entosthodon apophysatus*** (Taylor) Mitt.

Ireland et al. 2007. **Dist.** VII. Talca; VIII. Biobío, Concepción.

***Entosthodon bonplandii*** (Hook.) Mitt.

Fife 1987 (as *Funaria bonplandii*, Thériot 1927b). **Dist.** Without exact locality.

***Entosthodon chiloensis*** Mitt.

Mitten 1869 (as *Funaria chiloensis*, Thériot 1927b). **Dist.** X. Chiloé.

***Entosthodon laevis*** (Mitt.) Fife

Ireland et al. 2007; He 1998; Fife 1987 (as *Funaria berteroana*, Herzog 1922, 1927; as *Funaria suberecta*, Williams 1915; Thériot 1927b). **Dist.** IV. Choapa, Limarí; V. Valparaíso; RM. Santiago; VIII. Concepción; XIV. Valdivia/Ranco.

***Entosthodon laxus*** (Hook.f. & Wilson) Mitt.

Matteri & Schiavone 2002; Fife 1987; Deguchi 1991a (as *Funaria cavifolia*, Cardot & Brotherus 1923; as *Funaria pungens*, Hässel et al. 1984; Bartram 1946; Matteri 1985b). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Entosthodon mathewsi*** var. *integer* Müll. Hal.

He 1998; Fife 1987 (as *Funaria integra*, Thériot 1927b; Herzog 1954). **Dist.** IV. Limarí; V. Quillota, Valparaíso; RM. Chacabuco, Santiago.

***Entosthodon obtusifolius*** Hook.f.

Cuvertino & Buffa 2009; Tropicos 2009; He 1998; Fife 1987 (as *Funaria acutifolia*, Thériot 1927b). **Dist.** VIII. Arauco, Concepción; XIV. Valdivia/Ranco; X. Llanquihue.

***Ephemerum argentinicum*** Schiavone & Sarmiento

He 1998. **Dist.** IV. Limarí.

***Eriodon conostomus*** Mont.

Tropicos 2009; Larraín 2007b; Larraín 2007a; He 1998; Dusén 1903b; Cardot 1908; Thériot 1918; Herzog 1922, 1954; Gunckel 1965; Reimers 1926; Bartram 1952 (as *Hypnum conostomum*, Mitten 1869). **Dist.** VIII. Arauco, Biobío; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

*Eriopus apiculatus* (Hook.f. & Wilson) Mitt.  $\equiv$  *Calyptrochaeta apiculata*.

*Eriopus apiculatus* var. *spathulatus* Matteri  $\equiv$  *Calyptrochaeta apiculata* var. *spathulata*.

*Eriopus bescherellei* Thér.  $\equiv$  *Calyptrochaeta mollis* fide Matteri 1998.

*Eriopus flexicollis* (Mitt.) A. Jaeger  $\equiv$  *Calyptrochaeta flexicollis*.

*Eriopus grandiretis* Broth.  $\equiv$  *Calyptrochaeta grandiretis*.

*Eriopus leptoloma* Broth.  $\equiv$  *Calyptrochaeta leptoloma*.

*Eriopus odontoloma* Dusén ex Matteri  $\equiv$  *Calyptrochaeta odontoloma*.

***Erythrophyllopsis fuscula*** (Müll. Hal.) Hilp.

Cano 2003. **Dist.** XV. Parinacota.

***Eucamptodon perichaetialis*** (Mont.) Mont.

Tropicos 2009; Müller 2009; Larraín 2007b; Ochyra 1994; Hässel et al. 1984; Buck 2004; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Mitten 1869; Dusén 1905c; Cardot 1908; Herzog 1922; Brotherus 1924b; Herzog & Hosseus 1938; Seki 1974; Robinson 1975; Matteri 1985b; Allen 1987a; Deguchi 1991a. **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Eucladium verticillatum*** (Brid.) Bruch & Schimp.

Rovainen 1934. **Dist.** VIII. Ñuble.

***Eurhynchiella acanthophylla*** (Mont.) M. Fleisch.

Tropicos 2009; Pereira et al. 2006; Larraín 2005; Schaumann 2005; He 1998; Müller & Pereira 2006; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954, 1960; Seki 1974; Deguchi 1991a (as *Hypnum acanthophyllum*, Mitten 1869; as *Rhynchostegiella acanthophylla*, Espinosa 1941; Thériot 1915, 1918; Brotherus 1924a; Herzog 1922). **Dist.** IV. Choapa; V. Petorca, Quillota, San Antonio, Valparaíso; RM. Cordillera, Santiago; VI. Cardenal Caro; VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén.

***Eurhynchiella acanthophylla* var. *robusta*** (Thér.) Ochyra

(as *Rhynchostegiella acanthophylla* var. *robusta*, Thériot 1917). **Dist.** V. Valparaíso.

*Eurhynchium confusum* Thér.  $\equiv$  *Eurhynchium corralense* fide Wijk et al. 1962.

***Eurhynchium corralense*** (Lorentz) A. Jaeger

He 1998 (as *Oxyrrhynchium corralense*, Tropicos 2009; Reimers 1926; Thériot 1934a; Herzog & Hosseus 1938; as *Rhynchostegium subsquarrosum*, Espinosa 1941; Herzog 1922; Brotherus 1924a; as *Eurhynchium flavidulum*, Ochyra 1987a; as *Sciaromium flavidulum*, Dusén 1905a; Cardot 1908; as *Eurhynchium confusum*, He 1998; Thériot 1918). **Dist.** IV. Limarí; VIII. Arauco, Biobío, Ñuble, Concepción; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; Fuegia australis.

***Eurhynchium fuegianum*** Cardot

Müller 2009; Buck 2002; Matteri & Ochyra 1989; Matteri & Schiavone 2002; Cardot & Brotherus 1923; Herzog & Hosseus 1938 (as *Platyhypnidium fuegianum*, Goffinet et al. 2006; as *Oxyrrhynchium fuegianum*, Herzog & Schwabe 1939; Herzog 1954). **Dist.** VIII. Ñuble; IX. Cautín, Malleco; X. Palena; XI. Aisén, General Carrera; XII. Antártica Chilena, Tierra del Fuego, Última Esperanza.

*Eurhynchium flavidulum* (Dusén) Ochyra = *Eurhynchium fuegianum* fide Matteri & Ochyra 1989.

*Eurhynchium praelongum* (Hedw.) Schimp. = *Kindbergia praelonga*.

***Eustichia longirostris*** (Brid.) Brid.

Tropicos 2009; Hässel et al. 1984; Barrera 2006; He 1998; Müller & Pereira 2006; Dusén 1903b; Robinson 1975; Matteri 1985b; Deguchi 1991a (as *Eustichia poeppigii*, Espinosa 1941; Villagran et al. 2003; He 1998; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; Reimers 1926; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952, 1957; Herzog 1954, 1960; as *Diplostichum poeppigii*, Thériot 1921). **Dist.** V. Petorca, Valparaíso; RM. Santiago; VII. Cauquenes, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

*Eustichia poeppigii* (Müll. Hal.) Paris = *Eustichia longirostris* fide Allen 2002.

*Exodokidium donati* Herzog = *Bartramia robusta* fide Matteri 1984b.

*Fabronia andina* Mitt. = *Fabronia ciliaris* var. *wrightii* fide Buck 1983.

*Fabronia andina* var. *jaffueli* Thér. = *Fabronia jamesonii* fide Buck 1983.

*Fabronia andina* var. *chilensis* Thér. = *Fabronia jamesonii* fide Buck 1983.

*Fabronia apophysatula* Müll. Hal. = *Fabronia jamesonii* fide Buck 1983.

***Fabronia ciliaris* (Brid.) Brid. var. *ciliaris***

Tropicos 2009; He 1998; Deguchi 1991a (as *Fabronia latidens*, Herzog 1960; as *Fabronia minutissima*, Duby 1880). **Dist.** IV. Limarí; V. Petorca; VIII. Biobío, Concepción, Ñuble; X. Llanquihue, Osorno.

***Fabronia ciliaris* var. *polycarpa* (Hook.) W.R. Buck**

He 1998. **Dist.** RM. Santiago.

***Fabronia ciliaris* var. *wrightii* (Sull.) W.R. Buck**

He 1998 (as *Fabronia andina*, Mitten 1869; Herzog & Hosseus 1938; Herzog 1954; Matteri 1985b). **Dist.** IV. Limarí; V. Valparaíso; VIII. Biobío; IX. Cautín; X. Chiloé, Osorno; XII. Magallanes.

*Fabronia enervis* Herzog = *Mahua enervis*.

***Fabronia jamesonii* Taylor**

Tropicos 2009; Müller 2009; Pereira et al. 2006; Larraín 2007a; Ireland & Bellolio 2002; He 1998; Buck 1983; Deguchi 1991a (as *Fabronia andina* var. *jaffueli*, Thériot 1924; as *Fabronia apophysatula*, Herzog 1960; as *Fabronia lorentziae*, Herzog 1954; as *Fabronia macroblepharioides*, Barrera 2006; Espinosa 1941; Brotherus 1924). **Dist.** V. Valparaíso; RM. Santiago; VII. Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. General Carrera; XII. Magallanes, Última Esperanza; Easter I.

*Fabronia latidens* Duby = *Fabronia ciliaris* var. *ciliaris* fide Buck 1983.

*Fabronia lorentziae* Müll. Hal. = *Fabronia jamesonii* fide Buck 1983.

*Fabronia macroblepharioides* Broth. = *Fabronia jamesonii* fide Buck 1983.

*Fabronia minutissima* Duby = *Fabronia ciliaris* var. *ciliaris* fide Buck 1983.

***Fallaciella gracilis* (Hook.f. & Wilson) H. A. Crum**

Tangney & Fife 2003; Matteri & Schiavone 2002 (as *Camptochaete gracilis*, Hässel et al. 1984; Matteri 1985b; as *Isothecium serpens*, Dusén 1903b). **Dist.** XIV. Valdivia/Ranco; XI. Aisén; XII. Magallanes, Última Esperanza.

*Felipponea hollermayeri* Thér. = *Acroschisma wilsonii* fide Müller 2008.

***Fissidens adianthoides* Hedw.**

Dusén 1906a; Matteri & Schiavone 2002; Müller & Pursell 2003. **Dist.** XII. Magallanes, Última Esperanza, Tierra del Fuego.

***Fissidens asplenoides* Hedw.**

Tropicos 2009; Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Mitten 1869; Brotherus 1924b; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Herzog 1954; Robinson 1975; Müller & Pursell 2003 (as *Fissidens maschalanthus* var. *minor*, Thériot 1918; as *Fissidens pycnotylus*, Brotherus 1924b). **Dist.** V. Valparaíso; VII. Cauquenes; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Magallanes; Juan Fernández Is.

*Fissidens asplenoides* var. *australis* Cardot = *Fissidens maschalanthus* fide Müller & Pursell 2003.

*Fissidens austriensis* A. Jaeger = *Fissidens serratus* var. *serratus* fide Bruggenan-Nannenga & Pursell 1995.

***Fissidens berteroii* (Mont.) Müll. Hal.**

Mitten 1869; Dusén 1906a; Müller & Pursell 2003 (as *Fissidens parvus*, Mitten 1869). **Dist. V.**

Aconcagua, Quillota, Valparaíso; X. Chiloé.

*Fissidens brotherianus* Paris = *Fissidens curvatus* fide Pursell 1994.

*Fissidens brotherianus* var. *longisetus* Thér. = *Fissidens curvatus* fide Pursell 1994.

*Fissidens brotherii* Dusén = *Fissidens curvatus* fide Pursell 1994.

***Fissidens bryoides* Hedw. var. *pusillus* (Wilson) Pursell**

Ireland et al. 2007; He 1998; Müller & Pursell 2003. **Dist. V.** San Antonio; VIII. Arauco, Concepción.

***Fissidens bryoides* var. *viridulus* (Sw.) Broth.**

Ireland et al. 2007; He 1998; Müller & Pursell 2003. **Dist. RM.** Cordillera; VII. Talca; VIII. Arauco, Concepción.

*Fissidens campylopus* Mont. = *Fissidens oblongifolius* fide Pursell 1994.

*Fissidens chilensis* Dusén = *Fissidens crispus* fide Pursell 1994.

*Fissidens costesii* Thér. = *Fissidens crispus* fide Pursell 1994.

*Fissidens crassicuspis* Broth. = *Fissidens curvatus* fide Pursell 1994.

***Fissidens crispus* Mont.**

Tropicos 2009; He 1998; Müller & Pereira 2006; Müller & Pursell 2003 (as *Fissidens chilensis*, Dusén 1906a; Thériot 1921; Herzog & Hosseus 1938; Herzog 1954; as *Fissidens costesii*, Thériot 1921; as *Fissidens fernandezianus*, Brotherus 1924b; Bartram 1957; Robinson 1975; as *Fissidens subaloma*, Espinosa 1941; Dusén 1906a; Thériot 1921, 1924; Brotherus 1924a). **Dist. V.** Petorca, Quillota, San Antonio, Valparaíso; RM. Cordillera, Melipilla, Santiago, Talagante; VI. Cachapoal, Colchagua; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; Juan Fernández Is.

***Fissidens curvatus* Hornsch.**

Tropicos 2009; Larraín 2007b; Larraín 2007a; He 1998 (as *Fissidens brotherianus*, Thériot 1921, 1924; Herzog & Hosseus 1938; Bartram 1952; Herzog 1954; as *Fissidens brotherianus* var. *longisetus*, Thériot 1921; as *Fissidens brotherii*, Dusén 1906a; as *Fissidens crassicuspis*, Brotherus 1924b; Robinson 1975; as *Fissidens diversiformis*, Barrera 2001; Espinosa 1941; Brotherus 1924a; as *Fissidens valdiviensis*, Herzog 1922). **Dist. II.** El Loa; III. Copiapó; IV. Choapa, Limarí; V. Aconcagua, Petorca, Quillota, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Santiago, Talagante; VI. Cachapoal, Cardenal Caro, Colchagua; VII. Talca; VIII. Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén; Juan Fernández Is.

*Fissidens dilleni* Müll. Hal. = *Fissidens semicompletus* fide Pursell 1994.

*Fissidens diversiformis* Broth. = *Fissidens curvatus* fide Pursell 1994.

*Fissidens echinellus* Herzog = *Fissidens serratus* var. *serratus* fide Pursell 1994.

***Fissidens excurrentinervis* R.S. Williams**

Cano 2003. **Dist. II.** El Loa.

*Fissidens fernandezianus* Broth. = *Fissidens crispus* fide Pursell 1994.

*Fissidens lechleri* Hampe ex Müll. Hal. = *Fissidens rigidulus* fide Müller & Pursell 2003.

*Fissidens leptochaete* Dusén = *Fissidens serratus* var. *leptochaete*.

*Fissidens longidecurrens* Thér. = *Fissidens crispus* fide Müller & Pursell 2003.

***Fissidens maschalanthus* Mont.**

Espinosa 1941; Schaumann 2005; Mitten 1869; Dusén 1906a; Cardot 1908; Thériot 1921; Brotherus 1924b; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954, 1960; Bartram 1957; Robinson 1975; Müller & Pursell 2003. **Dist. VIII.** Arauco; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; Juan Fernández Is.

*Fissidens maschalanthus* var. *minor* Dusén = *Fissidens asplenoides* fide Pursell 1994.

***Fissidens oblongifolius* Hook.f. & Wilson**

Tropicos 2009; Larraín 2007b; Larraín 2007a; He 1998; Müller & Pereira 2006; Müller & Pursell 2003 (as *Fissidens campylopus*, Mitten 1869; Dusén 1906a). **Dist.** VII. Cauquenes; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue.

***Fissidens ornaticostatus*** H. Rob.

Robinson 1975; Müller & Pursell 2003. **Dist.** Juan Fernández Is.

*Fissidens papillosum* Sande Lac. = *Fissidens serratus* var. *serratus* fide Bruggeman-Nannenga & Pursell 1995.

*Fissidens parvus* Mitt., hom. illeg. = *Fissidens berteroii* fide Pursell 1994.

***Fissidens pascuanus*** Broth.

Barrera 2006; Espinosa 1941; Ireland & Bellolio 2002; Müller & Pursell 2003; Brotherus 1924. **Dist.** Easter I.

***Fissidens pellucidus*** Hornsch.

Ireland & Bellolio 2002; Müller & Pursell 2003. **Dist.** Easter I.

*Fissidens pycnotylus* Broth. = *Fissidens asplenoides* fide Robinson 1975.

***Fissidens rigidulus*** Hook.f. & Wilson

Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Pereira et al. 2006; Buck 2002; Buck 2005a; Espinosa 1941; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Mitten 1869; Dusén 1906a; Cardot 1908; Thériot 1921, 1925; Brotherus 1924b; Reimers 1926; Roivainen 1934, 1937; Herzog & Schwabe 1939; Herzog 1954, 1960; Bartram 1957; Robinson 1975; Matteri 1985b; Müller & Pursell 2003. **Dist.** V. Petorca, San Antonio, Valparaíso; RM. Cordillera, Santiago, Talagante; VI. Colchagua; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.

*Fissidens rigidulus* subsp. *masatierrensis* Brugg.-Nann. = *Fissidens rigidulus* fide Müller & Pursell 2003.

***Fissidens scalaris*** Mitt.

Espinosa 1941; He 1998; Mitten 1869; Thériot 1921; Brotherus 1924a; Herzog & Hosseus 1938; Bartram 1952; Herzog 1954; Müller & Pursell 2003 (as *Fissidens tener*, Dusén 1906a). **Dist.** IV. ? Andes Chilensis; V. Petorca, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Santiago; VIII. Biobío, Concepción; IX. Cautín, Malleco; XIV. Valdivia/Ranco.

***Fissidens semicompletus*** Hedw.

Mitten 1869; Müller & Pursell 2003 (as *Fissidens dillenii*, Dusén 1906a; as *Octodiceras dillenii*, Cardot 1908). **Dist.** X. Llanquihue.

***Fissidens serratus*** Müll. Hal. var. *leptocheate* (Dusén) Brugg.-Nann. & Pursell

Tropicos 2009; Bruggeman-Nannenga & Pursell 1995; Frey & Schaumann 2002; Müller & Pursell 2003 (as *Fissidens leptochaete*, Dusén 1906a; Brotherus 1924b; Robinson 1975). **Dist.** VIII. Biobío, Concepción; X. Osorno, Palena; Juan Fernández Is.

***Fissidens serratus*** Müll. Hal. var. *serratus*

Larraín 2007b; Larraín 2007a; Ireland et al. 2007; He 1998; Müller & Pursell 2003 (as *Fissidens australiensis*, Stone 1994; as *Fissidens echinellus*, Herzog 1954; as *Fissidens papillosum*, Pursell 1994). **Dist.** V. Aconcagua, Petorca, San Antonio, Valparaíso; VIII. Concepción; IX. Cautín; X. Chiloé.

*Fissidens subaloma* Dusén = *Fissidens crispus* fide Pursell 1994.

***Fissidens taxifolius*** Hedw.

Espinosa 1941; He 1998; Brotherus 1924a; Müller & Pursell 2003. **Dist.** VIII. Concepción.

*Fissidens tener* Dusén = *Fissidens scalaris* fide Pursell 1994.

*Fissidens valdiviensis* Herzog = *Fissidens curvatus* fide Pursell 1994.

***Fissidens spec.***

Mahu 1981. **Dist.** V. Valparaíso.

*Florschuetzia pilmaiquen* Crosby ≡ *Diphyscium pilmaiquen*.

***Forsstroemia trichomitria*** (Hedw.) Lindb.

Rao & Enroth in Blockeel et al. 2003. **Dist.** IX. Malleco; X. Llanquihue.

*Funaria acutifolia* (Hampe) Broth. = *Entosthodon obtusifolius* fide Fife 1987.

*Funaria balansae* (Besch.) Broth. ≡ *Entosthodon balansae*.

*Funaria berteroana* Hampe = *Entosthodon laevis* fide Fife 1987.

*Funaria bonplandii* (Brid.) Broth. ≡ *Entosthodon bonplandii*.

*Funaria calvescens* Schwägr. = *Funaria hygrometrica* fide Ochi 1968.

*Funaria cavifolia* Cardot & Broth. = *Entosthodon laxus* fide Fife 1987.

***Funaria chilensis* (Thér.) Thér.**

Cuvertino & Buffa 2009; He 1998; Thériot 1926, 1927 (as *Funaria clavellata* var. *chilensis*, Thériot 1924). **Dist.** V. Petorca, San Antonio, Valparaíso; VIII. Concepción, Ñuble.

*Funaria chiloensis* (Mitt.) Broth. ≡ *Entosthodon chiloensis*.

*Funaria clavellata* (Mitt.) Broth. var. *chilensis* Thér. = *Funaria chilensis*.

***Funaria commixta* Thér.**

He 1998; Thériot 1926, 1927; Herzog 1954; Villagran et al. 2004. **Dist.** IV. Limarí; V. Petorca, San Antonio, Valparaíso; VIII. Concepción; X. Llanquihue.

***Funaria costesii* Thér.**

He 1998; Thériot 1921, 1927; Villagran et al. 2004. **Dist.** IV. Limarí; V. Petorca, San Antonio, Valparaíso; RM. Santiago.

*Funaria fuegiana* Müll. Hal. ≡ *Funaria hygrometrica* var. *fuegiana*.

***Funaria hygrometrica* Hedw. var. *fuegiana*** (Müll. Hal.) Besch.

Buck 2002; Matteri & Schiavone 2002; Thériot 1927b; Deguchi 1991a (as *Funaria fuegiana*, Cardot 1908). **Dist.** IX. Cautín; XII. Antártica Chilena, Magallanes.

***Funaria hygrometrica* Hedw. var. *hygrometrica***

Tropicos 2009; Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Espinosa 1941; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Cardot 1908; Williams 1915; Thériot 1915, 1917, 1918, 1921, 1927; Brotherus 1924a, 1924b; Reimers 1926; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Herzog 1954; Seki 1974; Robinson 1975; Mahu 1981; Matteri 1985b; Deguchi 1991a; Cardot 1905 (as *Funaria calvescens*, Herzog 1954; as *Funaria hygrometrica* var. *calvescens*, Thériot 1927b; as *Funaria hygrometrica* var. *crispa*, Thériot 1927b). **Dist.** IV. Choapa, Elqui, Limarí; V. Petorca, Quillota, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Melipilla, Santiago, Talagante; VI. Colchagua; VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.

*Funaria hygrometrica* var. *calvescens* (Schwägr.) Schimp. = *Funaria hygrometrica* fide Enroth 1991.

*Funaria hygrometrica* var. *crispa* (Müll. Hal.) Paris = *Funaria hygrometrica* fide Enroth 1991.

*Funaria integra* (Müll. Hal.) Broth. ≡ *Entosthodon mathewsi* var. *integer*.

***Funaria integra* (Müll. Hal.) Broth. var. *serrulata* Broth.**

Brotherus 1924a; Espinosa 1941. **Dist.** IV. Coquimbo, Limarí.

*Funaria macrocarpa* (Schimp.) R.H. Zander ≡ *Costesia macrocarpa*.

***Funaria porteri* Thér.**

Thériot 1928. **Dist.** VII. Linares.

*Funaria pungens* E.B. Bartram = *Entosthodon laxus* fide Fife 1987.

*Funaria suberecta* Mitt. = *Entosthodon laevis* fide Fife 1987.

*Gemmabryum acuminatum* (Harv.) J.R. Spence & H.P. Ramsay ≡ *Brachymenium acuminatum*.

***Gertrudiella validinervis* (Herzog) Broth.**

Tropicos 2009. **Dist.** II. Antofagasta (*Mahú 13150*, MO, det. Zander).

*Glyphomitrium ligulatum* Mitt. ≡ *Ptychomitrium ligulatum*.

*Glyphomitrium fernandesianum* Mitt. ≡ *Ptychomitrium fernandesianum*.

***Glyphothecium gracile* (Hampe) Broth.**

Tropicos 2009; Larraín 2007a; Larraín 2005; He 1998; Müller & Pereira 2006; Mitten 1869; Thériot 1915; Reimers 1926; Herzog & Hosseus 1938; Herzog 1954, 1960; Seki 1974; Hattaway 1981, 1984; Deguchi 1991b; Kühnemann & Goncalves Carralves 1975 (as *Cladomnion gracile*, Mitten 1869; Dusén 1903b; as *Glyphothecium gracile* var. *nanum*, Herzog 1922). **Dist.** V. Valparaíso; VI. Cachapoal, Colchagua; VII. Cauquenes, Curicó,

Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén.

*Glyphothecium gracile* var. *nanum* Herzog = *Glyphothecium gracile* fide Hattaway 1984.

***Glyphothecium sciurooides* (Hook.) Hampe**

Larraín 2007b; Schaumann 2005; Hattaway 1981, 1984; Deguchi 1991b (as *Cladomnion valdiviae*, Müller 1897). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén. *Goniobryum reticulatum* (Hook.f & Wilson) Lindb. = *Philonotis vagans* fide Matteri & Schiavone 2002.

***Goniobryum subbasilare* (Hook.) Lindb.**

Matteri & Piñero 1987; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Matteri 1985b (as *Rhizogonium subbasilare*, Mitten 1869; Dusén 1903b). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Grimmia abscondita* Cardot = *Schistidium praemorsum* fide Ochyra et al. 2008.

*Grimmia alpicola* Hedw. var. *rivularis* (Brid.) Broth. ≡ *Schistidium rivulare*.

*Grimmia amblyphylla* Müll. Hal. ≡ *Schistidium amblyphyllum*.

***Grimmia anodon* Bruch & Schimp.**

Tropicos 2009; Muñoz 1999; He 1998; Deguchi 1984. **Dist.** RM. Santiago. XII. Antártica Chilena, Última Esperanza.

*Grimmia apocarpa* Hedw. ≡ *Schistidium apocarpum*.

*Grimmia arachnoidea* Dusén, nom. nud. = *Grimmia pulvinata* fide Muñoz & Pando 2000.

***Grimmia austrofunalis* Müll. Hal.**

Tropicos 2009; Muñoz & Pando 2000; Muñoz 1999. **Dist.** VI. Cachapoal; VII. Talca; VIII. Biobío, Ñuble; IX. Cautín; X. Llanquihue, Palena; Aisén.

*Grimmia chilensis* Thér. ex Herzog = *Grimmia navicularis* fide Deguchi 1987.

*Grimmia consobrina* Kunz. ex Müll. Hal. = *Grimmia trichophylla* fide Deguchi 1984.

*Grimmia crassiretis* Cardot & Broth. = *Grimmia austrofunalis* fide Muñoz & Pando 2000.

*Grimmia depressa* Müll. Hal. = *Bucklandiella didyma* fide Matteri & Schiavone 2002.

*Grimmia depressa* var. *terrestris* Müll. Hal. = *Bucklandiella didyma* fide Matteri & Schiavone 2002.

*Grimmia dicksonii* (Dusén) Dusén, hom. illeg. = *Grimmia trichophylla* fide Deguchi 1984.

*Grimmia donatii* Herzog & Thér. = *Schistidium amblyphyllum* fide Ochyra et al. 2008.

*Grimmia fallax* Dusén = *Schistidium andinum* fide Ochyra et al. 2008.

*Grimmia fasciculata* Dusén, hom. illeg. = *Schistidium falcatum* fide Deguchi 1984.

*Grimmia fastigiata* Cardot = *Grimmia fuscolutea* fide Matteri & Schiavone 2002.

*Grimmia flexicaulis* Müll. Hal. var. *dicksonii* Dusén = *Grimmia trichophylla* fide Deguchi 1984.

*Grimmia flexiseta* Dusén, nom. nud. = *Grimmia trichophylla* fide Muñoz 1999.

***Grimmia fuscolutea* Hook.**

Matteri & Schiavone 2002 (as *Dryptodon fuscoluteus*, Ochyra et al. 2008; as *Grimmia fastigiata*, Cardot & Brotherus 1923). **Dist.** XII. Tierra del Fuego, Última Esperanza.

*Grimmia grisea* Cardot = *Grimmia reflexidens* fide Muñoz & Pando 2000.

*Grimmia gusindei* J. Froehl. = *Grimmia trichophylla* fide Muñoz 1999.

***Grimmia humilis* Mitt.**

Matcham et al. 2007; Muñoz & Pando 2000; Muñoz 1999; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Cardot 1908; Bartram 1952; Deguchi 1984. **Dist.** RM. Santiago; XI. Coihaique; XII. Magallanes, Última Esperanza.

*Grimmia hyalinocuspidata* Müll. Hal. = *Schistidium amblyphyllum* fide Ochyra 1998.

*Grimmia hyalinocuspidata* var. *mutica* Cardot & Broth. = *Schistidium amblyphyllum* fide Ochyra et al. 2008.

*Grimmia imberbis* Kunze ex Müll. Hal. = *Grimmia trichophylla* fide Muñoz 1999.

***Grimmia kidderi* James**

Buck 2002; Muñoz & Pando 2000; Muñoz 1999. **Dist.** IX. Malleco; XII. Antártica Chilena.

***Grimmia laevigata* (Brid.) Brid.**

Tropicos 2009; Muñoz & Pando 2000; Muñoz 1999; He 1998; Deguchi 1984, 1991a (as *Grimmia murina*, Dusén 1905a). **Dist.** IV. Choapa; V. Petorca; RM. Chacabuco, Santiago; VII. Curicó; VIII. Biobío, Ñuble.

***Grimmia longirostris* Hook.**

NY 2009; Muñoz & Pando 2000; Muñoz 1999; Matteri & Schiavone 2002. **Dist.** XV. Parinacota; XII. Tierra del Fuego.

*Grimmia macropulvinata* Dusén = *Grimmia trichophylla* fide Deguchi 1984.

***Grimmia molesta*** J. Muñoz

Cano 2003. **Dist.** XV. Parinacota.

*Grimmia murina* Müll. Hal. = *Grimmia laevigata* fide Deguchi 1984.

***Grimmia navicularis*** Herzog

He 1998; Deguchi 1991a (as *Grimmia chilensis*, Seki 1974; Deguchi 1984). **Dist.** V. Petorca; RM. Chacabuco, Cordillera, Santiago; VII. Linares; VIII. Biobío; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Osorno; XI. Aisén.

*Grimmia nivea* Dusén = *Grimmia plagiopodia* fide Deguchi 1984.

*Grimmia occulta* Müll. Hal. = *Schistidium andinum* fide Ochyra et al. 2008.

***Grimmia orbicularis*** Bruch

Matteri & Schiavone 2002; Dusén 1905a, 1906b; Cardot 1908; Cardot & Brotherus 1923. **Dist.** XI. Aisén; XII. Tierra del Fuego.

*Grimmia orbicularis* var. *patagonica* Cardot = *Grimmia pulvinata* fide Muñoz 1999.

*Grimmia pachyloma* Mont. ≡ *Vittia pachyloma*.

*Grimmia pachyphylla* Dusén = *Grimmia trichophylla* fide Deguchi 1984.

*Grimmia perplexa* Thér. ≡ *Schistidium perplexum*.

*Grimmia phyllophizans* Broth. = *Grimmia pulvinata* fide Muñoz 1999.

***Grimmia plagiopodia*** Hedw.

Muñoz & Pando 2000; Muñoz 1999; Deguchi 1984; Cano 2003 (as *Grimmia nivea*, Dusén 1905a, 1906b; Seki 1974). **Dist.** XV. Parinacota; XI. Aisén; XII. Última Esperanza.

***Grimmia pseudoanodon*** Deguchi

Cano 2003. **Dist.** XV. Parinacota.

***Grimmia pulvinata*** (Hedw.) Sm.

Buck 2002; Muñoz & Pando 2000; Muñoz 1999 (as *Grimmia orbicularis* var. *patagonica*, Cardot 1908; as *Grimmia arachnoidea*, Dusén 1903b; as *Grimmia phyllophizans*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Robinson 1975; as *Grimmia pulvinata* var. *africana*, He 1998; Deguchi 1984). **Dist.** V. Aconcagua, Los Andes; RM. Chacabuco, Cordillera, Santiago; VI. Colchagua; X. Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.

*Grimmia pulvinata* (Hedw.) var. *africana* (Hedw.) Hook.f. & Wilson = *Grimmia pulvinata* fide Muñoz & Pando 2000.

*Grimmia pycnophylla* Dusén, nom. nud. = *Grimmia trichophylla* fide Deguchi 1984.

***Grimmia reflexdens*** Müll. Hal.

Tropicos 2009; Buck 2002; Muñoz & Pando 2000; Muñoz 1999; He 1998; Mitten 1869; Dusén 1906b; Deguchi 1984; Deguchi 1991a (as *Grimmia flexiseta*, Dusén 1903b; as *Grimmia grisea*, Hässel et al. 1984; Thériot 1934b; Matteri 1985b). **Dist.** RM. Cordillera, Santiago; VI. Colchagua; VIII. Biobío, Ñuble; IX. Cautín; X. Osorno; XI. Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Grimmia scabripes* E.B. Bartram ≡ *Schistidium scabripes*.

*Grimmia serrripila* Dusén ex Paris, nom. nud. = *Grimmia laevigata* fide Muñoz 1999.

***Grimmia sessitana*** De Not.

(as *Orthogrimmia sessitana*, Ochyra et al. 2008). **Dist.** XI. Aisén.

*Grimmia tenuicaulis* Hampe ex A. Jaeger = *Grimmia longirostris* fide Muñoz & Pando 2000.

***Grimmia trichophylla*** Grev.

Tropicos 2009; Matcham et al. 2007; Buck 2002; Pereira et al. 2006; Muñoz & Pando 2000; Muñoz 1999; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Deguchi 1984, 1991a (as *Grimmia consobrina*, Mitten 1869; Dusén 1906b; Thériot 1917, 1921, 1935; Reimers 1926; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Herzog 1954; Seki 1974; as *Grimmia crassiretis*, Cardot & Brotherus 1923; as *Grimmia dicksonii*, Dusén 1906b; Cardot 1908; as *Grimmia flexicaulis* var. *dicksonii*; as *Grimmia macropulvinata*, Dusén 1903b, 1906b; as *Grimmia pachyphylla*, Dusén 1905a; as *Grimmia pycnophylla*, Dusén 1903b; as *Grimmia imberbis*, Mitten 1869; Dusén 1906b; Herzog 1960; as *Grimmia gusindei*, Froehlich 1953). **Dist.** IV. Choapa, Elqui, Limarí; V. Petorca, Quillota, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Santiago, Talagante; VI. Cachapoal,

Cardenal Caro, Colchagua; VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, General Carrera; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Gymnostomum aeruginosum* Sm.**

Müller 2009; Matteri 1985b; Deguchi 1991b. **Dist.** VIII. Biobío, Ñuble; XIV. Valdivia/Ranco; XI. General Carrera; Juan Fernández Is.

*Gymnostomum antarcticum* Ångström ≡ *Hennediella antarctica*.

***Gymnostomum calcareum* Nees & Hornsch. var. *calcareum***

Tropicos 2009; Ireland et al. 2007; Espinosa 1941; Dusén 1906a; Thériot 1921; Brotherus 1924b; Herzog & Hosseus 1938; Robinson 1975; Deguchi 1991b (as *Weissia calcarea*, Mitten 1869). **Dist.** V. Valparaíso; VI. Cachapoal; VIII. Biobío; XIV. Valdivia/Ranco; XI. Aisén, General Carrera; Juan Fernández Is.

***Gymnostomum calcareum* var. *tenellum* Bruch & Schimp.**

Herzog 1954. **Dist.** RM. Santiago.

***Gymnostomum laxifolium* Kunze ex Paris, hom. illeg.**

Brotherus 1924. **Dist.** Chile, without exact locality.

***Gymnostomum tenerimum* (Müll. Hal.) Wijk & Margad.**

(as *Anoectangium tenerimum*, Mitten 1869). **Dist.** VIII. Ñuble. Note: This species probably belongs to *Zygodon*.

*Haplodontium argentifolium* (Mitt.) A. Jaeger ≡ *Mielichhoferia argentifolia*.

***Haplohymenium longinerve* (Broth.) Broth.**

He 1998. **Dist.** V. Petorca; VII. Linares; VIII. Biobío.

***Hebantia rigida* (Lorentz) G. L. Merr.**

Ireland et al. 2006; Smith Merrill 1996 (as *Oligotrichum rigidum*, Mullen & Frye 1947; Villagran et al. 2003). **Dist.** VIII. Arauco, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Palena.

*Hedwigia orbiculata* Mitt. = *Rhacocarpus purpurascens* fide Frahm 1996.

***Hedwigidium chilense* M. Fleisch., nom. nud.** (as *Braunia chilensis*, nom. nud., Brotherus 1920).

*Hedwigidium imberbe* (Sm.) Bruch & Schimp. = *Hedwigidium integrifolium* fide Wijk et al. 1962.

***Hedwigidium integrifolium* (P. Beauv.) Dixon**

Tropicos 2009; He 1998; Deguchi 1991a (as *Hedwigidium imberbe*, Reimers 1926; Herzog & Hosseus 1938; Bartram 1952). **Dist.** RM. Cordillera; VIII. Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue.

*Hennediella acutidentata* (Thér. & Cardot) R.H. Zander = *Hennediella antarctica* fide Cano 2008.

***Hennediella antarctica* (Ångström) Ochyra & Matteri**

Matcham et al. 2007; Buck 2002; Matteri & Schiavone 2002; Ochyra & Matteri 1996 (as *Pottia antarctica*, Dusén 1903b; Dusén 1906a; as *Pottia magellanica*, Cardot 1908; as *Pottia heimii* var. *thaxteri*, Thériot 1929b; as *Hennediella heimii* var. *thaxteri*, Zander 1993). **Dist.** XII. Antártica Chilena, Magallanes, Última Esperanza.

***Hennediella arenae* (Besch.) R.H. Zander var. *arenae***

Cano 2008; Matteri & Schiavone 2002; Zander 1993 (as *Barbula arenae*, Dusén 1903b; as *Tortula arenae*, Cardot 1908; Herzog 1922; Roivainen 1934; Herzog & Schwabe 1939; as *Syntrichia lingulaefolia*, Herzog 1954; as *Tortula polycarpa*, Ireland et al. 2007; Dusén 1906a; Cardot 1908; Cardot & Brotherus 1923). **Dist.** VIII. Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Osorno; XI. Aisén; XII. Magallanes, Tierra del Fuego.

*Hennediella austrogeorgica* (Cardot) Blockeel = *Hennediella antarctica* fide Cano 2008.

*Hennediella austrogeorgica* var. *microphylla* (Cardot & Broth.) R.H. Zander = *Hennediella antarctica* fide Cano 2008.

***Hennediella bellii* (E.B. Bartram) R.H. Zander**

Cano 2008. **Dist.** II. El Loa.

***Hennediella densifolia* (Hook.f. & Wilson) R.H. Zander**

Matcham et al. 2007; Buck 2002; Matteri & Schiavone 2002; Zander 1993 (as *Barbula densifolia*, Dusén 1903b; as *Tortula densifolia*, Hässel et al. 1984; Cardot 1908; Herzog 1922; Cardot & Brotherus 1923; Deguchi 1991b; as *Neobarbula magellanica*, Dusén 1905a, 1906a).

**Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Hennediella diaguita* R.H. Zander & Mahu = *Tortula diaguita*.

*Hennediella heimii* var. *flavipes* (Mont.) Warnst. = *Hennediella heimii* fide Cano 2008.

***Hennediella heimii*** (Hedw.) R.H. Zander var. ***heimii***

Buck 2002; Matteri & Schiavone 2002; Zander 1993 (as *Pottia heimii*, Dusén 1906b; Cardot 1908; as *Tortula heimii*, Mitten 1869; as *Pottia flavipes*, Bartram 1943; as *Tortula flaviseta*, Mitten 1869; as *Hennediella heimii* var. *magellanica*, Zander 1993; as *Pottia heimii* var. *magellanica*, Herzog 1922; as *Hennediella heimii* var. *maxima*, Matteri & Schiavone 2002; as *Pottia heimii* var. *maxima*, Cardot 1905). **Dist.** XV. Parinacota; III. Copiapó, Huasco; IV. Limarí; RM. Cordillera; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Hennediella heimii* var. *magellanica* (Warnst.) R.H. Zander = *Hennediella heimii* fide Cano 2008.

*Hennediella heimii* var. *maxima* (Cardot) R.H. Zander = *Hennediella heimii* fide Cano 2008.

***Hennediella heimii*** var. ***spegazzinii*** (Müll. Hal.) R.H. Zander

Matteri & Schiavone 2002; Zander 1993 (as *Pottia spegazzinii*, Dusén 1903b, 1906a; Cardot 1908). **Dist.** X. Llanquihue; XII. Tierra del Fuego. Note: Type material has not been studied by Cano (2008), therefore the application of this name is in doubt.

*Hennediella heimii* var. *thaxteri* (Cardot & Thér.) R.H. Zander = *Hennediella antarctica* fide Cano 2008.

***Hennediella kunzeana*** (Müll. Hal.) R.H. Zander

Müller 2009; Ireland et al. 2007 (as *Tortula kunzeana*, Mitten 1869, Williams 1915, Thériot 1921). **Dist.** IV. Choapa, Coquimbo, Limarí; V. Aconcagua, Petorca, Valparaíso; RM. Cordillera, Santiago; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; X. Chiloé.

*Hennediella serrulata* (Hook. & Grev.) R.H. Zander = *Syntrichia serrulata*.

*Holodontium inerme* (Mitt.) Broth. = *Holodontium strictum* fide Ochyra 1993a.

*Holodontium pumilum* (Mitt.) Broth. = *Kiaeria pumila*.

*Holodontium ramulosum* (Mitt.) Broth. = *Kiaeria pumila* fide Ochyra 1993a.

***Holodontium strictum*** (Hook.f. & Wilson) Ochyra

Müller 2009; Ochyra et al. 2008; Matteri & Schiavone 2002 (as *Blindia auriculata*, Dusén 1905b; as *Dicranum inerme*, Cardot & Brotherus 1923; as *Holodontium inerme*, Roivainen 1934, 1937; Herzog & Schwabe 1939). **Dist.** VII. Talca; VIII. Ñuble; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Hookeria scabriuscula* Müll. Hal. = *Callicostella scabriuscula*.

*Hookeria sublimbata* Müll. Hal. = *Cyclodictyon sublimbatum*.

*Hookeriopsis incurva* (Hornsch.) Broth. = *Thamniopsis incurva*.

*Hygroamblystegium austrofluviale* (Müll. Hal.) Broth. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium chilense* (Lorentz) Reim. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

***Hygroamblystegium crassicostatum*** E.B. Bartram, hom. illeg., Bartram 1943.

*Hygroamblystegium filum* (Müll. Hal.) Reim. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium fuegianum* (Besch.) Reim. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium fuegianum* var. *compactum* E.B. Bartram = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium fuegianum* var. *excurrens* (Cardot & Broth.) E.B. Bartram = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium fuegianum* var. *gracilis* (Cardot & Broth.) E.B. Bartram = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium fuegianum* var. *secundum* E.B. Bartram = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium fuegianum* var. *skottsbergii* (Cardot) E.B. Bartram = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium luridum* (Cardot) Reim. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygroamblystegium tenellum* (Cardot & Broth.) Reim. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Hygrohypnum peruvicense* R.S. Williams = *Rhynchostegium peruvicense*.

*Hymenocleiston magellanicum* Duby = *Tayloria dubyi* fide Brotherus 1903.

*Hymenocleiston magellanicum* var. *edenense* Besch. ≡ *Tayloria dubyi* var. *edenensis*.

***Hymenoloma antarcticum*** (Müll. Hal.) Ochyra

(as *Dicranoweisia breviseta*, Matteri & Schiavone 2002; Cardot & Brotherus 1923; Roivainen 1937; Seki 1974; as *Dicranoweisia brevipes*, Ochyra 1998; as *Dicranoweisia antarctica*, Hässel et al. 1984; Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1937; Herzog & Schwabe 1939; Roivainen 1937; Bartram 1952; Herzog 1954; Seki 1974; Matteri 1985b; as *Dicranum antarcticum*, Mitten 1869; as *Hymenoloma nordenskjoeldii*, Dusén 1905b; Cardot 1908; Cardot & Brotherus 1923; as *Dicranoweisia nordenskjoeldii*, Reimers 1936; as *Dicranoweisia antarctica* fo. *breviseta*, Roivainen 1937). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Hymenoloma brevisetum* (Cardot) Ochyra = *Hymenoloma antarcticum* fide Ochyra et al. 2008.

***Hymenoloma crispulum*** (Hedw.) Ochyra

(as *Dicranoweisia crispula*, Buck 2002; Matteri & Schiavone 2002; Ochyra 1998; as *Dicranoweisia austrocrispula*, Hässel et al. 1984; Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Donat 1936; Roivainen 1937; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991a; as *Blindia sulphurea*, Dusén 1903b; as *Dicranoweisia perpulvinata*, Dusén 1903b, 1905b). **Dist.** X. Llanquihue; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Hymenoloma jugelliferum*** (Dusén) Ochyra

(as *Dicranoweisia jugellifera*, Matteri & Schiavone 2002; Dusén 1905b). **Dist.** XII. Magallanes.

*Hymenoloma nordenskjoeldii* Dusén = *Hymenoloma antarcticum* fide Ochyra et al. 2008.

***Hymenoloma subglobosum*** Herzog

Herzog 1937. **Dist.** XI. Aisén.

***Hymenoloma turpe*** (Cardot) Cardot & Broth.

Donat 1936 (as *Dicranoweisia turpis*, Matteri & Schiavone 2002; as *Verrucidens turpis*, Hässel et al. 1984; Matteri 1985b). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

*Hymenostomum kunzeanum* (Müll. Hal.) Broth. ≡ *Weissia kunzeana*.

*Hymenostylium longo-pulvinatum* Dusén = *Hymenostylium recurvirostrum* fide Zander 1977.

***Hymenostylium recurvirostrum*** (Hedw.) Dixon

Matteri & Schiavone 2002 (as *Hymenostylium longopulvinatus*, Dusén 1906a; Cardot 1908; Cardot & Brotherus 1923; as *Anoectangium patagonicum*, Cardot & Brotherus 1923). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

*Hypophila macrocarpa* (Schimp.) Kindb. ≡ *Costesia macrocarpa*.

*Hypnodendron krausei* (Müll. Hal.) A. Jaeger = *Hypnodendron microstictum* fide Reimers 1926.

***Hypnodendron microstictum*** Mitt. ex A. Jaeger & Sauerb.

Tropicos 2009; Larraín 2007b; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Mitten 1869; Herzog 1922; Brotherus 1924b; Seki 1974; Robinson 1975; Deguchi 1991a (as *Hypnodendron krausei*, Dusén 1903b; Cardot 1908; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954, 1960; Bartram 1957). **Dist.** RM. Cordillera, Santiago; VI. Colchagua; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; Juan Fernández Is.

*Hypnodendron naumannii* (Müll. Hal.) Paris = *Porothamnium arbusculans* fide Reimers 1926.

*Hypnum acanthophyllum* Mont. ≡ *Eurhynchiella acanthophylla*.

*Hypnum aduncum* Hedw. ≡ *Drepanocladus aduncus*.

*Hypnum austrouncinatum* Müll. Hal. = *Sanionia uncinata* fide Wijk et al. 1964.

*Hypnum berteroanum* Mont. ≡ *Cartagniopsis berteroana*.

***Hypnum campoanum*** (Thér.) Broth.

NY 2009; Herzog & Hosseus 1938; Herzog 1954, 1960 (as *Stereodon campoanum*, Thériot 1918). **Dist.** IX. Cautín, Malleco; X. Osorno, Palena.

*Hypnum complanum* Mitt. ≡ *Rhynchostegium complanum*.

***Hypnum chrysogaster*** Müll. Hal.

Larraín 2007b; Larraín 2005; Villagran et al. 2003; Schaumann 2005; Müller & Pereira 2006; Matteri & Schiavone 2002; Seki 1974; Deguchi 1991a (as *Hypnum lechleri*, Cardot 1908; Brotherus 1924b; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954, 1960; Bartram 1957; Robinson 1975; as *Stereodon lechleri*, Espinosa 1941; Mitten 1869; Dusén 1903b). **Dist.** VII. Cauquenes; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; Juan Fernández Is.

*Hypnum conostomum* (Mont.) Mitt., hom. illeg. ≡ *Eriodon conostomus*.

***Hypnum cupressiforme*** Hedw. var. ***cupressiforme***

Hässel et al. 1984; Ireland et al. 2007; He 1998; Cardot & Brotherus 1923; Reimers 1926; Herzog & Hosseus 1938; Bartram 1952; Seki 1974; Deguchi 1991a. **Dist.** IV. Choapa; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Osorno; XI. Aisén; XII. Magallanes, Última Esperanza.

***Hypnum cupressiforme*** var. ***filiforme*** Brid.

Ireland et al. 2007; He 1998; Deguchi 1991a. **Dist.** VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno.

***Hypnum cupressiforme*** var. ***julaceum*** Brid.

Deguchi 1991a. **Dist.** XI. Aisén.

***Hypnum cupressiforme*** var. ***lacunosum*** Brid.

Matteri & Schiavone 2002; Deguchi 1991a. **Dist.** XI. Aisén. XII. Última Esperanza.

***Hypnum cupressiforme*** var. ***mossmanianum*** (Müll. Hal.) Ando

Díaz et al. 2008; Goffinet et al. 2006; Larraín 2007b; Matcham et al. 2007; Buck 2002; Larraín 2007a; Larraín 2005; Matteri & Schiavone 2002; Deguchi & Oginuma 1989; Deguchi 1991a.

**Dist.** IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes.

*Hypnum fluitans* Hedw. ≡ *Warnstorffia fluitans*.

*Hypnum fluitans* var. *laculosum* (Müll. Hal.) Paris = *Warnstorffia fontinaliopsis* fide Ochyra & Matteri 2001.

*Hypnum fuegianum* (Mitt.) Müll. Hal. = *Warnstorffia fluitans* fide Ochyra & Matteri 2001.

*Hypnum lechleri* Müll. Hal. = *Hypnum chrysogaster* fide Ando 1972.

*Hypnum longifolium* Wilson ex Mitt. ≡ *Drepanocladus longifolius*.

*Hypnum masafuerae* E.B. Bartram ≡ *Sematophyllum masafuerae*.

*Hypnum nitidum* (Hook.f. & Wilson) Müll. Hal. ≡ *Catagonium nitidum*.

*Hypnum pallens* Schimp. ex Cardot, hom. illeg. ≡ *Hypnum skottsbergii* fide Ando 1972.

*Hypnum paradoxum* Hook.f. & Wilson ≡ *Brachytheciastrum paradoxum*.

*Hypnum perplicatum* Dusén = *Drepanocladus perplicatus* fide Hedenäs 2003.

***Hypnum revolutum*** (Mitt.) Lindb. var. ***revolutum*** fo. ***revolutum***

Matteri 1985b; Hässel et al. 1984. **Dist.** XII. Magallanes, Última Esperanza.

***Hypnum skottsbergii*** Ando

Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Buck 2002; Larraín 2007a; Larraín 2005; Matteri & Schiavone 2002; Ando 1972, 1982; Seki 1974; Ando & Matteri 1982; Matteri 1985b; Deguchi 1991a (as *Hypnum pallens*, Herzog & Hosseus 1938; Herzog & Schwabe 1939; Thériot 1934b; as *Stereodon pallens*, Cardot 1908; Herzog 1922, 1960). **Dist.** IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Hypnum spegazzinii*** Müll. Hal.

(as *Brachythecium spegazzinii*, Kindberg 1888). **Dist.** XII. Magallanes.

*Hypnum subpilosum* Hook.f. & Wilson ≡ *Brachythecium subpilosum*.

*Hypnum symmetricum* (Renauld & Cardot) Renauld & Cardot ≡ *Sanionia symmetrica*.

*Hypnum tenuifolium* Hedw. ≡ *Rhynchostegium tenuifolium*.

*Hypnum tenuirostre* Hook.f. = *Sematophyllum uncinatum* fide Stone & Scott 1973.

*Hypnum toxarion* Schwägr. ≡ *Rigodium toxarion*.

*Hypnum uncinatum* Hedw. ≡ *Sanionia uncinata*.

*Hypnum uncinatum* Hedw. subsp. *symmetricum* Renauld & Cardot ≡ *Sanionia symmetrica*.

*Hypopterygium arbuscula* Brid. ≡ *Dendrohypopterygium arbuscula*.

*Hypopterygium concinnum* (Hook.f.) Brid. ≡ *Lopidium concinnum*.

***Hypopterygium didictyon*** Müll. Hal.

Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Buck 2002; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Kruijer 2002; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Thériot 1924, 1934b; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Matteri 1973b, 1985b; Deguchi 1991b. **Dist.** V. Valparaíso; RM. Santiago; VIII. Biobío, Concepción; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Hypopterygium flexisetum* Hampe = *Lopidium concinnum* fide Matteri 1973b.

*Hypopterygium plumarium* Mitt. = *Lopidium concinnum* fide Matteri 1973b.

***Hypopterygium tamarisci*** (Sw.) Brid. ex Müll. Hal.

Kruijer 2002. **Dist.** X. Chiloé.

*Hypopterygium thouini* (Schwägr.) Mont. = *Dendrohypopterygium arbuscula* fide Robinson 1975.

*Hypopterygium wolffhugelii* Herzog = *Dendrohypopterygium arbuscula* fide Robinson 1975.

*Indusiella bryani* (R.S. Williams) S.P. Churchill = *Coscinodontella bryani*.

***Isopterygiopsis pulchella*** (Hedw.) Z. Iwats.

Ochyra et al. 2008; Ireland et al. 2007; Matteri & Schiavone 2002 (as *Isopterygium fuegianum*, Hässel et al. 1984; Cardot 1908; Matteri 1985b; as *Isopterygium leptoplumosum*, Hässel et al. 1984; Cardot 1908; Matteri 1985b). **Dist.** VIII. Biobío; XI. Aisén, Coihaique; XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Isopterygium albescens*** (Hook.) A. Jaeger

Ireland & Bellolio 2002. **Dist.** Easter I.

*Isopterygium fernandezianum* Broth. = *Isopterygium tenerum* fide Robinson 1975.

*Isopterygium fernandezianum* var. *longisetum* Broth. = *Isopterygium tenerum* fide Ireland 1991.

*Isopterygium fuegianum* Besch. = *Isopterygiopsis pulchella* fide Zanten 1971.

*Isopterygium leptoplumosum* (Dusén) Cardot = *Isopterygiopsis pulchella* fide Matteri & Schiavone 2002.

*Isopterygium leucophyllum* (Hampe) Mitt. = *Isopterygium tenerum* fide Ireland 1991.

*Isopterygium pulchellum* (Hedw.) A. Jaeger = *Isopterygiopsis pulchella*.

***Isopterygium tenerum*** (Sw.) Mitt.

Matteri & Schiavone 2002; Ireland 1992; Robinson 1975 (as *Isopterygium fernandezianum*, Cardot & Brotherus 1923; Brotherus 1924b; Bartram 1957; as *Isopterygium fernandezianum* var. *longisetum*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957; as *Isopterygium leucophyllum*, Mitten 1869). **Dist.** XII. Tierra del Fuego; Juan Fernández Is. *Isothecium serpens* Dusén, nom. nud. = *Fallaciella gracilis* fide Matteri 1985b.

***Jaffueliobryum williamsii*** (Deguchi) Delgad.

Cano 2003. **Dist.** XV. Parinacota.

*Juratzkaea krausei* Lorentz = *Juratzkaea seminervis* subsp. *seminervis* fide Buck 1977.

***Juratzkaea seminervis*** (Kunze ex Schwägr.) Lorentz subsp. *seminervis*

Tropicos 2009; Espinosa 1941; He 1998; Müller & Pereira 2006; Brotherus 1924a; Thériot 1928; Herzog & Hosseus 1938; Bartram 1943; Herzog 1954; Buck 1977 (as *Juratzkaea krausei*, Thériot 1935; as *Juratzkaea seminervis* var. *arenicola*, Thériot 1926; as *Stereophyllum seminerve*, Espinosa 1941; Mitten 1869; Thériot 1917, 1918; Herzog 1922; Bartram 1952). **Dist.** II. Antofagasta; IV. Choapa, Elqui, Limarí; V. Aconcagua, Petorca, Quillota, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Maipo, Melipilla, Santiago, Talagante; VI. Cachapoal, Cardenal Caro, Colchagua; VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Osorno.

*Juratzkaea seminervis* var. *arenicola* Thér. = *Juratzkaea seminervis* subsp. *seminervis* fide Buck 1977.

***Kiaeia pumila*** (Mitt.) Ochyra

Buck 2002; Matteri & Schiavone 2002 (as *Blindia churuccana*, Cardot 1900, 1901; Dusén 1905b; as *Blindia humilis*, Dusén 1903b; *Blindia savatieriana*, Dusén 1903b; Cardot 1908; as *Dicranoweisia humilis*, Dusén 1905b; as *Dicranum pumilum*, Mitten 1869; Dusén 1905b; Cardot 1908; Cardot & Brotherus 1923; as *Dicranum ramulosum*, Mitten 1869; Cardot 1908; as *Holodontium pumilum*, Hässel et al. 1984; Roivainen 1937; Herzog 1954; Seki 1974;

Matteri 1985b; *Holodontium ramulosum*, Brotherus 1924). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Kindbergia praelonga*** (Hedw.) Ochyra

Tropicos 2009; Müller 2009; Larraín 2007b; Larraín 2007a; He 1998; Matteri & Schiavone 2002 (as *Stokesiella praelonga*, Robinson 1967). **Dist.** VII. Talca; VIII. Biobío, Concepción; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XII. Magallanes.

*Lamprophyllum splendidissimum* (Mont.) Mitt. ≡ *Schimperobryum splendidissimum*.

*Lembophyllum auriculatum* (Mont.) Paris ≡ *Acrocladium auriculatum*.

***Lembophyllum orbiculatum*** (Thér.) Tangney

Tropicos 2009; Schaumann 2005; Müller & Pereira 2006 (as *Camptochaete orbiculata*, He 1998; Robinson 1970; Deguchi 1991b; as *Camptochaete arbusculans*, Roivainen 1934; Bartram 1946; as *Weymouthia orbiculata*, Thériot 1934b; Herzog & Hosseus 1938; Herzog 1960). **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue; XII. Tierra del Fuego.

*Lepidopilum splendidissimum* Mont. ≡ *Schimperobryum splendidissimum*.

*Leptobryum pottiaeum* Dusén = *Pohlia wilsonii* fide Arts 2001b.

***Leptobryum pyriforme*** (Hedw.) Wilson

Müller 2009; Hässel et al. 1984; Ireland et al. 2007; Ireland & Bellolio 2002; He 1998; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Matteri 1985b. **Dist.** IV. Limarí; V. Quillota; RM. Santiago; VII. Curicó, Talca; VIII. Ñuble; XI. Aisén, Coihaique; XII. Magallanes, Última Esperanza; Easter I.

*Leptobryum pyriforme* var. *antarcticum* Besch., nom. nud., Cardot 1908.

*Leptobryum pyriforme* var. *fuegianum* Paris, nom. nud., Cardot 1908.

*Leptobryum stellatum* (Herzog) Broth. = *Pohlia wilsonii* fide Arts 2001b.

*Leptobryum wilsonii* (Mitt.) Broth. ≡ *Pohlia wilsonii*.

***Leptodictyum riparium*** (Hedw.) Warnst.

Ireland et al. 2007 (as *Leptodictyum riparium* var. *jaffueli*, He 1998, Thériot 1935; as *Amblystegium jaffueli*, Thériot 1924; as *Leptodictyum riparium* var. *looseri*, He 1998; Thériot 1934b). **Dist.** V. San Antonio; RM. Cordillera, Santiago, Talagante; VIII. Biobío, Ñuble; XIV. Valdivia/Ranco; X. Osorno.

*Leptodictyum riparium* (Hedw.) Warnst. var. *jaffueli* Thér. = *Leptodictyum riparium* fide Ireland et al. 2007.

*Leptodictyum riparium* (Hedw.) Warnst. var. *looseri* Thér. = *Leptodictyum riparium* fide Ireland et al. 2007.

***Leptodon smithii*** (Hedw.) F. Weber & D. Mohr var. *smithii*

Tropicos 2009; He 1998; Müller & Pereira 2006; Mitten 1869; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Thériot 1924; Brotherus 1924b; Roivainen 1934; Herzog & Hosseus 1938; Herzog 1954, 1960; Bartram 1957; Robinson 1975; Deguchi 1991b. **Dist.** V. Valparaíso; RM. Santiago; VII. Cauquenes, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; X. Llanquihue; XI. General Carrera; Juan Fernández Is.

*Leptodon smithii* var. *longirepens* Cardot & Thér.

Thériot 1924. **Dist.** Juan Fernández Is.

*Leptodontium bullocki* Thér. = *Leptostomum menziesii* fide Hyvönen 1987.

***Leptodontium capituligerum*** Müll. Hal.

Seki 1974. **Dist.** XI. Aisén.

*Leptodontium fernandezianum* Broth. = *Leptodontium longicaule* var. *microruncinatum* fide Zander 1972.

***Leptodontium longicaule*** Mitt. var. *microruncinatum* (Dusén) R.H. Zander

Larraín 2007b; Hässel et al. 1984; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Matteri 1985b; Deguchi 1991b (as *Leptodontium fernandezianum*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957; as *Leptodontium microruncinatum*, Dusén 1906a; Cardot 1908; Thériot 1925; Herzog & Hosseus 1938; Herzog 1954; Robinson 1975). **Dist.** IV. Limarí; V. Valparaíso; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

*Leptodontium microruncinatum* Dusén = *Leptodontium longicaule* var. *microruncinatum*.

***Leptodontium proliferum*** Herzog

Ireland et al. 2007 (as *Tortula umbrosa*, Dusén 1906b; Deguchi 1991b). **Dist.** VIII. Arauco; XIV. Valdivia/Ranco.

***Leptodontium pungens*** (Mitt.) Kindb.

Robinson 1975 (as *Leptodontium skottsbergii*, Bartram 1957). **Dist.** Juan Fernández Is.

*Leptodontium skottsbergii* E.B. Bartram = *Leptodontium pungens* fide Zander 1972.

*Leptodontium splachnoides* (Hook.f. & Arn.) Thér. ≡ *Leptostomum splachnoideum*.

***Leptopterigynandrum austro-alpinum*** Müll. Hal.

Cano 2003; He 2005. **Dist.** XV. Parinacota; II. El Loa.

***Leptostomum menziesii*** R. Br.

Tropicos 2009; Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Larraín 2005; Espinosa 1941; He 1998; Müller & Pereira 2006; Mitten 1869; Cardot 1900, 1901, 1908; Dusén 1903b; Herzog 1922, 1954; Cardot & Brotherus 1923; Brotherus 1924b; Roivainen 1934; Herzog & Hosseus 1938; Bartram 1952, 1957; Robinson 1975; Matteri 1985b; Deguchi 1991b (as *Leptodontium bullocki*, Thériot 1929a; as *Leptostomum bullocki*, Andrews 1952). **Dist.** VII. Cauquenes; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Leptostomum splachnoideum*** Hook. & Arn.

Müller 2009; Ireland et al. 2007; Villagran et al. 2003; He 1998; Mitten 1869; Thériot 1935; Herzog & Hosseus 1938; Herzog 1954; Seki 1974; Deguchi 1991b (as *Leptodontium splachnoides*, Thériot 1929a). **Dist.** VII. Cauquenes; VIII. Arauco, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

***Leptotheca gaudichaudii*** Schwägr.

Tropicos 2009; Goffinet et al. 2006; Matteri & Piñero 1987; Hässel et al. 1984; Buck 2002; Larraín 2005; Schaumann 2005; He 1998; Matteri & Hyvönen 1991; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991a (as *Leptotheca spegazzinii*, Dusén 1903b). **Dist.** VIII. Arauco, Biobío, Concepción; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Leptotheca spegazzinii* Müll. Hal. = *Leptotheca gaudichaudii* fide Cardot 1908.

*Leptotrichum kunzeanum* Müll.Hal. ≡ *Leptotrichella kunzeana*.

*Leptotrichum praealtum* Mitt. ≡ *Platyneuron praealtum*.

*Lepyrodon glaucus* (Müll. Hal.) Kindb. = *Lepyrodon hexastichus* fide Allen 1999.

*Lepyrodon gunckeli* Thér. = *Lepyrodon tomentosus* fide Allen 1999.

***Lepyrodon hexastichus*** (Mont.) Wijk & Margad.

Larraín 2005; He 1998; Müller & Pereira 2006; Allen 1999; Seki 1974; Robinson 1975; Deguchi 1991b (as *Lepyrodon implexus*, Espinosa 1941; Dusén 1903b; Cardot 1908; Herzog 1922, 1954, 1960; Thériot 1924, 1927a; Brotherus 1924b; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952, 1957). **Dist.** VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, General Carrera; XII. Magallanes; Juan Fernández Is.

*Lepyrodon implexus* (Kunze) Kindb. = *Lepyrodon hexastichus* fide Allen 1999.

*Lepyrodon implexus* (Kunze) Paris = *Lepyrodon hexastichus* fide Wijk & Margadant 1961.

***Lepyrodon implexus*** var. *reptans* Reim.

Reimers 1926. **Dist.** XIV. Valdivia/Ranco. Note: This is a taxon with doubtful generic placement (Allen 1999).

***Lepyrodon lagurus*** (Hook.) Mitt.

Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Larraín 2005; Schaumann 2005; He 1998; Müller & Pereira 2006; Allen 1999; Matteri & Schiavone 2002; Mitten 1869; Cardot 1900, 1901, 1905, 1908; Dusén 1903b; Herzog 1922; Cardot & Brotherus 1923; Thériot 1934b; Roivainen 1934; Herzog & Schwabe 1939; Bartram 1952; Seki 1974;

Matteri 1985b; Deguchi 1991 (as *Lepyrodon lagurus* var. *laxior*, Cardot & Brotherus 1923). **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, Coihaique, General Carrera; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Lepyrodon lagurus* var. *laxior* Cardot & Broth. = *Lepyrodon lagurus* fide Allen 1999.

***Lepyrodon parvulus*** Mitt.

Tropicos 2009; Espinosa 1941; He 1998; Müller & Pereira 2006; Allen 1999; Mitten 1869; Brotherus 1924b; Herzog & Schwabe 1939; Herzog 1954; Bartram 1957; Robinson 1975; Deguchi 1991b. **Dist.** IV. Choapa; V. Petorca; VII. Cauquenes; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; Juan Fernández Is.

***Lepyrodon patagonicus*** (Cardot & Broth.) B.H. Allen

Tropicos 2009; Larraín 2007b; Müller & Pereira 2006; Allen 1999; Matteri & Schiavone 2002 (as *Lepyrodon tomentosus* var. *patagonicus*, Cardot & Brotherus 1923; Seki 1974; as *Lepyrodon tomentosus* var. *minor*, Cardot & Brotherus 1923). **Dist.** V. Valparaíso; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Capitán Prat, General Carrera; XII. Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Lepyrodon tomentosus*** (Hook.) Mitt.

Müller 2009; Hässel et al. 1984; He 1998; Matteri & Schiavone 2002; Mitten 1869; Brotherus 1924b; Thériot 1935; Roivainen 1934; Herzog & Hosseus 1938; Bartram 1957; Herzog 1960; Robinson 1975; Matteri 1985b; Deguchi 1991b (as *Lepyrodon gunckelii*, Thériot 1934b). **Dist.** VII. Talca; VIII. Arauco, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén, Coihaique, General Carrera; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Lepyrodon tomentosus* var. *minor* Cardot & Broth. = *Lepyrodon patagonicus* fide Allen 1999.

*Lepyrodon tomentosus* var. *patagonicus* Cardot & Broth. = *Lepyrodon patagonicus*.

*Lescurea chilensis* Herzog = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Leskea fuegiana* Besch. = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Leucoloma billardieri* (Schwägr.) Broth. ≡ *Dicranoloma billardierei*.

*Leucoloma capillare* Dusén ≡ *Dicranoloma capillare*.

*Leucoloma capillifolium* Broth. = *Dicranoloma menziesii* fide Robinson 1975.

*Leucoloma dusenii* Broth. ≡ *Dicranoloma dusenii*.

*Leucoloma fuegianum* Dusén = *Dicranoloma harriotii* fide Wijk et al. 1962.

*Leucoloma fuegianum* var. *laxum* Dusén ≡ *Dicranoloma harriotii* var. *laxum* fide Cardot & Brotherus 1923.

*Leucoloma grandialare* Dusén = *Dicranoloma robustum* fide Cardot 1908.

*Leucoloma harriotii* (Müll. Hal.) Broth. ≡ *Dicranoloma harriotii*.

*Leucoloma imponens* (Mont.) Dusén ≡ *Dicranoloma imponens*.

*Leucoloma muelleri* Dusén ≡ *Dicranoloma muelleri*.

*Leucoloma muelleri* var. *strictifolium* Dusén ≡ *Dicranoloma robustum* var. *strictifolium* fide Wijk & Margadant 1961.

*Leucoloma nigricaula* (Ångström) Broth. = *Dicranoloma chilense* fide Ochyra & Matteri 1996.

*Leucoloma nigricaula* var. *gracile* Dusén = *Dicranoloma capillare* fide Cardot 1908.

*Leucoloma nigricaula* var. *flexuosum* Dusén ≡ *Dicranoloma nigricaula* var. *flexuosum* fide Bartram in Roivainen 1937.

*Leucoloma perremotifolium* Dusén ≡ *Dicranoloma perremotifolium*.

*Leucoloma perremotifolium* var. *fragile* Dusén ≡ *Dicranoloma perremotifolium* var. *fragile*.

*Leucoloma peruncinatum* Dusén = *Dicranoloma chilense* fide Ochyra & Matteri 1996.

*Leucoloma robustum* (Hook.f. & Wilson) Broth. ≡ *Dicranoloma robustum*.

*Leucoloma robustum* var. *flexuosum* Dusén = *Dicranoloma robustum* fide Matteri & Schiavone 2002.

*Leucoloma robustum* var. *lagunicola* Dusén ≡ *Dicranum robustum* var. *lagunicola*.

*Leucoloma setosum* (Hook.f. & Wilson) Broth. ≡ *Dicranoloma robustum* var. *setosum*.

***Leucomium crinitifolium*** (Müll. Hal.) Mitt.

Mitten 1869; Allen 1987b. **Dist.** Chile, without exact locality (leg. Poeppig).

*Limprichtia cossonii* (Schimp.) L.E. Anderson, H.A. Crum & W.R. Buck ≡ *Scorpidium cossonii*.

*Limprichtia revolvens* (Sw.) Loeske ≡ *Scorpidium revolvens*.

***Lopidium concinnum*** (Hook.) Wilson

Tropicos 2009; Larraín 2007b; Larraín 2005; Espinosa 1941; Villagran et al. 2003; He 1998; Kruijer 2002; Brotherus 1924b; Bartram 1957; Matteri 1973b; Robinson 1975; Deguchi 1991b (as *Hypopterygium concinnum*, Cardot 1908; as *Hypopterygium flexisetum*, Dusén 1903b; Cardot 1908; as *Lopidium plumarium*, Mitten 1869; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; as *Hypopterygium plumarium*, Bartram 1952). **Dist.** V. Valparaíso; VI. Colchagua; VIII. Arauco; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; Juan Fernández Is.

*Lopidium plumarium* (Mitt.) Hampe = *Lopidium concinnum* fide Matteri 1973b.

***Macrocoma brasiliensis*** (Mitt.) Vitt

He 1998. **Dist.** IX. Cautín.

*Macrocoma filiformis* (Hook.f. & Wilson) Grout = *Macrocoma orthotrichoides* fide Vitt 1980.

*Macrocoma gracillima* (Besch.) Vitt ≡ *Matteria gracillima*.

*Macrocoma hymenostomum* (Mont.) Grout = *Macrocoma sullivantii* fide Grout 1944.

***Macrocoma orthotrichoides*** (Raddi) Wijk & Margad.

Vitt 1980 (as *Macrocoma filiformis*, Grout 1944; as *Macromitrium filiforme*, Mitten 1869).

**Dist.** Chile, without exact locality (leg. Poeppig).

*Macrocoma papillosa* (Thér.) Vitt ≡ *Matteria papillosa*.

***Macrocoma sullivantii*** (Müll. Hal.) Grout

He 1998; Müller & Pereira 2006; Robinson 1975 (as *Macrocoma hymenostomum*, Grout 1946; as *Macromitrium hymenostomum*, Mitten 1869; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; as *Macromitrium paraphysatum*, Mitten 1869; as *Macromitrium paraphysatum* var. *chilensis*, Thériot 1921; as *Macrocoma tenuis* subsp. *sullivantii*, Tropicos 2009; Vitt 1980; Deguchi 1991b; as *Macromitrium harriotii*, Hässel et al. 1984; He 1998; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Matteri 1985b). **Dist.** V. Valparaíso; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; X. Chiloé, Llanquihue, Palena; XII. Antartica Cilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Macrocoma tenuis* (Hook. & Grev.) Vitt subsp. *sullivantii* (Müll. Hal.) Vitt ≡ *Macrocoma sullivantii*.

***Macromitrium bifasciculare*** Müll. Hal. ex Dusén

Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908. **Dist.** XI. Aisén; XII. Magallanes.

***Macromitrium campoanum*** Thér.

Herzog & Hosseus 1938. **Dist.** X. Chiloé.

*Macromitrium coriaceum* E.B. Bartram = *Macromitrium tenax* fide Seki 1974.

***Macromitrium crassiusculum*** Lorentz

Ireland et al. 2007; Thériot 1925; Herzog & Hosseus 1938; Herzog 1960. **Dist.** VIII. Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Osorno.

***Macromitrium fernandezianum*** Broth.

Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957; Robinson 1975. **Dist.** Juan Fernández Is.

*Macromitrium filiforme* Hook.f. & Wilson = *Macrocoma orthotrichoides* fide Vitt 1980.

*Macromitrium gracillimum* (Besch.) Broth. ≡ *Matteria gracillima*.

*Macromitrium harriotii* Besch. ex Müll. Hal. = *Macrocoma sullivantii* fide Grout 1944.

*Macromitrium hymenostomum* Mont. = *Macrocoma sullivantii* fide Grout 1944.

***Macromitrium krausei*** Lorentz

Larraín 2007b; Ireland et al. 2007; He 1998; Dusén 1903b; Cardot 1908; Herzog & Hosseus 1938; Bartram 1952. **Dist.** VIII. Ñuble; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén.

***Macromitrium longirostre*** (Hook.) Schwägr.

Mitten 1869. **Dist.** V. Valparaíso; X. Chiloé.

***Macromitrium masafuerae*** Broth.

Brotherus 1924b; Bartram 1957; Robinson 1975. **Dist.** Juan Fernández Is.

***Macromitrium microcarpum*** Müll. Hal.

Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; He 1998; Mitten 1869; Thériot 1935; Herzog & Schwabe 1939; Bartram 1952; Herzog 1960. **Dist.** VII. Maule; VIII. Arauco, Concepción, Ñuble; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno.

***Macromitrium microstomum*** (Hook. & Grev.) Schwägr.

Robinson 1975 (as *Macromitrium saxatile*, Espinosa 1941; Mitten 1869; Brotherus 1924b; Bartram 1957). **Dist.** Juan Fernández Is.

*Macromitrium papillosum* Thér. ≡ *Matteria papillosa*.

*Macromitrium paraphysatum* Mitt. = *Macrocoma sullivantii* fide Vitt 1980.

*Macromitrium paraphysatum* var. *chilensis* Thér. = *Macrocoma sullivantii* fide Vitt 1980.

***Macromitrium pertriste*** Müll. Hal.

Thériot 1921; Thériot 1934b. **Dist.** XIV. Valdivia/Ranco; X. Chiloé.

*Macromitrium poeppigii* Duby = *Zygodon pentastichus* fide Robinson 1975.

***Macromitrium saddleanum*** Besch. ex Müll. Hal.

Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Herzog & Hosseus 1938. **Dist.** XIV.

Valdivia/Ranco; XII. Antártica Chilena, Magallanes.

***Macromitrium saddleanum*** var. *piliferum* Herzog

Herzog 1954. **Dist.** XI. Aisén.

*Macromitrium saxatile* Mitt. = *Macromitrium microstomum* fide Robinson 1975.

***Macromitrium spurio-crispulum*** Dusén, nom. nud., Dusén 1903b.

***Macromitrium tenax*** Müll. Hal.

Tropicos 2009; Hässel et al. 1984; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Seki 1974; Matteri 1985b (as *Macromitrium coriaceum*, Roivainen 1934; Bartram 1946). **Dist.** X.

Chiloé; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Macromitrium spec.***

Ireland & Bellolio 2002; Brotherus 1924. **Dist.** Easter I.

***Mahua enervis*** W.R. Buck

Buck 1983 (as *Fabronia enervis*, Herzog 1960). **Dist.** XIV. Valdivia/Ranco.

***Matteria gracillima*** (Besch.) Goffinet

Larraín 2007a; He 1998; Matteri & Calabrese 1999 (as *Macrocoma gracillima*, Larraín 2005; Deguchi 1991b; as *Macromitrium gracillimum*, Herzog 1954; Seki 1974). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza.

***Matteria papillosa*** (Thér.) Goffinet

(as *Macrocoma papillosa*, Deguchi 1991b; as *Macromitrium papillosum*, Herzog & Hosseus 1938; Herzog 1954). **Dist.** X. Llanquihue; XI. Aisén.

*Meesia hymenostoma* Cardot & Broth. = *Meesia uliginosa* fide Matteri & Ochyra 1999.

*Meesia patagonica* Dusén = *Dicranella hookeri* fide Matteri & Ochyra 1999.

***Meesia uliginosa*** Hedw.

Buck 2002; Matteri & Schiavone 2002; Matteri & Ochyra 1999. **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Meteoriopsis straminea*** (Müll. Hal.) Broth. ex Paris

(as *Meteorium stramineum*, Mitten 1869). **Dist.** Chile, without exact locality (leg. Poeppig).

*Meteorium flexicaule* Wilson ≡ *Papillaria flexicaulis*.

*Meteorium genuflexum* Müll. Hal. ≡ *Ancistrodes genuflexa*.

*Meteorium molle* (Hedw.) Wilson ≡ *Weymouthia mollis*.

*Meteorium stramineum* (Müll. Hal.) Mitt. ≡ *Meteoriopsis straminea*.

*Metzleria patagonica* (Herzog & Thér.) J.-P. Frahm ≡ *Atractylocarpus patagonicus*.

***Microcampylopus leucogaster*** (Müll. Hal.) B.H. Allen

Tropicos 2009. **Dist.** VIII. Arauco (*Ireland & Bellolio* 32952, MO).

*Microdus euchlorus* (Mont.) Paris ≡ *Campylopodium euchlorum*.

*Microdus kunzeanus* (Müll. Hal.) Broth. ≡ *Leptotrichella kunzeana*.

***Mielichhoferia argentifolia*** Mitt.

He 1998. **Dist.** IV. Choapa; V. Valparaíso; RM. Talagante.

*Mielichhoferia brevicaulis* Hornsch. ≡ *Schizymenium brevicaule*.

*Mielichhoferia campylocarpa* (Hook.f. & Arnott) Mitt. ≡ *Schizymenium campylocarpum*.  
*Mielichhoferia chilensis* Mont. ≡ *Pohlia chilensis*.

***Mielichhoferia demissa*** Müll. Hal.

Muñoz & Pisano 1947; Villagran et al. 2004. **Dist. IV.** Limarí.  
*Mielichhoferia fulvonitens* Cardot & Broth. ≡ *Schizymenium fulvonitens*.

***Mielichhoferia longiseta*** Müll. Hal.

Brotherus 1924b; Robinson 1975. **Dist. Juan Fernández Is.**

*Mielichhoferia multiflora* E.B. Bartram ≡ *Schizymenium multiflorum*.

*Mielichhoferia pleurogyna* Mont. ≡ *Schizymenium pleurogynum*.

*Mielichhoferia skottsbergii* Cardot & Broth. ≡ *Schizymenium skottsbergii*.

*Mielichhoferia spegazzinii* Müll. Hal. = *Schizymenium campylocarpum* fide Matteri 1998.

***Mittenothamnium deguchi*** N. Nishim. & Kanda

Barrera 2006; Nishimura & Kanda 1990; Deguchi 1991a. **Dist. XI.** Aisén.

***Mithyridium fasciculatum*** (Hook. & Grev.) H. Rob.

(as *Syrrhopodon fasciculatus*, Mitten 1869). **Dist. Chile**, without exact locality (leg. Lobb).

*Mniadelphus flaccidus* (Hook.f & Wilson) Hampe ≡ *Distichophyllum flaccidum*.

*Mniadelphus krausei* Lorentz ≡ *Distichophyllum krausei*.

*Mniobryum albicans* (Wahlenb.) Limpr. = *Pohlia wahlenbergii* fide Shaw 1982.

*Mniobryum alticaule* (Müll. Hal.) Broth. = *Pohlia wahlenbergii* fide Warburg 1962.

*Mniobryum alticaule* var. *crassinerve* Broth. = *Pohlia wahlenbergii* fide Müller 2009.

*Mniobryum amplirete* (Müll. Hal.) Broth. = *Pohlia wahlenbergii* fide Warburg 1962.

*Mniobryum aspillaiae* Thér. = *Pohlia wilsonii* fide Müller 2009.

*Mniobryum philonotum* (Müll. Hal.) Broth. = *Pohlia wahlenbergii* fide Matteri 1998.

*Mnium leptolimbatum* Müll. Hal. = *Plagiomnium ellipticum* fide T. Koponen 1974.

*Mnium rostratum* Schrad. ≡ *Plagiomnium rostratum*.

*Mnium subpunctatum* Cardot & Broth. = *Cinclidium stygium* fide T. Koponen 1969.

***Molendoa fuegiana*** E.B. Bartram

Matteri & Schiavone 2002; Bartram 1946. **Dist. XII.** Tierra del Fuego.

*Monocranum angustirete* Müll. Hal. ex Broth. = *Eucamptodon perichaetialis* fide Ochyra 1994.

*Monocranum dicranoides* Müll. Hal. ex Kindb. = *Eucamptodon perichaetialis* fide Ochyra 1994.

***Muelleriella crassifolia*** (Hook.f. & Wilson) Dusén

Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Buck 2005b; Matteri & Schiavone 2002; Dusén 1905a; Matteri 1985b; Deguchi 1991b (as *Muelleriella crassifolia* var. *lingulata*, Dusén 1905a; as *Orthotrichum crassifolium*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; as *Orthotrichum ligulatum*, Dusén 1903b). **Dist. XII.** Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Muelleriella crassifolia* var. *lingulata* Dusén = *Muelleriella crassifolia* fide Vitt 1976.

*Muscoflorschuetzia pilmaiquen* (Crosby) Crosby ≡ *Diphyscium pilmaiquen*.

***Muscoherzogia paupercula*** (Thér. & Herzog) Ochyra

(as *Valdiviella paupercula*, Herzog 1928). **Dist. XIV.** Valdivia/Ranco; X. Llanquihue.

***Myurella julacea*** (Schwägr.) Schimp.

Hässel et al. 1984; Matteri 1981, 1985b. **Dist. XII.** Magallanes, Última Esperanza.

*Neckera berteroana* Schimp. ex Mitt. = *Neckera scabridens* fide Sastre-de Jesus 1987.

***Neckera chilensis*** Schimp. ex Mont.

Tropicos 2009; Hässel et al. 1984; Pereira et al. 2006; Espinosa 1941; Muñoz & Pisano 1947; He 1998; Müller & Pereira 2006; Mitten 1869; Dusén 1903b; Cardot 1908; Thériot 1915, 1917; Herzog 1922, 1954; Brotherus 1924a; Reimers 1926; Herzog & Hosseus 1938; Matteri 1985b; Deguchi 1991b (as *Neckera jamesoni*, Mitten 1869). **Dist. IV.** Choapa, Limarí; V. Aconcagua, Petorca, Valparaíso; RM. Cordillera; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza.

*Neckera jamesoni* Taylor = *Neckera chilensis* fide Sastre-de Jesus 1987.

***Neckera rotundata*** Broth.

Brotherus 1924b; Bartram 1957; Robinson 1975. **Dist. Juan Fernández Is.**

***Neckera scabridens*** Müll. Hal. var. *scabridens*

Tropicos 2009; Matcham et al. 2007; Pereira et al. 2006; Larraín 2005; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922, 1954, 1960; Reimers 1926; Bartram 1952; Seki 1974; Deguchi 1991b (as *Neckera berteroana*, Mitten 1869; Thériot 1915). **Dist.** IV. Choapa; V. Petorca, Valparaíso; RM. Santiago; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

*Neckera scabridens* var. *porteri* Thér.

Thériot 1915, 1917. **Dist.** V. Valparaíso; XIV. Valdivia/Ranco.

*Neobarbula magellanica* Dusén = *Hennediella densifolia* fide Cano 2008.

*Neoloma fuegianum* Cardot = *Andreaea fuegiana*.

*Neomeesia paludella* (Besch.) Deguchi

Matcham et al. 2007; Buck 2002; Matteri & Ochyra 1999; Matteri & Schiavone 2002; Deguchi 1983, 1991b (as *Dicranella paludella*, Dusén 1905b; Cardot 1908; Cardot & Brotherus 1923; as *Anisothecium paludella*, Hässel et al. 1984; Roivainen 1937; Herzog 1954; Matteri 1985b). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Neosharpiella turgida* (Mitt.) H. Rob. & Delgad.

Fife 1980; Larraín et al. 2009. **Dist.** VII. Talca.

*Neuroloma fuegianum* Cardot = *Andreaea fuegiana*.

*Niphotrichum canescens* (Hedw.) Bednarek-Ochyra & Ochyra

(as *Racomitrium canescens*, He 1998). **Dist.** RM. Santiago.

*Notoligotrichum angulatum* (Cardot & Broth.) G.L. Smith = *Notholigotrichum minimum*.

*Notoligotrichum australe* (Hook.f. & Wilson) G. L. Sm.

He 1998. **Dist.** IX. Malleco.

*Notoligotrichum minimum* (Cardot) G.L. Sm.

Buck 2005a, 2005b; Matteri & Schiavone 2002; Robinson 1975 (as *Polytrichadelphus minimus*, Cardot 1908; as *Psilopilum minimum*, Hässel et al. 1984; Matteri 1985b; as *Notholigotrichum angulatum*, Larraín 2005; Schaumann 2005, Seki 1974; Deguchi 1991b; as *Psilopilum angulatum*, Hässel et al. 1984; Cardot & Brotherus 1923; Matteri 1985b). **Dist.** IX. Malleco; XIV. Valdivia/Ranco; X. Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Notoligotrichum tapes* var. *apiculatum* (Cardot) Schiavone

Matteri & Schiavone 2002 (as *Psilopilum tapes* var. *apiculatum*, Cardot & Brotherus 1923).

**Dist.** Tierra del Fuego.

*Notoligotrichum tapes* (Müll. Hal.) G. L. Sm. var. *tapes*

(as *Psilopilum cuspidatum*, Dusén 1905a). **Dist.** XII. Tierra del Fuego.

*Notoligotrichum trichodon* (Hook.f. & Wilson) G.L. Sm.

Ochyra et al. 2008; Goffinet et al. 2006; Buck 2002; Schiavone & Hyvönen 1993; Matteri & Schiavone 2002; Deguchi 1991b (as *Psilopilum trichodon*, Hässel et al. 1984; Matteri 1985b; *Psilopilum antarcticum*, Cardot 1908; Brotherus 1924b; as *Psilopilum antarcticum* var. *densifolium*, Barrera 2006; Cardot & Brotherus 1923; as *Psilopilum magellanicum*, Dusén 1905b). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Octodiceras dillenii* (Bach Pyl.) Brid. = *Fissidens semicompletus* fide Pursell 1994.

*Oedipodium griffithianum* (Dicks.) Schwägr.

Matteri 1979. **Dist.** VIII. Biobío.

*Oligotrichum austroaligerum* G.L. Sm.

Matteri & Schiavone 2002; Schiavone 1993 (as *Oligotrichum magellanicum*, Cardot & Brotherus 1923; Herzog 1954). **Dist.** XI. Aisén; XII. Magallanes.

*Oligotrichum canaliculatum* (Hook. & Arn.) Mitt. var. *canaliculatum*

Tropicos 2009; Larraín 2007b; Pereira et al. 2006; Larraín 2005; Espinosa 1941; Mullen & Frye 1947; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Mitten 1869; Thériot 1915, 1925, 1935; Herzog 1922, 1954, 1960; Brotherus 1924a, 1924b; Reimers 1926; Herzog &

Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952, 1957; Seki 1974; Robinson 1975; Deguchi 1991b (as *Pogonatum liliputanum*, Thériot 1917; as *Oligotrichum canaliculatum* var. *molinae*, Thériot 1924). **Dist.** V. San Antonio, Valparaíso; RM. Melipilla; VII. Cauquenes, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; Juan Fernández Is.

***Oligotrichum canaliculatum* var. *minus*** Broth.

Mullen & Frye 1947; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1957. **Dist.** VI. Colchagua; XIV. Valdivia/Ranco; Juan Fernández Is.

*Oligotrichum canaliculatum* var. *molinae* (Mont.) Thér. = *Oligotrichum canaliculatum* fide Wijk et al. 1959.

*Oligotrichum dendroides* (Brid. ex Hedw.) Kindb. ≡ *Dendroligotrichum dendroides*.

***Oligotrichum laevifolium*** Thér.

Thériot 1924; Herzog & Hosseus 1938. **Dist.** XIV. Valdivia/Ranco; X. Chiloé.

*Oligotrichum magellanicum* Cardot & Broth. = *Oligotrichum austroaligerum* fide Smith 1969.

***Oligotrichum obtusifolium*** Thér.

Thériot 1934b. **Dist.** XIV. Valdivia/Ranco.

*Oligotrichum rigidum* (Lorentz) Broth. ≡ *Hebantia rigida*.

*Oligotrichum subcanaliculatum* Dusén = *Oligotrichum canaliculatum* var. *minus* fide Mullen & Frye 1947.

***Ombronesus stuvensis*** N.E. Bell, N. Pedersen & A.E. Newton

Bell et al. 2007. **Dist.** XI. Capitán Prat.

*Oncophorus fuegianus* Cardot ≡ *Symblepharis fuegiana*.

*Oncophorus luteo-virens* E.B. Bartram ≡ *Symblepharis luteovirens*.

*Oreoweisia chilensis* (Hampe ex Müll.Hal.) Paris = *Oreoweisia erosa* fide O'Shea & Matcham in Blockeel et al. 2004.

***Oreoweisia erosa*** (Hampe ex Müll.Hal.) Kindb.

O'Shea & Matcham in Blockeel et al. 2004 (as *Oreoweisia* cf. *chilensis*, Buck 2002). **Dist.** II.

El Loa; XII. Antártica Chilena; „Andes Chilensis“ (type of *O. chilensis*).

*Orthodontium australe* Hook.f. & Wilson = *Orthodontium lineare* fide Matteri 1985b.

*Orthodontium australe* var. *brevisetum* Cardot & Broth. = *Orthodontium lineare* fide Meijer 1951.

***Orthodontium gracile*** (Wilson) Schwägr. ex B.S.G.

Ireland et al. 2007; He 1998; Meijer 1951; Herzog 1954; Bartram 1957; Robinson 1975 (as *Orthodontium tenellum*, Mitten 1869; as *Stableria tenella*, Thériot 1923). **Dist.** V. Quillota, Valparaíso; VIII. Biobío, Concepción, Ñuble; Juan Fernández Is.

*Orthodontium humile* Mont. ≡ *Pohlia humilis*.

***Orthodontium lineare*** Schwägr.

Hässel et al. 1984; Matcham et al. 2007; Buck 2002; He 1998; Matteri & Schiavone 2002; Matteri 1985b (as *Orthodontium australe*, Dusén 1903b; Cardot & Brotherus 1923; Deguchi 1991a; as *Apalodium australe*, Mitten 1869; as *Orthodontium australe* var. *brevisetum*, Cardot & Brotherus 1923). **Dist.** X. Llanquihue; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Orthodontium pellucens*** (Hook.) B.S.G.

Villagran et al. 2004; Ireland et al. 2007; He 1998; Herzog 1954. **Dist.** IV. Limarí; VIII. Biobío, Concepción, Ñuble; X. Osorno.

*Orthodontium tenellum* Mitt. = *Orthodontium gracile* fide Meijer 1951.

*Orthogrimmia sessitana* (De Not.) Ochyra ≡ *Grimmia sessitana*.

*Orthorrhynchium chilensis* R.S. Williams = *Catagonium nitens* subsp. *nitens* fide Lin 1984.

***Orthotrichum aequatoreum*** Mitt.

Ireland et al. 2007. **Dist.** VIII. Ñuble.

***Orthotrichum anaglyptodon*** Cardot & Broth.

Müller 2009; Ireland et al. 2007; He 1998; Lewinsky 1987; Deguchi 1991b. **Dist.** RM. Chacabuco, Cordillera, Santiago; VII. Curicó, Talca; VIII. Ñuble; IX. Cautín, Malleco; XI. Coihaique, General Carrera; XII. Magallanes, Última Esperanza.

*Orthotrichum anderssonii* Ångström = *Orthotrichum elegantulum* fide Lewinsky 1987.

*Orthotrichum angustissimum* Dusén, nom. nud. = *Orthotrichum elegantulum* fide Lewinsky 1987.

***Orthotrichum anomalum*** Hedw.

Buck 2005b. **Dist.** XII. Antártica Chilena.

***Orthotrichum araucarietii*** Müll. Hal.

NY 2009; Müller 2009. **Dist.** VIII. Ñuble; XI. General Carrera.

*Orthotrichum argentinicum* Herzog = *Orthotrichum elegantulum* fide Lewinsky 1987.

*Orthotrichum aristoblepharum* Herzog = *Orthotrichum johnstonii* fide Lewinsky 1987.

***Orthotrichum assimile*** Müll. Hal.

Müller 2009; Goffinet et al. 2007; Matcham et al. 2007; He 1998; Matteri & Schiavone 2002; Mitten 1869; Thériot 1921, 1928; Herzog 1954; Lewinsky 1984; Deguchi 1991b (as *Orthotrichum conceptionense*, Thériot 1926; as *Orthotrichum macloskii*, Hässel et al. 1984; Dusén 1903b; as *Orthotrichum paleomitrium*, Dusén 1903b). **Dist.** V. Valparaíso; RM. Chacabuco, Cordillera; VII. Cauquenes, Curicó, Linares, Talca; VIII. Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno, Palena; XI. General Carrera; XII. Magallanes, Última Esperanza.

*Orthotrichum bicolor* Thér. = *Orthotrichum incanum* fide Matteri 2000.

*Orthotrichum brevicolle* Mitt. = *Ulota rufula* fide Malta 1927.

***Orthotrichum brotheri*** Dusén ex Lewinsky

NY 2009; Tropicos 2009; Müller 2009; Lewinsky 1987; Deguchi 1991b. **Dist.** VIII. Biobío, Ñuble; IX. Cautín; X. Palena; XI. Aisén, General Carrera; XII. Antártica Chilena, Ultima Esperanza.

*Orthotrichum carinatum* Mitt. ≡ *Ulota carinata*.

*Orthotrichum chilense* Mitt. = *Ulota rufula* fide Malta 1927.

*Orthotrichum compactum* Dusén = *Orthotrichum inclinatum* fide Matteri 2000.

*Orthotrichum conceptionense* Thér. = *Orthotrichum assimile* fide Lewinsky 1984.

*Orthotrichum crassifolium* Hook.f. & Wilson ≡ *Muelleriella crassifolia*.

*Orthotrichum crenatoerosum* Müll. Hal. = *Orthotrichum incanum* fide Matteri 2000.

***Orthotrichum cupulatum*** Hoffm. ex Brid. var. ***austroamericanum*** Lewinsky

Müller 2009; Lewinsky 1984. **Dist.** Patagonia; XI. General Carrera.

*Orthotrichum darwinii* (Mitt.) Mitt. ≡ *Ulota fuegiana* var. *darwinii*.

***Orthotrichum densum*** Lewinsky

Müller 2009; He 1998; Lewinsky 1987. **Dist.** IX. Cautín; XI. Coihaique; XII. Última Esperanza.

***Orthotrichum diaphanum*** Schrad. ex Brid. var. ***podocarpi*** (Müll. Hal.) Lewinsky

Müller 2002, 2009. **Dist.** II. Antofagasta; XII. Magallanes.

***Orthotrichum elegantulum*** Schimp. ex Mitt.

Goffinet et al. 2006; Matcham et al. 2007; Buck 2002; He 1998; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Cardot & Brotherus 1923; Bartram 1952; Seki 1974; Matteri 1985b; Lewinsky 1987; Deguchi 1991b (as *Ulota gymnomitria*, Dusén 1903b; as *Orthotrichum andersonii*, Ångström 1872; as *Ulota andersonii*, Cardot 1908; as *Orthotrichum argentinicum*, Seki 1974; as *Orthotrichum angustissimum*, Dusén 1903b; as *Orthotrichum hymenomitrium*, Dusén 1903b). **Dist.** V. Valparaíso; VII. Cauquenes, Curicó, Linares, Talca; VIII. Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Orthotrichum eremitense* Mitt. = *Ulota glabella* fide Malta 1927.

***Orthotrichum freyanum*** Goffinet, W.R. Buck & M.A. Wall

Goffinet et al. 2007. **Dist.** VIII. Biobío.

*Orthotrichum fuegianum* Mitt. ≡ *Ulota fuegiana*.

*Orthotrichum fulvellum* (Mitt.) Mitt. = *Ulota luteola* fide Wijk et al. 1964.

*Orthotrichum germanum* Mont. ≡ *Ulota germana*.

***Orthotrichum gigantosporum*** Lewinsky

(as *Orthotrichum macrosporum*, Lewinsky & Deguchi 1989; Lewinsky 1984; Deguchi 1991b).

**Dist.** IX. Malleco.

*Orthotrichum glabellum* Mitt. ≡ *Ulota glabella*.

*Orthotrichum gymnomitria* Müll. Hal. = *Orthotrichum elegantulum* fide Lewinsky 1987.

***Orthotrichum hortense*** Bosw.

Müller 2009; He 1998; Lewinsky 1987; Deguchi 1991b. **Dist.** VII. Talca; VIII. Biobío; IX. Cautín, Malleco; XIV. Valdivia/Ranco.

*Orthotrichum hymenomitrium* Dusén, nom. nud. = *Orthotrichum elegantulum* fide Lewinsky 1987.

***Orthotrichum incanum*** Müll. Hal.

Müller 2009; He 1998; Matteri & Schiavone 2002; Müller 1885 (as *Ulota incana*, Dusén 1903b; Cardot 1908; as *Orthotrichum crenato-erosum*, Lewinsky 1987; as *Ulota crenato-erosa*, Dusén 1903b; Cardot 1908; as *Orthotrichum bicolor*, Tropicos 2009; Pereira et al. 2006; Müller & Pereira 2006; Thériot 1921, 1928, 1935; Herzog 1954; Lewinsky 1987; as *Orthotrichum ulotoides*, Herzog 1922). **Dist.** V. Valparaíso; VII. Cauquenes, Curico, Linares, Talea; VIII. Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Coihaique; XII. Antártica Chilena, Magallanes, Ultima Esperanza.

***Orthotrichum inclinatum*** Müll. Hal.

Matteri & Schiavone 2002; Müller 1885; Matteri 2000 (as *Ulota inclinata*, Dusén 1903b; as *Orthotrichum compactum*, Goffinet et al. 2006; Matcham et al. 2007; Buck 2002; Dusén 1903b; Herzog 1960; Lewinsky 1984; as *Orthotrichum perpusillum* Dusén 1903b). **Dist.** X. Llanquihue; XI. Aisen; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Ultima Esperanza.

***Orthotrichum johnstonii*** E.B. Bartram

He 1998; Bartram 1943; Lewinsky 1987 (as *Orthotrichum aristoblepharum*, Herzog 1954). **Dist.** III. Atacama; IV. Limarí.

***Orthotrichum latimarginatum*** Lewinsky

Ireland et al. 2007. **Dist.** VIII. Ñuble.

***Orthotrichum laxifolium*** Wilson

Ireland et al. 2007. **Dist.** VIII. Ñuble.

***Orthotrichum leiothecium*** Müll. Hal.

(as *Ulota leiothecia*, Dusén 1903b; Cardot 1908). **Dist.** XII. Magallanes. Note: Lewinsky (1987) considered this species to be an uncertain taxon because she didn't see the type.

*Orthotrichum ligulatum* Dusén, nom. nud. = *Muelleriella crassifolia* fide Lewinsky 1984.

*Orthotrichum lobbianum* Mitt. ≡ *Ulota lobbiana*.

*Orthotrichum lorentzii* Müll. Hal. = *Orthotrichum pycnophyllum* fide Lewinsky 1987.

***Orthotrichum ludificans*** Lewinsky

Müller 2009; Lewinsky 1987; Deguchi 1991b; Matteri & Schiavone 2002. **Dist.** VIII. Biobío; IX. Cautín, Malleco; XI. Coihaique; XII. Última Esperanza.

*Orthotrichum luteolum* Hook. f. & Wilson ≡ *Ulota luteola*.

*Orthotrichum macloskii* Dusén = *Orthotrichum assimile* fide Lewinsky 1984.

*Orthotrichum macrocalycinum* Mitt. ≡ *Ulota macrocalycina*.

*Orthotrichum macrosporum* Lewinsky = *Orthotrichum gigantosporum* fide Lewinsky 1988.

*Orthotrichum magellanicum* Mont. ≡ *Ulota magellanica*.

*Orthotrichum nigrifellum* Dusén, nom. nud. = *Orthotrichum inclinatum* fide Matteri 2000.

*Orthotrichum paleomitrium* Dusén, nom. nud. = *Orthotrichum assimile* fide Lewinsky 1984.

***Orthotrichum pariatum*** Mitt.

Tropicos 2009; Müller 2009. **Dist.** VII. Talca; VIII. Ñuble (Ireland & Bellolio 30669, MO, det. as *O. pariatum* ?)

***Orthotrichum perexiguum*** Dusén ex Lewinsky

Tropicos 2009; Lewinsky 1984. **Dist.** VIII. Biobío; IX. Cautín; XIV. Valdivia/Ranco; XII. Magallanes.

*Orthotrichum perpusillum* Dusén, nom. nud. = *Orthotrichum inclinatum* fide Matteri 2000.

*Orthotrichum phyllanthum* (Brid.) Steud. ≡ *Ulota phyllantha*.

***Orthotrichum pycnophyllum*** Schimp.

(as *Orthotrichum lorentzii*, Herzog & Hosseus 1938) **Dist.** IX. Cautín. Note: This species was not reported from Chile by Lewinsky (1987). The record of Herzog & Hosseus (1938) is therefore in need of verification.

*Orthotrichum rufulum* Mitt. ≡ *Ulota rufula*.

***Orthotrichum rupestre*** Schleich. ex Schwägr.

Tropicos 2009; Müller 2009; Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; He 1998; Matteri & Schiavone 2002; Dusén 1903b; Thériot 1921; Lewinsky 1987; Deguchi 1991b (as *Orthotrichum subrupestre*, Thériot 1923). **Dist.** V. Valparaíso; RM. Chacabuco, Cordillera, Santiago; VI. Colchagua; VII. Curicó, Talca; VIII. Biobío, Ñuble; IX. Malleco; X. Llanquihue; XI. Coihaique, General Carrera; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Orthotrichum subassimile* Dusén, nom. nud., Dusén 1903b.

*Orthotrichum subrupestre* Thér. = *Orthotrichum rupestre* fide Lewinsky 1987.

***Orthotrichum tristriatum*** Lewinsky

He 1998; Lewinsky 1984; Deguchi 1991b. **Dist.** RM. Chacabuco; VIII. Concepción; IX. Cautín.

***Orthotrichum truncatum*** Lewinsky & Deguchi

Tropicos 2009; Lewinsky & Deguchi 1989; Deguchi 1991b. **Dist.** VIII. Arauco, Biobío, Concepción; IX. Cautín, Malleco.

*Orthotrichum ulotoides* Herzog = *Orthotrichum incanum* fide Matteri 2000.

*Orthotrichum vittatum* Cardot = *Orthotrichum inclinatum* fide Matteri 2000.

*Oxyrrhynchium corralense* (Lorentz) M. Fleisch. ex Reim. ≡ *Eurhynchium corralense*.

*Oxyrrhynchium fuegianum* (Cardot) Herzog ≡ *Eurhynchium fuegianum*.

*Oxyrrhynchium paelongum* (Hedw.) Warnst. ≡ *Kindbergia paelonga*.

*Papillaria filipendula* (Hook.f. & Wilson) A. Jaeger = *Papillaria flexicaulis* fide Ireland et al. 2007.

***Papillaria crocea*** (Hampe) A. Jaeger

Ireland & Bellolio 2002 (as *Papillaria pascuana*, Barrera 2006; Espinosa 1941; Fuentes 1913; Brotherus 1924). **Dist.** Easter I. Note: In accordance with Huttunen et al. (2008) the genus *Papillaria* is treated here as distinct of the genus *Meteoriump*.

***Papillaria flexicaulis*** (Wilson) A. Jaeger

He 1998; Robinson 1975 (as *Papillaria filipendula*, Reimers 1926; Herzog & Hosseus 1938; Bartram 1957; as *Meteoriump flexicaule*, Müller 2009; Ireland et al. 2007). **Dist.** VII. Cauquenes, Talca; VIII. Biobío, Concepción; IX. Cautín; XIV. Valdivia/Ranco; Juan Fernández Is. Note: In accordance with Huttunen et al. (2008) the genus *Papillaria* is treated here as distinct of the genus *Meteoriump*.

*Papillaria pascuana* Thér. ex Broth. = *Papillaria crocea*.

***Pararhacocarpus patagonicus*** (Broth.) J.-P. Frahm

Tropicos 2009; Buck 2004; He 1998; Frahm 1996; Matteri & Schiavone 2002 (as *Rhacocarpus patagonicus*, Hässel et al. 1984; Dusén 1905a; Matteri 1985b). **Dist.** XIV. Valdivia/Ranco; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Pentastichella aurea* Dusén, nom. nud. = *Zygodon pentastichus* fide Calabrese 2006.

*Pentastichella jaffuelii* Thér. = *Zygodon pentastichus* fide Calabrese 2006.

*Pentastichella pentasticha* (Mont.) Müll. Hal. ≡ *Zygodon pentastichus*.

*Pentastichella pentasticha* var. *strictifolia* Thér. = *Zygodon pentastichus* fide Calabrese 2006.

*Pentastichella robusta* Dusén ex Paris = *Zygodon bartramoides* fide Calabrese 2006.

*Peromnion magellanicum* Sull. ≡ *Brachymenium magellanicum*.

*Philibertia ditrichoidea* Cardot ≡ *Ditrichum ditrichoideum*.

*Philibertia nitens* Herzog ≡ *Ditrichum nitens*.

*Philonotis acicularis* (Müll. Hal.) Kindb. = *Philonotis polymorpha* fide Ochyra et al. 2008.

*Philonotis bartramii* Matteri = *Philonotis polymorpha* fide Matteri 1985a.

*Philonotis brevifolia* Herzog = *Philonotis krausei* fide Seki 1974.

***Philonotis cygnea*** (Sull.) D.G. Griffin & W.R. Buck

Griffin & Buck 1989 (as *Bartramidula cygnea*, Herzog 1922; Seki 1974; as *Bartramia cygnea*, Mitten 1869). **Dist.** XIV. Valdivia/Ranco; XI. Aisén.

***Philonotis depressinervis*** Cardot, nom. nud., Barrera 2006.

***Philonotis elongata*** (Dism.) H.A. Crum & Steere

Ireland et al. 2007. **Dist.** VIII. Concepción.

*Philonotis exigua* (Sull.) Broth. = *Philonotis scabrifolia* fide Wijk et al. 1967.

***Philonotis glabrata*** Broth.

Brotherus 1924b; Bartram 1957; Robinson 1975. **Dist.** Juan Fernández Is.

*Philonotis glaucescens* (Hornschr.) Broth.

He 1998. **Dist.** VII. Curicó.

*Philonotis gourdonii* Cardot = *Philonotis polymorpha* fide Ochyra et al. 2008.

*Philonotis hastata* (Duby) Wijk & Margad.

Ireland & Bellolio 2002 (as *Philonotis laxissima*, Espinosa 1941; Brotherus 1924). **Dist.** Easter I.

*Philonotis krauseana* Broth. = *Philonotis krausei*.

*Philonotis krauseana* var. *longinervis* Broth.

Brotherus 1924b. **Dist.** Juan Fernández Is.

*Philonotis krausei* (Müll. Hal.) Broth.

Tropicos 2009; Larraín 2007b; Pereira et al. 2006; Schaumann 2005; Müller & Pereira 2006; He 1998; Thériot 1934b, 1935; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954; Bartram 1957; Matteri 1968; Seki 1974; Robinson 1975; Deguchi 1991a (as *Philonotis krauseana*, Brotherus 1924b; as *Philonotis brevifolia*, Herzog 1954; *Philonotis krausei* fo. *latifolia*, Thériot 1924.). **Dist.** V. Petorca, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Santiago; VI. Cachapoal; VII. Cauquenes, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; Juan Fernández Is.

*Philonotis laxissima* Mitt. = *Philonotis hastata*.

*Philonotis litorea* Cardot & Broth.

Matteri 1989. **Dist.** Juan Fernández I.

*Philonotis luteola* E.B. Bartram = *Philonotis polymorpha* fide Matteri & Schiavone 2002.

*Philonotis nigroflava* Müll. Hal.

Ireland et al. 2007; He 1998; Matteri & Schiavone 2002; Dusén 1903b; Matteri 1985a (as *Philonotis parallela*, Hässel et al. 1984; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Matteri 1968; Seki 1974). **Dist.** V. Petorca; RM. Chacabuco, Santiago, Talagante; VI. Colchagua; VII. Curicó; VIII. Arauco, Ñuble; IX. Cautín; X. Llanquihue; XI. Aisén; XII. Magallanes, Última Esperanza.

*Philonotis parallela* Dusén = *Philonotis nigroflava* fide Matteri 1985a.

*Philonotis polymorpha* (Müll. Hal.) Kindb.

(as *Philonotis acicularis*, He 1998; Matteri 1985a; as *Philonotis luteola*, Bartram 1946; as *Philonotis bartramii*, Matteri 1973a; as *Philonotis gourdonii*, He 1998; Deguchi 1991a). **Dist.** IV. Choapa; V. Aconcagua; RM. Santiago; VI. Colchagua; VII. Curicó; IX. Cautín; X. Osorno; XII. Magallanes, Tierra del Fuego.

*Philonotis scabrifolia* (Hook.f. & Wilson) Braithw.

Tropicos 2009; Müller 2009; Hässel et al. 1984; Buck 2002; Espinosa 1941; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Cardot 1908; Herzog 1922, 1954; Cardot & Brotherus 1923; Brotherus 1924b; Roivainen 1934; Herzog & Schwabe 1939; Bartram 1952, 1957; Matteri 1968; Seki 1974; Robinson 1975; Matteri 1985a, 1985b; Deguchi 1991a (as *Bartramidula exigua*, Dusén 1903b; as *Philonotis exigua*, Brotherus 1904; as *Bartramia pusilla*, Sullivant 1850). **Dist.** VII. Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.

*Philonotis trichophylla* Herzog, hom. illeg., Herzog 1954.

*Philonotis vagans* (Hook. & Wilson) Mitt. var. *vagans*

Tropicos 2009; Goffinet et al. 2006; Hässel et al. 1984; Buck 2002; Espinosa 1941; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Thériot 1924; Roivainen 1934; Bartram 1952, 1957; Seki 1974; Robinson 1975; Matteri 1985a, 1985b; Deguchi 1991a (as *Bartramia vagans*, Mitten 1869; as *Rhizogonium reticulatum*, Mitten 1869; as *Goniobryum reticulatum*, Cardot 1908; Thériot 1934b; Herzog & Schwabe 1939; Herzog 1954; Seki 1974; Deguchi 1991b). **Dist.** RM. Maipo; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Osorno;

XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.

***Philonotis vagans*** var. *evanidinervis* Broth.

Barrera 2006; Brotherus 1924b. **Dist.** Juan Fernández Is.

***Physcomitrium badium*** Broth.

Ireland et al. 2007; Herzog 1954. **Dist.** VIII. Concepción; X. Llanquihue.

***Physcomitrium lorentzii*** Müll. Hal.

Ireland et al. 2007; Thériot 1934b (as *Physcomitrium mahui*, Robinson 1970). **Dist.** V. Aconcagua; RM. Santiago; VIII. Arauco.

*Physcomitrium mahui* H. Rob. = *Physcomitrium lorentzii* fide Fife 1982.

***Physcomitrium roseae*** R.S. Williams

Williams 1915. **Dist.** V. Valparaíso.

*Pilopogon leptodus* (Mont.) Broth. = *Campylopus clavatus* fide Sainsbury 1955.

***Pilopogon schilleri*** Herzog & Thér.

Larraín 2007b; Hässel et al. 1984; Larraín 2007a; Schaumann 2005; Frahm 2005; Matteri 1985b, 1989; Matteri & Schiavone 2002; Herzog et al. 1933. **Dist.** X. Chiloé, Llanquihue, Osorno, Palena; XII. Magallanes, Última Esperanza.

*Pilotrichella cumingii* (Müll. Hal.) Lorentz = *Weymouthia mollis* fide Mitten 1869.

*Pilotrichella krausei* Lorentz = *Weymouthia cochlearifolia* fide Cardot 1908.

*Pinnatella callicostelloides* (Broth. ex Thér.) Broth. = *Chileobryon callicostelloides*.

*Pinnatella macrosticta* Broth. = *Chileobryon callicostelloides* fide Enroth 1992.

***Plagiomnium ellipticum*** (Brid.) T.J. Kop.

Hässel et al. 1984; Buck 2002; Matteri & Schiavone 2002; Matteri 1985b; Deguchi 1991b (as *Mnium lepto-limbatum*, Dusén 1903b; as *Plagiomnium rugicum*, T. Koponen 1968). **Dist.** XIV. Valdivia/Ranco; XI. Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Plagiomnium rugicum* (Laurer) T.J. Kop. = *Plagiomnium ellipticum* fide T. Koponen 1974.

*Plagiothecium conostegium* Herzog = *Plagiothecium orthocarpum* fide Ochyra et al. 2008.

***Plagiothecium denticulatum*** (Hedw.) Schimp. var. *denticulatum*

Cardot 1908; Roivainen 1934; Matteri & Schiavone 2002. **Dist.** VIII. Ñuble; XII. Antártica Chilena.

***Plagiothecium denticulatum*** var. *obtusifolium* (Turner) Moore

(as *Plagiothecium donnianum*, Mitten 1869). **Dist.** XII. Antártica Chilena

*Plagiothecium donnianum* (Sm.) Mitt. = *Plagiothecium denticulatum* var. *obtusifolium* fide Wijk et al. 1967.

*Plagiothecium georgicoantarcticum* (Müll. Hal.) Kindb. = *Plagiothecium orthocarpum* fide Ochyra et al. 2008.

***Plagiothecium lamprostachys*** (Hampe) A. Jaeger

Buck 2002. **Dist.** XII. Antártica Chilena.

*Plagiothecium lucidulum* (Hook. f. & Wilson) Mitt. = *Plagiothecium lucidum* fide Buck & Ireland 1989.

***Plagiothecium lucidum*** (Hook. f. & Wilson) Paris

Hässel et al. 1984; Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Matteri 1985b (as *Plagiothecium lucidulum*, Mitten 1869; Dusén 1903b). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Plagiothecium orthocarpum*** Mitt.

Mitten 1869 (as *Plagiothecium georgicoantarcticum*, Matteri & Schiavone 2002; as *Plagiothecium conostegium*, Schaumann 2005; Buck & Ireland 1989; Frey & Schaumann 2002). **Dist.** VIII. Concepción; IX. Cautín; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Plagiothecium ovalifolium*** Cardot

Goffinet et al. 2006; Buck 2002; Ireland et al. 2007; Bednarek-Ochyra et al. 1999; Matteri & Schiavone 2002; Cardot 1908; Seki 1974; Buck & Ireland 1989; Deguchi 1991b. **Dist.** VIII. Biobío; IX. Malleco; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Platydictya jungermannioides*** (Brid.) H.A. Crum

Ochyra & Matteri 2001; Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego.

*Platypnidiump peruviense* (R.S. Williams) Ochyra  $\equiv$  *Rhynchostegium peruviense*.

*Platyneurum laticostatum* (Cardot) Broth. = *Platyneuron praealtum* fide Ochyra & Bednarek-Ochyra 1997.

***Platyneuron praealtum*** (Mitt.) Ochyra & Bednarek-Ochyra

Goffinet et al. 2006; Buck 2002; Ireland et al. 2007; Schaumann 2005; He 1998; Matteri & Schiavone 2002 (as *Platyneurum laticostatum*, Hässel et al. 1984; Roivainen 1937; Herzog & Hosseus 1938; Bartram 1952; Herzog 1954; Seki 1974; Matteri 1985b; Deguchi 1991a; as *Dicranum cirrhifolium*, Dusén 1903b; as *Dicranum laticostatum*, Dusén 1905b; Cardot 1900, 1901, 1908; as *Ditrichum praealtum*, Dusén 1903b; Cardot 1908). **Dist.** VIII. Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza, Tierra del Fuego.

***Pleuridium andinum*** Herzog

Tropicos 2009. **Dist.** VIII. Concepción (*Ireland & Bellolio* 31965, MO), Ñuble (*Ireland & Bellolio* 31527, MO).

***Pleuridium costesii*** Thér.

Thériot 1921. **Dist.** V. Valparaíso.

***Pleuridium macrothecium*** Dusén

Dusén 1905b; Thériot 1921. **Dist.** VIII. Concepción; IX. Malleco.

***Pleuridium robinsonii*** (Mont.) Mitt.

Tropicos 2009; He 1998; Mitten 1869; Dusén 1905b; Thériot 1921; Brotherus 1924b; Herzog & Hosseus 1938; Bartram 1952; Herzog 1954; Robinson 1975. **Dist.** V. Petorca, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Melipilla, Talagante; VI. Cachapoal; VIII. Arauco, Biobío, Concepción, Ñuble; Juan Fernández Is.

***Pleurorothrichum chilense*** Broth.

Tropicos 2009; Barrera 2006; Espinosa 1941; He 1998; Brotherus 1905, 1924a; Herzog 1954; Lewinsky-Haabapasaari 1994; Muñoz & Pisano 1947. **Dist.** II. Antofagasta; IV. Choapa, Limarí; V. Aconcagua, Petorca.

*Pogonatum alpinum* (Hedw.) Röhl.  $\equiv$  *Polytrichastrum alpinum*.

*Pogonatum liliputanum* Thér. = *Oligotrichum canaliculatum* fide Robinson 1975.

*Pogonatum oligodus* (Kunze ex Müll. Hal.) Mitt.  $\equiv$  *Pogonatum perichaetiale* subsp. *oligodus*.

***Pogonatum perichaetiale*** (Mont.) A. Jaeger subsp. *oligodus* (Kunze ex Müll. Hal.) Hyvönen

Villagran et al. 2003; He 1998; Hyvönen 1989 (as *Pogonatum oligodus*, Ireland et al. 2007; Mitten 1869; Thériot 1915, 1917; Bartram 1952). **Dist.** V. San Antonio, Valparaíso; RM. Santiago; VIII. Biobío, Concepción, Ñuble; XIV. Valdivia/Ranco; X. Chiloé.

*Pogonatum spuriocirratum* Broth. = *Pogonatum cirratum* subsp. *fuscum* fide Hyvönen 1989.

***Pohlia australis*** A.J. Shaw & Fife

Tropicos 2009. **Dist.** X. Llanquihue (*Frey & Schaumann* 01-378, MO, det. Shaw).

***Pohlia chilensis*** (Mont.) A.J. Shaw

Suárez & Schiavone 2008; He 1998; Ireland et al. 2007; Shaw 1987 (as *Webera costesii*, Thériot 1917, 1924; as *Mielichhoferia chilensis*, Mitten 1869; as *Pohlia pluriseta*, Robinson 1964). **Dist.** V. Los Andes, Valparaíso; RM. Chacabuco, Santiago, Talagante; VII. Curicó; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Malleco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Pohlia cruda*** (Hedw.) Lindb.

Tropicos 2009; Müller 2009; Hässel et al. 1984; Buck 2002; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Mitten 1869; Herzog 1922; Seki 1974; Matteri 1985b; Ochi 1990; Deguchi 1991a (as *Webera cruda*, Cardot 1900, 1901, 1908; Dusén 1903b; Cardot & Brotherus 1923; Roivainen 1934; Herzog 1954). **Dist.** RM. Chacabuco, Santiago; VII. Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Malleco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Pohlia drummondii*** (Müll. Hal.) A.L. Andrews

Cardot & Brotherus 1923; Müller 2002 (as *Pohlia inflexa*, Hässel et al. 1984; Matteri 1985b).

**Dist.** VII. Talca; XII. Magallanes, Última Esperanza.

***Pohlia humilis*** (Mont.) Broth.(as *Orthodontium humile*, Mitten 1869). **Dist.** Chile australia.*Pohlia inflexa* (Müll. Hal.) Wijk & Margad. = *Pohlia drummondii* fide Ochyra 1998.*Pohlia integra* (Cardot) A.J. Shaw = *Pohlia wilsonii* fide Arts 2001b.***Pohlia lonchochaete*** (Dusén) Broth.Buck 2002 (as *Webera lonchochaete*, Dusén 1903b). **Dist.** X. Llanquihue; XII. Antártica Chilena.***Pohlia looseri*** (Thér.) S. HeHe 1998 (as *Webera looseri*, Thériot 1935). **Dist.** RM. Santiago.*Pohlia magnifica* (Herzog) S. He = *Bryum australe* fide Müller 2009.***Pohlia nutans*** (Hedw.) Lindb.Goffinet et al. 2006; Hässel et al. 1984; Ireland et al. 2007; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Mitten 1869; Seki 1974; Matteri 1985b; Ochi 1990; Deguchi 1991a (as *Webera nutans*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Thériot 1924; Herzog 1954; as *Webera sphagnadelphus*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923). **Dist.** RM. Chacabuco, Cordillera, Maipo; VIII. Arauco, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.***Pohlia papillosa*** (Müll. Hal. ex A. Jaeger) Broth.NY 2009. **Dist.** RM. Santiago (Buck 41545, NY).*Pohlia plurisetia* Herzog = *Pohlia chilensis* fide Shaw 1987.***Pohlia sphagnicola*** (Bruch & Schimp.) Broth.Müller 2009. **Dist.** XII. Magallanes.***Pohlia wahlenbergii*** (F. Weber & D. Mohr) A.L. Andrews var. *wahlenbergii*Tropicos 2009; Ochyra et al. 2008; Buck 2002; Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Seki 1974; Ochi 1990; Deguchi 1991a (as *Mniobryum philonoteum*, Herzog 1954; as *Webera philonotea*, Dusén 1903b; Cardot 1908; as *Webera albicans*, Dusén 1903b; Thériot 1925; as *Mniobryum albicans*, Cardot & Brotherus 1923; Reimers 1926; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Herzog 1954; as *Mniobryum alticaule* var. *crassinerve*, Cardot & Brotherus 1923). **Dist.** V. Los Andes, Petorca, San Antonio, Valparaíso; RM. Chacabuco, Cordillera, Santiago; VI. Colchagua; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.***Pohlia wahlenbergii*** var. *glacialis* (Brid.) E.F. Warb.Hässel et al. 1984 (as *Mniobryum alticaule*, Herzog 1954; as *Webera alticaulis*, Dusén 1903b; Cardot 1908; as *Mniobryum amplirete*, Herzog 1922). **Dist.** XI. Aisén; XII. Magallanes, Última Esperanza.***Pohlia wilsonii*** (Mitt.) OchyraMüller 2009 (as *Leptobryum wilsonii*, Buck 2002; Matteri & Schiavone 2002; He 1998; Bartram 1952; as *Wollnya wilsonii*, Herzog 1954; as *Leptobryum pottiaeum*, Dusén 1903b; Cardot 1908; as *Wollnya pottiaeum*, Herzog 1954; as *Pohlia integra*, Suárez & Schiavone 2005; as *Mniobryum aspillacae*, Thériot 1924). **Dist.** II. Antofagasta; III. Atacama; IV. Elqui; V. Valparaíso; RM. Santiago; VI. Colchagua; XII. Antártica Chilena, Magallanes.***Pohlia* spec.**Ireland & Bellolio 2002. **Dist.** Easter I.*Polytrichadelphus dendroides* (Brid. ex Hedw.) Mitt. ≡ *Dendroligotrichum dendroides*.*Polytrichadelphus horridus* Mitt. = *Polytrichadelphus magellanicus* fide Robinson 1975.***Polytrichadelphus magellanicus*** (Hedw.) Mitt. subsp. *magellanicus*

Goffinet et al. 2006; Hässel et al. 1984; Stech et al. 2002; Buck 2002; Buck 2005a; Larraín 2005; Espinosa 1941; Schaumann 2005; He 1998; Matteri &amp; Schiavone 2002; Mitten 1869; Dusén 1903b; Cardot 1908; Herzog 1922; Cardot &amp; Brotherus 1923; Brotherus 1924b; Reimers 1926; Herzog &amp; Schwabe 1939; Bartram 1957; Seki 1974; Robinson 1975; Matteri

1985b; Deguchi 1991b; Schiavone 1993 (as *Polytrichadelphus horridus*, Mitten 1869; Cardot 1908; Herzog & Schwabe 1939; Herzog 1954; as *Polytrichadelphus robustus*, Cardot 1908; Cardot & Brotherus 1923). **Dist.** IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Polytrichadelphus minimus* Cardot ≡ *Notologitrichum minimum*.

*Polytrichadelphus robustus* (Lindb.) Broth. = *Polytrichadelphus magellanicus* fide Schiavone 1993.

*Polytrichadelphus squamosa* (Hook.f. & Wilson) Mitt. ≡ *Dendroligotrichum squamosum*.

*Polytrichadelphus stricticaulis* Dusén, nom. nud., Dusén 1903b.

**Polytrichastrum alpinum** (Hedw.) G.L. Sm.

Müller 2009; Ireland et al. 2007; Matteri & Schiavone 2002 (as *Polygonatum alpinum*, Hässel et al. 1984; Cardot 1908; as *Polytrichum alpinum*, Thériot 1935; Matteri 1985b; *Polytrichum alpinum* var. *integrifolium*, Cardot & Brotherus 1923). **Dist.** VII. Talca; VIII. Ñuble; XIV. Valdivia/Ranco; X. Osorno; XII. Magallanes, Tierra del Fuego, Última Esperanza.

**Polytrichastrum formosum** (Hedw.) G. L. Sm.

(as *Polytrichum formosum*, Matteri 1985b; Hässel et al. 1984). **Dist.** XII. Magallanes, Última Esperanza.

**Polytrichastrum longisetum** (Sw. ex Brid.) G.L. Sm.

Díaz et al. 2008; Ochyra et al. 2008; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Deguchi 1991b (as *Polytrichum gracile*, Herzog & Schwabe 1939; as *Polytrichum longisetum*, Matteri 1985b). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.

*Polytrichum alpinum* Hedw. ≡ *Polytrichastrum alpinum*.

*Polytrichum alpinum* var. *integrifolium* Cardot & Broth. = *Polytrichastrum alpinum* fide Schiavone 1993.

**Polytrichum elongatum** P. Beauv.

Dusén 1903b; Cardot 1908. **Dist.** XII. Magallanes.

*Polytrichum gracile* Dicks. = *Polytrichastrum longisetum* fide Smith 1971.

**Polytrichum juniperinum** Hedw. var. **juniperinum**

Tropicos 2009; Goffinet et al. 2006; Hässel et al. 1984; Döbbeler 1999; Döbbeler & Triebel 2000; Pereira et al. 2006; Buck 2002; Larraín 2005; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Schiavone & Hyvönen 1993; Matteri & Schiavone 2002; Mitten 1869; Dusén 1903b; Cardot 1908; Reimers 1926; Roivainen 1934; Thériot 1935; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Polytrichum juniperiforme*, Mitten 1869; *Polytrichum juniperinum* var. *alpinum*, Cardot & Brotherus 1923). **Dist.** V. San Antonio; RM. Cordillera, Maipo, Santiago; VI. Colchagua; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Última Esperanza.

**Polytrichum juniperinum** var. **affine** (Funck) Brid.

Hässel et al. 1984; Matteri & Schiavone 2002; Matteri 1985b (as *Polytrichum strictum* var. *alpestre*, Cardot & Brotherus 1923). **Dist.** XII. Magallanes, Última Esperanza.

*Polytrichum juniperiforme* Schimp. ex Mitt. = *Polytrichum juniperinum* fide Schiavone 1993.

*Polytrichum juniperinum* var. *alpinum* Schimp. = *Polytrichum juniperinum* fide Schiavone 1993.

**Polytrichum juniperinum** var. **australe** Walth., hom. illeg., Herzog & Schwabe 1939 (as

**Polytrichum spegazzinii**, Dusén 1903b).

*Polytrichum patagonicum* Müll. Hal. = *Polytrichum piliferum* fide Walther 1940.

**Polytrichum piliferum** Schreb. ex Hedw.

Tropicos 2009; Goffinet et al. 2006; Hässel et al. 1984; Buck 2002; Schaumann 2005; He 1998; Schiavone & Hyvönen 1991; Matteri & Schiavone 2002; Mitten 1869; Cardot 1900, 1901, 1908; Dusén 1903b; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Polytrichum patagonicum*, Dusén 1903b; as *Polytrichum subpiliferum*, Cardot 1900, 1901, 1908; as *Polytrichum trachynotum*, Dusén 1903b). **Dist.** VII. Talca; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV.

Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Polytrichum spegazzinii* Müll. Hal. = *Polytrichum juniperinum* fide Walther 1940.

***Polytrichum strictum*** Menzies ex Brid.

Goffinet et al. 2006; Buck 2002; Dusén 1903b; Cardot 1908; Ireland et al. 2007. **Dist. VIII.** Ñuble; XII. Antártica Chilena, Magallanes.

*Polytrichum strictum* var. *alpestre* (Hoppe) Rabenh. = *Polytrichum juniperinum* var. *affine* fide Schiavone 1993.

*Polytrichum subpiliferum* Cardot = *Polytrichum juniperinum* fide Matteri & Schiavone 2002.

*Polytrichum trachynotum* Müll. Hal. = *Polytrichum piliferum* fide Walther 1940.

***Porothamnium arbusculans*** (Müll. Hal.) M. Fleisch.

Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Gunckel 1938; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Brotherus 1924b; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991b (as *Hypnodendron naumannii*, Cardot 1908; as *Porothamnium arbusculans* var. *complanatum*, Cardot & Brotherus 1923; as *Porothamnium arbusculans* fo. *complanata*, Reimers 1926; *Porothamnium arbusculans* fo. *typica*, Reimers 1926; as *Thamnium arbusculans*, Dusén 1903b; Cardot 1908; as *Thamnium decumbens*, Dusén 1903b; Cardot 1908). **Dist. IV.** Choapa; V. Petorca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

*Porothamnium arbusculans* var. *complanatum* (Müll. Hal.) Cardot = *Porothamnium arbusculans*.

*Porothamnium arbusculans* fo. *complanata* (Dusén) Reim. = *Porothamnium arbusculans*.

*Porothamnium arbusculans* fo. *typica* Reim. = *Porothamnium arbusculans*.

*Porothamnium fasciculatum* (Sw. ex Hedw.) M. Fleisch. ≡ *Thamnobryum fasciculatum*.

***Porothamnium leucocaulon*** (Müll. Hal.) M. Fleisch.

Gunckel 1938; He 1998; Mitten 1869; Herzog 1922; Rovainen 1934; Herzog & Hosseus 1938; Bartram 1952 (as *Thamnium leucocaulon*, Cardot 1908). **Dist. VIII.** Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XII. Magallanes.

***Porothamnium panduraefolium*** (Müll. Hal.) M. Fleisch.

Tropicos 2009; Larraín 2005; Gunckel 1938; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Mitten 1869; Thériot 1918; Herzog 1922, 1954, 1960; Herzog & Hosseus 1938; Deguchi 1991b (as *Porothamnium panduraefolium* fo. *elongata*, Reimers 1926; as *Porothamnium panduraefolium* fo. *typica*, Reimers 1926; as *Thamnium panduraefolium*, Cardot & Brotherus 1923). **Dist. VII.** Cauquenes; VIII. Arauco, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes.

*Porothamnium panduraefolium* fo. *elongata* Reim. = *Porothamnium panduraefolium*.

*Porothamnium panduraefolium* fo. *typica* Reim. = *Porothamnium panduraefolium*.

***Porothamnium valdiviae*** (Müll. Hal.) M. Fleisch.

Tropicos 2009; Larraín 2007b; Pereira et al. 2006; Larraín 2005; Gunckel 1938; Villagran et al. 2003; He 1998; Mitten 1869; Thériot 1918; Cardot & Brotherus 1923; Rovainen 1934; Herzog & Hosseus 1938; Herzog 1954, 1960; Robinson 1975; Deguchi 1991b (as *Porotrichum valdiviae*, Bartram 1952; as *Porothamnium valdiviae* fo. *typica*, Reimers 1926; as *Porothamnium valdiviae* fo. *elongata*, Reimers 1926; as *Thamnium valdiviae*, Cardot 1908). **Dist. IV.** Choapa; VII. Talca; VIII. Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; Juan Fernández Is.

*Porothamnium valdiviae* fo. *typica* Reim. = *Porothamnium valdiviae*.

*Porothamnium valdiviae* fo. *elongata* Reim. = *Porothamnium valdiviae*.

***Porotrichodendron porteri*** (Thér.) Broth.

(as *Porotrichum porteri*, Thériot 1917). **Dist. VII.** Linares.

*Porotrichum callicostelloides* Broth. ex Thér. ≡ *Chileobryon callicostelloides*.

*Porotrichum callicostelloides* var. *distichum* Thér. = *Chileobryon callicostelloides* fide Enroth 1992.

***Porotrichum chilense*** Thér.

Tropicos 2009; He 1998; Thériot 1924. **Dist. V.** Valparaíso; VIII. Biobío, Ñuble; XIV. Valdivia/Ranco; X. Chiloé, Osorno.

- Porotrichum fasciculatum* (Hedw.) Mitt.  $\equiv$  *Thamnobryum fasciculatum*.
- Porotrichum korthalsianum*** (Dozy & Molk.) Mitt.  
Tropicos 2009; Schaumann 2005; He 1998. **Dist.** V. Petorca; VIII. Arauco, Biobío, Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno, Palena.
- Porotrichum lancifrons*** (Hampe) Mitt.  
Ireland et al. 2007; He 1998. **Dist.** VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; XI. Aisén.
- Porotrichum porteri* Cardot & Thér.  $\equiv$  *Porotrichodendron porteri*.
- Porotrichum valdiviae* (Müll. Hal.) Mitt.  $\equiv$  *Porothamnium valdiviae*.
- Pottia acutidentata* Thér. & Cardot = *Hennediella antarctica* fide Cano 2008.
- Pottia anderssonii* Sauerb., hom. illeg. = *Hennediella antarctica* fide Cano 2008.
- Pottia antarctica* (Ångström) Müll. Hal.  $\equiv$  *Hennediella antarctica*.
- Pottia austrogeorgica* Cardot = *Hennediella antarctica* fide Ochyra 1998.
- Pottia austrogeorgica* var. *microphylla* Cardot & Broth. = *Hennediella antarctica* fide Cano 2008.
- Pottia chubutensis* Cardot & Broth. = *Hennediella heimii* fide Cano & Gallego 2008.
- Pottia flavipes* Mont. = *Hennediella heimii* fide Cano 2008.
- Pottia fuscomucronata* Müll. Hal. = *Hennediella antarctica* fide Cano 2008.
- Pottia heimii* (Hedw.) Hampe  $\equiv$  *Hennediella heimii*.
- Pottia heimii* var. *flavipes* (Mont.) Warnst. = *Hennediella heimii* fide Cano 2008.
- Pottia heimii* var. *magellanica* Schimp. = *Hennediella heimii* fide Cano 2008.
- Pottia heimii* var. *maxima* Cardot = *Hennediella heimii* fide Cano 2008.
- Pottia heimii* var. *thaxteri* Cardot & Thér. = *Hennediella antarctica* fide Cano 2008.
- Pottia intermedia* (Turner) Fürnr. = *Tortula modica*.
- Pottia macrocarpa* Schimp.  $\equiv$  *Costesia macrocarpa*.
- Pottia magellanica* Schimp. ex Paris, hom. illeg. = *Hennediella antarctica* fide Wijk et al. 1967.
- Pottia megapoda* Müll. Hal. = *Hennediella heimii* fide Warnstorff 1916.
- Pottia pellucida* Cardot, nom. nud., Cardot 1911.
- Pottia spegazzinii* Müll. Hal.  $\equiv$  *Hennediella heimii* var. *spegazzinii*.
- Pottia truncata* (Hedw.) Bruch & Schimp.  $\equiv$  *Tortula truncata*.
- Pseudocrossidium apiculatum*** R.S. Williams  
He 1998; Thériot 1923; Cano 2003. **Dist.** XV. Parinacota; III. Copiapó; IV. Choapa, Elqui, Limarí; RM. Chacabuco, Cordillera, Santiago; VI. Cardenal Caro.
- Pseudocrossidium chilense*** R.S. Williams  
Jiménez & Cano 2007; He 1998; Williams 1915. **Dist.** IV. Elqui; V. Valparaíso; RM. Chacabuco, Santiago; VI. Cardenal Caro.
- Pseudocrossidium crinitum*** (Schultz) R.H. Zander  
Matcham et al. 2007; Larraín 2005; He 1998; Matteri & Schiavone 2002 (as *Barbula arenicola*, Dusén 1906a; as *Barbula depressa*, Thériot 1918, 1921; Costes 1921; Cardot & Brotherus 1923; as *Barbula depressa* var. *denticulata*, Thériot 1918; as *Barbula flagellaris* var. *denticulata*, Dusén 1906a; Cardot 1908; as *Barbula flagellaris* var. *gracilis*, Dusén 1906a; as *Tortula pilifera*, Hässel et al. 1984; Hezog 1960; Seki 1974; Matteri 1985b; as *Tortula pilifera* var. *denticulata*, Hässel et al. 1984; Matteri 1985b; as *Barbula pilifera*, Thériot 1928; Herzog & Hosseus 1938; Bartram 1952; Herzog 1954; Deguchi 1991b; as *Tortula purpureo-velutina*, Herzog 1954; as *Tortula subglacialis*, Thériot 1917, 1921; as *Barbula flagellaris*, Costes 1921). **Dist.** IV. Elqui, Limarí; V. Aconcagua, Petorca, San Antonio, Valparaíso; RM. Cordillera, Santiago, Talagante; VI. Colchagua; VII. Cauquenes, Linares, Talca; VIII. Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Magallanes, Última Esperanza.
- Pseudocrossidium elatum*** (R.S. Williams) Delgad.  
Cano 2003. **Dist.** XV. Parinacota.
- Pseudocrossidium excavatum*** (Mitt.) R.S. Williams  
Cano & Gallego 2008 (as *Tortula santiagensis*, Espinosa 1941; Brotherus 1924a). **Dist.** RM. Santiago.
- Pseudocrossidium hornschuchianum*** (Schultz) R.H. Zander  
Müller 2002. **Dist.** XII. Magallanes.

***Pseudocrossidium leucocalyx* (Mont.) Thér.**

Espinosa 1941; He 1998; Thériot 1923; Brotherus 1924a (as *Tortula leucocalyx*, Mitten 1869; as *Barbula pachyneura*, Dusén 1906a; Thériot 1917; Costes 1921; as *Tortula perarmata*, Brotherus 1924a; Espinosa 1941). **Dist.** IV. Coquimbo, Limarí; V. Petorca, Quillota, Valparaíso; RM. Santiago.

***Pseudocrossidium replicatum* (Taylor) R.H. Zander**

He 1998; Deguchi 1991b (as *Barbula replicata*, Bartram 1943, 1952). **Dist.** II. Antofagasta; IV. Elqui; RM. Cordillera, Santiago.

*Pseudodistichium atlanticum* Dixon = *Ditrichum conicum* fide Robinson 1972.

*Pseudodistichium austrogeorgicum* Cardot = *Ditrichum hyalinum* fide Ochyra 1999a.

*Pseudodistichium austrogeorgicum* var. *longifolium* Broth. = *Ditrichum hyalinum* fide Ochyra 1999a.

*Pseudodistichium fuegianum* Roiv. = *Ditrichum brotherusii* fide Seppelt 1982.

*Pseudodistichium taitaoense* J. Froehl. = *Ditrichum conicum* fide Robinson 1972.

*Pseudoleske chilensis* (Lorentz) Ochyra = *Cratoneuopsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Pseudoleske filum* (Müll. Hal.) Paris = *Cratoneuopsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Pseudoleske fuegiana* (Besch.) Broth. = *Cratoneuopsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Pseudoleske fuegiana* var. *gracilis* Cardot & Broth. = *Cratoneuopsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Pseudoleske fuegiana* var. *skottbergii* Cardot = *Cratoneuopsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

*Pseudoleske lurida* Cardot = *Cratoneuopsis relaxa* subsp. *minor* fide Ochyra et al. 2008.

***Pseudoscleropodium purum* (Hedw.) M. Fleisch.**

(as *Scleropodium purum*, Tropicos 2009; Goffinet et al. 2006). **Dist.** XIV. Valdivia/Ranco (Crosby 11569, MO).

***Pseudotaxiphyllum elegans* (Brid.) Z. Iwats.**

Müller 2009; Ireland et al. 2007. **Dist.** VII. Talca; VIII. Arauco.

*Psilopilum angulatum* Cardot & Broth. = *Notoligotrichum minimum* fide Matteri & Schiavone 2002.

*Psilopilum antarcticum* Müll. Hal. = *Notoligotrichum trichodon* fide Smith 1971.

*Psilopilum antarcticum* var. *densifolium* Cardot & Broth. = *Notoligotrichum trichodon* fide Schiavone 1993.

*Psilopilum compressum* (Hook.f. & Wilson) Mitt. ≡ *Atrichopsis compressa*.

*Psilopilum cuspidatum* Dusén = *Notoligotrichum tapes* fide Wijk et al. 1967.

*Psilopilum magellanicum* Dusén = *Notoligotrichum trichodon* fide Smith 1971.

*Psilopilum minimum* (Cardot) G.L. Smith ≡ *Notoligotrichum minimum*.

*Psilopilum tapes* (Müll. Hal.) Paris var. *apiculatum* Cardot = *Notoligotrichum tapes* var. *apiculatum*.

*Psilopilum trichodon* (Hook.f. & Wilson) Mitt. ≡ *Notoligotrichum trichodon*.

*Pterogoniadelphus hollermayeri* (Thér.) Ochyra & Zijlstra = *Acroschisma wilsonii* fide Müller 2008.

***Pterygoneurum ovatum* (Hedw.) Dixon**

Matcham et al. 2007; Matcham & Duckett in Blockeel et al. 2008a. **Dist.** XII. Magallanes.

*Pterygophyllum anomalum* (Schwägr.) Mitt. ≡ *Achrophyllum anomalum*.

*Pterygophyllum anomalum* var. *pallidum* Cardot & Broth. ≡ *Achrophyllum anomalum* var. *pallidum*.

*Pterygophyllum crassirete* Matteri ≡ *Achrophyllum crassirete*.

*Pterygophyllum denticulatum* (Hook.f. & Wilson) Mitt. = *Achrophyllum dentatum* fide Thériot 1917.

*Pterygophyllum haesselianum* Matteri ≡ *Achrophyllum haesselianum*.

***Pterygophyllum lamellatum* Dusén, nom. nud., Dusén 1903b.**

*Pterygophyllum magellanicum* Besch. ≡ *Achrophyllum magellanicum* fide Matteri 1979.

*Pterygophyllum magellanicum* var. *oligodontum* Matteri ≡ *Achrophyllum magellanicum* var. *oligodontum*.

*Pterygophyllum obscurum* (Mont.) Mitt., hom. illeg. = *Achrophyllum anomalum* fide Robinson 1975.

*Pterygophyllum obscurum* fo. *thermalis* Herzog = *Achrophyllum anomalum* fide He 1998.

*Pterygophyllum tenuinerve* Broth. ≡ *Achrophyllum tenuinerve*.

***Ptychomitrium chimborazense* (Spruce ex Mitt.) A. Jaeger**

Cao et al. 2006. **Dist.** Chile: Bojin de Arrayun.

*Ptychomitrium chimborazense* var. *obtusifolium* (Thér.) Broth. ≡ *Ptychomitrium hieronymi* var. *obtusifolium*.

***Ptychomitrium crispatum* (Hedw.) A. Jaeger**

Cao et al. 2003. **Dist.** Juan Fernández Is.

*Ptychomitrium cumingii* Duby = *Ptychomitrium fernandesianum* fide Greene 1986.

***Ptychomitrium deltorii* (Thér.) Broth.**

He 1998; Guo & Cao 1999; Thériot 1921 (as *Brachysteleum deltorii*, Thériot 1921). **Dist.** VIII. Concepción; IX. Malleco.

***Ptychomitrium fernandesianum* (Mitt.) A. Jaeger var. *fernandesianum***

Espinosa 1941; Müller & Pereira 2006; Brotherus 1924b; Robinson 1975 (as *Brachysteleum fernandesianum*, Thériot 1921; as *Glyphomitrium fernandesianum*, Mitten 1869; as *Ptychomitrium cumingii*, Thériot 1935). **Dist.** VII. Cauquenes; XIV. Valdivia/Ranco; X. Osorno; Juan Fernández Is.

***Ptychomitrium fernandesianum* var. *majus*** Broth.

Brotherus 1924b. **Dist.** Juan Fernández Is.

***Ptychomitrium hieronymi*** Besch. var. *obtusifolium* (Thér.) T. Cao & Guo Shui-liang

Cao et al. 2006 (as *Ptychomitrium chimborensense* var. *obtusifolium*, Brotherus 1925; as *Brachysteleum chimborensense* var. *obtusifolium*, Thériot 1923). **Dist.** V. Aconcagua. RM. Santiago. “Cajon del Arragan”.

***Ptychomitrium ligulatum*** (Mitt.) A. Jaeger

Matteri & Schiavone 2002 (as *Glyphomitrium ligulatum*, Mitten 1869; Cardot 1908). **Dist.** XII. Antártica Chilena

***Ptychomitrium sellowianum*** (Müll. Hal.) A. Jaeger

Ireland et al. 2007. **Dist.** VIII. Arauco, Concepción, Ñuble.

***Ptychomitrium subcylindricum*** Thér.

Ireland & Bellolio 2002; Thériot 1937. **Dist.** Easter I.

***Ptychomniella ptychocarpa*** (Schwägr.) W.R. Buck, C. J. Cox, A. J. Shaw & Goffinet

Larraín 2007b (as *Ptychomnion ptychocarpon*, Larraín 2005; Espinosa 1941; Villagran et al. 2003; Schaumann 2005; He 1998; Mitten 1869; Dusén 1903b; Cardot 1908; Thériot 1918, 1935; Cardot & Brotherus 1923; Brotherus 1924b; Reimers 1926; Roivainen 1934; Herzog 1922, 1954, 1960; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952, 1957; Seki 1974; Robinson 1970, 1975; Deguchi 1991b; Kühnemann & Goncalves Carralves 1975). **Dist.** V. Valparaíso; VI. O'Higgins; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén, General Carrera; XII. Magallanes; Juan Fernández Is.

***Ptychomnion cygnisetum*** (Müll. Hal.) Kindb.

Díaz et al. 2008; Tropicos 2009; Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Larraín 2005; Espinosa 1941; Villagran et al. 2003, 2004; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Muñoz & Pisano 1947; Dusén 1903b; Cardot 1908; Thériot 1915; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Brotherus 1924a; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Seki 1974; Robinson 1970, 1975; Hattaway 1984; Matteri 1985b; Deguchi 1991b; Kühnemann & Goncalves Carralves 1975 (as *Ptychomnion subaciculare*, Espinosa 1941; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; Bartram 1957; Robinson 1970; Seki 1974; Deguchi 1991b; Kühnemann & Goncalves Carralves 1975; as *Ptychomnion horridum*, Cardot & Brotherus 1923; Kühnemann & Goncalves Carralves 1975). **Dist.** IV. Coquimbo, Limarí; V. Aconcagua; VII. Linares; VIII. Arauco; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Ptychomnion densifolium*** (Brid.) A. Jaeger

Díaz et al. 2008; Larraín 2007b; Hässel et al. 1984; Buck 2005b; Tangney & Fife 1997; Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1934; Robinson 1970; Seki 1974; Matteri 1985b; Kühnemann & Goncalves Carralves 1975 (as *Ptychomnion densifolium* var. *gracile*, Brotherus & Cardot 1923). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Ptychomnion densifolium* var. *gracile* Cardot & Broth. = *Ptychomnion densifolium* fide Hattaway 1984.

***Ptychomnion falcatulum*** Broth.

Villagran et al. 2003; Brotherus 1924b; Robinson 1975; Kühnemann & Goncalves Carralves 1975 (as *Ptychomnion falcatulum* var. *gracilescens*, Barrera 2006; Espinosa 1941; Brotherus 1924b). **Dist.** XIV. Valdivia/Ranco; X. Chiloé; Juan Fernández Is.

*Ptychomnion falcatulum* var. *gracilescens* Broth. = *Ptychomnion falcatulum* fide Hattaway 1984.

*Ptychomnion horridum* Cardot & Broth.= *Ptychomnion cygnisetum* fide Matteri & Schiavone 2002.

*Ptychomnion ptychocarpum* (Schwägr.) Mitt. ≡ *Ptychomniella ptychocarpa*.

*Ptychomnion subaciculare* Besch. = *Ptychomnion cygnisetum* fide Hattaway 1984.

*Pulvinella albicans* Broth. & Herzog = *Sauloma tenella* fide Buck 1987.

***Pyrrhobryum mnioides* (Hook.) Manuel**

Tropicos 2009; Goffinet et al. 2006; Matteri & Piñero 1987; Larraín 2007b; Matcham et al. 2007; Buck 2002; Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Frahm et al. 2003; Matteri & Schiavone 2002 (as *Rhizogonium mnioides*, Hässel et al. 1984; Espinosa 1941; Mitten 1869; Dusén 1903b; Cardot 1908; Thériot 1915, 1918, 1934b; Herzog 1922, 1954, 1960; Cardot 1905; Cardot & Brotherus 1923; Brotherus 1924b; Reimers 1926; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991b; as *Aulacomnium chilense*, Müller 1843). **Dist.** V. Aconcagua; RM. Santiago; VII. Cauquenes, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Pyrrhobryum spiniforme* (Hedw.) Mitt.**

Ireland & Bellolio 2002. **Dist.** Easter I.

*Racomitrium andreaeoides* Herzog = *Bucklandiella sudetica* fide Bednarek-Ochyra 1993.

*Racomitrium austrocanescens* Dusén = *Racomitrium pruinosum* fide Vitt & Marsh 1988.

*Racomitrium austrogeorgicum* Paris = *Bucklandiella sudetica* fide Frisvoll 1986.

*Racomitrium austrogeorgicum* var. *kranckii* Roiv. = *Bucklandiella sudetica* fide Ochyra 1998.

*Racomitrium bartramii* (Roiv.) H. Rob. ≡ *Bucklandiella bartramii*.

*Racomitrium canescens* (Hedw.) Brid. ≡ *Niphotrichum canescens*.

*Racomitrium convolutum* Mont. = *Bucklandiella didyma* fide Ochyra et al. 2008.

*Racomitrium crispipilum* (Taylor) A. Jaeger ≡ *Bucklandiella crispipila*.

*Racomitrium crispulum* (Hook.f. & Wilson) Hook.f. & Wilson ≡ *Bucklandiella crispula*.

*Racomitrium crispulum* var. *rupestre* (Hook.f. & Wilson) Dixon = *Bucklandiella rupestris* fide Matteri 2003a.

*Racomitrium didymum* (Mont.) Lorentz ≡ *Bucklandiella didyma*.

***Racomitrium didymum* fo. *obtusa* Herzog, nom. nud., Herzog & Hosseus 1938.**

*Racomitrium flavescens* Cardot = *Bucklandiella didyma* fide Ochyra et al. 2008.

***Racomitrium flavo-pallidum* Dusén, nom. nud., Dusén 1903b.**

*Racomitrium geminatum* Roiv. = *Bucklandiella crispipila* fide Deguchi 1984.

*Racomitrium geronticum* Müll. Hal. ≡ *Racomitrium lanuginosum* subsp. *geronticum*.

*Racomitrium heterostichoides* Cardot ≡ *Bucklandiella heterostichoides*.

*Racomitrium heterostichoides* var. *acutifolium* Dusén = *Bucklandiella crispula* fide Clifford 1955.

*Racomitrium hypnoides* Lindb., hom. illeg. = *Racomitrium lanuginosum* fide Wijk et al. 1967.

*Racomitrium hypnoides* fo. *gerontium* (Müll. Hal.) Dusén ≡ *Racomitrium lanuginosum* subsp. *geronticum*.

***Racomitrium hypnoides* fo. *glacieale* (Müll. Hal.) Dusén**

Dusén 1906b. **Dist.** XII. Magallanes.

*Racomitrium integrripilum* Dusén = *Bucklandiella crispipila* fide Deguchi 1984.

*Racomitrium laevigatum* A. Jaeger ≡ *Codiophorus laevigatus*.

*Racomitrium lamprocarpum* (Müll. Hal.) A. Jaeger ≡ *Bucklandiella lamprocarpa*.

***Racomitrium lanuginosum* (Hedw.) Brid.**

Ochyra et al. 2008; Larraín 2007b; Hässel et al. 1984; Buck 2002; Eaton 1892; Larraín 2005; Espinosa 1941; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Mitten 1869; Cardot 1900, 1901, 1908; Dusén 1903b; Thériot 1921; Cardot & Brotherus 1923; Brotherus 1924b; Roivainen 1955a; Bartram 1957; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991a (as *Racomitrium hypnoides*, Dusén 1906b; Reimers 1926; Herzog & Hosseus 1938; Herzog 1954, 1960; as *Racomitrium puccioanum*, Vitt & Marsh 1988). **Dist.** V. Valparaíso; VII. Linares; VIII. Biobío; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza, Tierra del Fuego; Juan Fernández Is.

***Racomitrium lanuginosum* subsp. *geronticum* (Müll. Hal.) Vitt & C. Marsh**

Ochyra et al. 2002 (as *Racomitrium hypnoides* fo. *gerontium*, Dusén 1906b). **Dist.** VIII. Concepción; XIV. Valdivia/Ranco; X. Osorno; XII. Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Racomitrium lanuginosum* var. *pruinatum* Wilson ≡ *Racomitrium pruinatum*.

*Racomitrium limbatum* E.B. Bartram = *Bucklandiella lamprocarpa* fide Deguchi 1984.

*Racomitrium looseri* Thér. = *Bucklandiella lamprocarpa* fide Bednarek-Ochyra & Ochyra 1994.

*Racomitrium loriiforme* Dusén = *Codiophorus laevigatus* fide Robinson 1975; Deguchi 1984.

*Racomitrium membranaceum* (Mitt.) Paris = *Bucklandiella crispula* fide Wijk et al. 1967.

*Racomitrium nigrum* (Müll. Hal.) A. Jaeger = *Bucklandiella didyma* fide Deguchi 1984.

*Racomitrium orthotrichaceum* (Müll. Hal.) Paris ≡ *Bucklandiella orthotrichacea*.

*Racomitrium pachydictyon* Cardot ≡ *Bucklandiella pachydictyon*.

*Racomitrium pachyneuron* Herzog = *Bucklandiella lamprocarpa* fide Ochyra 1993b.

*Racomitrium pachyneuron* fo. *aquaticum* Herzog = *Bucklandiella lamprocarpa* fide Ochyra 1993b.

***Racomitrium patagonicum*** Bednarek-Ochyra & Ochyra

Larraín 2007b; Matcham et al. 2007; Ireland et al. 2005; Bednarek-Ochyra & Ochyra 2003.

**Dist.** VII. Linares; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XII. Magallanes, Última Esperanza.

*Racomitrium plicatum* Herzog = *Racomitrium laevigatum* fide Bednarek-Ochyra 2006.

***Racomitrium pruinatum*** (Wilson) Müll. Hal.

Matteri & Schiavone 2002 (as *Racomitrium austro-canescens*, Dusén 1906b; as *Racomitrium lanuginosum* var. *pruinatum*, Bartram 1952). **Dist.** XIV. Valdivia/Ranco; X. Llanquihue; XII. Magallanes. Note: The species is restricted to Australasia; the records from southern South America are very doubtful (Vitt & Marsh 1988, Bednarek-Ochyra et al. in Blockeel et al. 2009).

*Racomitrium ptychophyllum* (Mitt.) Mitt. ≡ *Bucklandiella ptychophylla*.

*Racomitrium puccioanum* De Not. = *Racomitrium lanuginosum* fide Vitt & Marsh 1988.

*Racomitrium rupestre* (Hook.f. & Wilson) Hook.f. & Wilson ≡ *Bucklandiella rupestris*.

*Racomitrium scabrifolium* E.B. Bartram = *Codiophorus laevigatus* fide Robinson 1975; Deguchi 1984.

*Racomitrium senile* Schimp., nom. nud. = *Racomitrium patagonicum* fide Bednarek-Ochyra & Ochyra 2003.

*Racomitrium skottsbergii* Cardot & Broth. = *Bucklandiella sudetica* fide Matteri & Schiavone 2002.

*Racomitrium stenocladoides* Roiv. = *Bucklandiella orthotrichacea* fide Deguchi 1984.

*Racomitrium stenocladium* Dusén = *Bucklandiella orthotrichacea* fide Deguchi 1984.

*Racomitrium stenocladum* var. *obtusum* Dusén = *Bucklandiella rupestris* fide Deguchi 1984.

*Racomitrium striatipilum* Cardot = *Bucklandiella crispipila* fide Deguchi 1984, 1987.

*Racomitrium subcrispipilum* (Müll. Hal.) A. Jaeger = *Bucklandiella crispula* fide Wijk et al. 1962.

*Racomitrium sublamprocarpum* (Müll. Hal.) Paris = *Bucklandiella lamprocarpa* fide Bednarek-Ochyra & Ochyra 1994.

*Racomitrium subnigrum* (Müll. Hal.) Paris = *Bucklandiella lamprocarpa* fide Deguchi 1984.

*Racomitrium subrupestre* Roiv. = *Bucklandiella didyma* fide Ochyra et al. 2008.

*Racomitrium substenoecladum* Cardot = *Bucklandiella sudetica* fide Ochyra 1998.

*Racomitrium substriatipilum* Roiv. = *Bucklandiella crispipila* fide Deguchi 1984.

*Racomitrium subulifolium* Cardot = *Bucklandiella crispula* fide Wijk et al. 1967.

*Racomitrium sudeticum* (Funck) Bruch & Schimp. ≡ *Bucklandiella sudetica*.

*Racomitrium symphyodontum* (Müll. Hal.) Paris = *Bucklandiella didyma* fide Deguchi 1984.

*Racomitrium symphyodontum* var. *dusenii* Cardot = *Bucklandiella didyma* fide Deguchi 1984.

*Racomitrium symphyodontum* fo. *flavescens* (Cardot) Cardot = *Bucklandiella didyma* fide Ochyra et al. 2008.

*Racomitrium symphyodontum* var. *muticum* Cardot = *Bucklandiella pachydictyon* fide Cardot 1908.

*Racomitrium willii* (Müll. Hal.) Kindb. = *Codiophorus laevigatus* fide Bednarek-Ochyra 2006.

*Racopilum chilense* Dusén = *Racopilum cuspidigerum* fide Zanten 1993.

***Racopilum cuspidigerum*** (Schwägr.) Ångström

Ireland et al. 2007; Espinosa 1941; Ireland & Bellolio 2002; Zanten 2006; Brotherus 1924 (as *Racopilum chilense*, Herzog & Hosseus 1938; Deguchi 1991b). **Dist.** VIII. Arauco, Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; Juan Fernández Is.; Easter I.

***Racopilum cuspidigerum*** var. *convolutaceum* (Müll. Hal.) Zanten & Dijkstra

Zanten 2006. **Dist.** XIV. Valdivia/Ranco; X. Llanquihue; Easter I.

***Racopilum fernandezianum*** Cardot

Espinosa 1941; Brotherus 1924b; Thériot 1927a; Herzog 1954; Bartram 1957; Robinson 1975.  
**Dist.** X. Osorno; Juan Fernández Is.

***Racopilum tomentosum* (Hedw.) Brid.**

Larraín 2007a; Robinson 1975. **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; Juan Fernández Is.

***Renaudia chilensis* Thér.**

Thériot 1926. **Dist.** VIII. Concepción.

***Rhabdoweisia crispata* (Dicks.) Lindb.**

Tropicos 2009; Robinson 1975. **Dist.** VIII. Concepción (*Ireland & Bellolio 30933, MO*); Juan Fernández Is.

***Rhabdoweisia fugax* (Hedw.) Bruch & Schimp.**

Ireland et al. 2007. **Dist.** VIII. Arauco, Concepción.

*Rhacocarpus humboldtii* (Hook.f.) Lindb. = *Rhacocarpus purpurascens* fide Bowers 1974.

*Rhacocarpus orbiculata* (Mitt.) Paris = *Rhacocarpus purpurascens* fide Frahm 1996.

*Rhacocarpus patagonicus* Broth. = *Pararhacocarpus patagonicus*.

***Rhacocarpus purpurascens* (Brid.) Paris**

Hässel et al. 1984; Buck 2004; Larraín 2005; He 1998; Matteri & Schiavone 2002; Frahm 1996; Seki 1974; Robinson 1975; Matteri 1985b; Deguchi 1991a (as *Racomitrium humboldtii*, Mitten 1869; Cardot 1908; Cardot & Brotherus 1923; Brotherus 1924b; as *Hedwigia orbiculata*, Mitten 1869; as *Rhacocarpus orbiculata*, Paris 1903-1906). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

***Rhamphidium brevifolium* (Hampe & Lorentz) Broth.**

Brotherus 1924c. **Dist.** Chile, without exact locality.

***Rhamphidium laetum* (Kunze ex Müll. Hal.) Broth.**

Brotherus 1902-1909, 1924c (as *Tortula laeta*, Mitten 1869). **Dist.** Chile australis, without exact locality.

***Rhaphidorrhynchium amoenum* (Hedw.) M. Fleisch.**

Hässel et al. 1984; Ireland et al. 2007; Matteri & Schiavone 2002; Matteri 1985b (as *Rhaphidostegium amoenum*, Dusén 1903b; Cardot 1908; as *Sematophyllum amoenum*, Mitten 1869; Beever et al. 1992). **Dist.** VIII. Arauco, Concepción; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Rhaphidorrhynchium berberidis* (Dusén) Broth.**

Seki 1974 (as *Ectropothecium berberidis*, Dusén 1905; Cardot 1908; *Rhaphidostegium berberidis*, Dusén 1903b). **Dist.** XI. Aisén.

***Rhaphidorrhynchium callidum* (Mont.) Broth.**

Tropicos 2009; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Reimers 1926; Herzog & Hosseus 1938; Herzog 1954, 1960; Seki 1974; Matteri 1985b (as *Sematophyllum callidum*, Mitten 1869; Brotherus 1924a; Bartram 1952; as *Rhaphidostegium callidum*, Espinosa 1941; Dusén 1903b; Cardot 1908; Thériot 1917, 1918; Herzog 1922; Cardot & Brotherus 1923; Herzog & Schwabe 1939). **Dist.** IV. Limarí; V. Petorca, Valparaíso; VI. Cardenal Caro; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Magallanes, Última Esperanza.

***Rhaphidorrhynchium dendroligotrichum* (Dusén) Broth.**

Herzog 1954, 1960; Seki 1974 (as *Rhaphidostegium dendroligotrichum*, Dusén 1905a; Cardot 1908; as *Rhaphidostegium polytrichadelphus*, Dusén 1903b). **Dist.** XI. Aisén.

***Rhaphidorrhynchium leptophyllum* (Mitt.) Broth.**

Tropicos 2009; He 1998; Brotherus 1925 (as *Sematophyllum leptophyllum*, Mitten 1869). **Dist.** V. Petorca, San Antonio; VIII. Concepción; IX. Malleco.

***Rhaphidorrhynchium liliputianum* (Mont.) Broth.**

- (as *Sematophyllum liliputianum*, Mitten 1869). **Dist.** Chile, without exact locality.
- Rhaphidorrhynchium noduliferum** (Mitt.) Broth.  
Matteri & Schiavone 2002; Brotherus 1925 (as *Sematophyllum noduliferum*, Mitten 1869; as *Rhaphidostegium noduliferum*, Dusén 1903b; Cardot 1908). **Dist.** XII. Antártica Chilena.
- Rhaphidorrhynchium scorpiurus** (Mont.) Broth.  
Hässel et al. 1984; Larraín 2005; He 1998; Matteri & Schiavone 2002; Herzog & Hosseus 1938; Herzog 1954, 1960; Seki 1974; Matteri 1985b (as *Sematophyllum scorpiurus*, Ireland et al. 2007; as *Rhaphidostegium scorpiurus*, Mitten 1869; Herzog 1922; as *Sematophyllum aureonitidum*, Bartram 1946; as *Warburgiella aureonitida*, Akiyama 1993). **Dist.** VIII. Arauco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Tierra del Fuego, Última Esperanza.  
*Rhaphidorrhynchium tenuirostre* (Hook.f.) Broth. = *Sematophyllum uncinatum* fide Stone & Scott 1973.  
*Rhaphidostegium aberrans* Broth. ≡ *Sematophyllum aberrans*.  
*Rhaphidostegium amoenum* (Hedw.) A. Jaeger ≡ *Rhaphidorrhynchium amoenum*.  
*Rhaphidostegium berberidis* (Dusén) Broth. ≡ *Rhaphidorrhynchium berberidis*.  
*Rhaphidostegium brachycladulum* Broth. ≡ *Sematophyllum brachycladulum*.  
*Rhaphidostegium caespitosum* (Sw.) A. Jaeger ≡ *Sematophyllum caespitosum*.  
*Rhaphidostegium caespitosoides* Broth. = *Sematophyllum aberrans* fide Robinson 1975.  
*Rhaphidostegium callidum* (Mont.) A. Jaeger ≡ *Rhaphidorrhynchium callidum*.  
*Rhaphidostegium dendroligotrichum* Dusén ≡ *Rhaphidorrhynchium dendroligotrichum*.  
*Rhaphidostegium leucocytus* (Müll. Hal.) A. Jaeger = *Warburgiella leucocytus*.  
*Rhaphidostegium masafuerae* Broth. ≡ *Sematophyllum masafuerae*.  
*Rhaphidostegium noduliferum* (Mitt.) A. Jaeger ≡ *Rhaphidorrhynchium noduliferum*.  
*Rhaphidostegium pallens* Dusén, nom. nud., *Hypnum pallens* fide Cardot 1908, hom. illeg.  
*Rhaphidostegium patagonicum* Dusén, nom. nud., Dusén 1903b.  
*Rhaphidostegium patagonicum* Broth., nom. nud., Cardot & Brotherus 1923.  
*Rhaphidostegium polytrichadelphus* Dusén, nom. nud. = *Rhaphidorrhynchium dendroligotrichum* fide Brotherus 1925.  
*Rhaphidostegium scorpiurus* (Mont.) A. Jaeger ≡ *Rhaphidorrhynchium scorpiurus*.  
*Rhaphidostegium secundifolium* (Müll. Hal.) A. Jaeger ≡ *Drepanocladus secundifolius*.  
*Rhaphidostegium strictipes* Dusén, nom. nud., Dusén 1903b.  
*Rhaphidostegium tristifolium* Dusén, nom. nud., Dusén 1903b.  
*Rhaphidostichum gunckeli* Thér. ≡ *Sematophyllum gunckelii*.  
**Rhexophyllum subnigrum** (Mitt.) Hilp.  
Cano 2003. **Dist.** XV. Parinacota.  
*Rhizogonium lindigii* Hampe = *Rhizogonium novae-hollandiae* fide Churchill & Linares 1995b.  
*Rhizogonium longicolle* Müll. Hal. = *Pyrrhobryum mnioides* fide Matteri & Piñero 1987.  
*Rhizogonium mnioides* (Hook.f.) Wilson ≡ *Pyrrhobryum mnioides*.  
**Rhizogonium novae-hollandiae** (Brid.) Brid.  
Tropicos 2009; Matteri & Piñero 1987; Espinosa 1941; He 1998; Matteri & Schiavone 2002; Robinson 1975; Deguchi 1991b (as *Rhizogonium lindigii*, Herzog 1960; as *Rhizogonium novae-hollandiae* var. *patagonicum*, Cardot & Brotherus 1923; Brotherus 1924b). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Magallanes, Tierra del Fuego; Juan Fernández Is.  
*Rhizogonium novae-hollandiae* var. *patagonicum* Cardot & Broth. = *Rhizogonium novae-hollandiae* fide Matteri & Piñero 1987.  
*Rhizogonium reticulatum* (Hook.f. & Wilson) Mitt. = *Philonotis vagans* fide Greene 1986.  
*Rhizogonium subbasilare* (Hook.f.) Schimp. ≡ *Goniobryum subbasilare*.  
*Rhodobryum chilensis* Thér. = *Bryum rubromarginatum* fide Ochi 1982.  
*Rhynchosstiella acanthophylla* (Mont.) Broth. ≡ *Eurhynchiella acanthophylla*.  
*Rhynchosstiella acanthophylla* var. *robusta* Thér. ≡ *Eurhynchiella acanthophylla* var. *robusta*.  
**Rhynchosstiella chilensis** Thér.  
He 1998; Thériot 1934b; Mahu 1981. **Dist.** V. Valparaíso; RM. Santiago.  
*Rhynchosstiella byssicladum* Dusén, nom. nud., Dusén 1903b.  
**Rhynchosstiella complanum** (Mitt.) A. Jaeger

Larraín 2007b; Espinosa 1941; He 1998; Brotherus 1924b; Herzog 1954, 1960; Bartram 1957; Robinson 1975 (as *Hypnum complanum*, Mitten 1869). **Dist.** IV. Limarí; RM. Santiago; VIII. Concepción; XIV. Valdivia/Ranco; X. Chiloé; Juan Fernández Is.

*Rhynchostegium mollissimum* Dusén, nom. nud., Dusén 1903b.

***Rhynchostegium peruviense*** (R.S. Williams) Ochyra

(as *Hygrohypnum peruviense*, Bartram 1943). **Dist.** III. Huasco.

*Rhynchostegium subsquarrosum* Herzog = *Eurhynchium corralense* fide Wijk et al. 1967.

***Rhynchostegium tenuifolium*** (Hedw.) Reichardt

He 1998; Brotherus 1924b; Herzog 1954; Robinson 1975 (as *Hypnum tenuifolium*, Mitten 1869). **Dist.** RM. Santiago; XIV. Valdivia/Ranco; X. Osorno; Juan Fernández Is.

*Richardsiopsis lacustris* (Herzog & Rich.) Ochyra = *Drepanocladus perplicatus* fide Hedenäs 2003.

***Rigodium adpressum*** Zomlefer

Tropicos 2009; Buck 2002; He 1998; Zomlefer 1993; Villagran et al. 2004. **Dist.** IV. Choapa, Limarí; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes.

*Rigodium arborescens* (Müll. Hal.) Kindb. = *Rigodium brachypodium* fide Zomlefer 1993.

*Rigodium argentinicum* (Müll. Hal.) Kindb. = *Rigodium toxarium* fide Zomlefer 1993.

***Rigodium brachypodium*** (Müll. Hal.) Paris

Tropicos 2009; Larraín 2007b; Pereira et al. 2006; Buck 2002; Larraín 2005; Villagran et al. 2003, 2004; He 1998; Bartram 1952; Zomlefer 1993 (as *Rigodium arborescens*, Hässel et al. 1984; Espinosa 1941; Thériot 1917, 1918; Brotherus 1924b; Roivainen 1934; Herzog 1954, 1960; Bartram 1957; Robinson 1975; Matteri 1985b; as *Rigodium lechleri*, Herzog 1922). **Dist.** IV. Choapa, Limarí; V. Petorca, Valparaíso; RM. Santiago; VI. Cardenal Caro; VII. Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza; Juan Fernández Is.

*Rigodium carnosulum* Dusén, nom. nud., Dusén 1903b.

*Rigodium elegantulum* Cardot ex Thér., nom. nud. = *Rigodium tamari* fide Zomlefer 1993.

*Rigodium hylocomioides* Cardot & Broth. = *Rigodium pseudothuidium* fide Zomlefer 1993.

*Rigodium hylocomioides* var. *gracilius* Cardot & Broth. = *Rigodium pseudothuidium* fide Zomlefer 1993.

***Rigodium implexum*** Kunze ex Schwägr.

Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Deguchi 1991b; Zomlefer 1993; Frahm 2001b. **Dist.** VIII. Concepción; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

*Rigodium lechleri* Schimp. = *Rigodium brachypodium* fide Zomlefer 1993.

*Rigodium looseri* Thér. = *Rigodium toxarium* var. *robustum* fide Zomlefer 1993.

*Rigodium nano-fasciculatum* Müll. Hal. ex Thér. = *Rigodium toxarium* fide Robinson 1975; Zomlefer 1993.

*Rigodium pendulum* Herzog & Thér. = *Rigodium toxarium* fide Zomlefer 1993.

***Rigodium pseudothuidium*** Dusén

Larraín 2007b; Pereira et al. 2006; Larraín 2005; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Dusén 1905a; Cardot 1908; Herzog 1954, 1960; Seki 1974; Deguchi 1991b; Zomlefer 1993 (as *Rigodium hylocomioides*, Barrera 2006; Cardot & Brotherus 1923; Brotherus 1924b; Thériot 1926; Herzog & Schwabe 1939; Herzog 1960; Robinson 1975; as *Rigodium hylocomioides* var. *gracilius*, Cardot & Brotherus 1923). **Dist.** IV. Choapa; V. Petorca; VII. Curicó, Talca; VIII. Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Magallanes, Tierra del Fuego; Juan Fernández Is.

*Rigodium robustum* Broth. ≡ *Rigodium toxarium* var. *robustum*.

***Rigodium tamari*** Müll. Hal.

Tropicos 2009; Larraín 2007b; Schaumann 2005; He 1998; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1934; Thériot 1934b; Seki 1974; Zomlefer 1993 (as *Rigodium elegantulum*, Thériot 1934b). **Dist.** IV. Choapa, Limarí; V. Petorca, San Antonio; VI.

Colchagua; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

***Rigodium toxarium*** (Schwägr.) A. Jaeger

Tropicos 2009; Larraín 2007b; Pereira et al. 2006; Larraín 2005; Espinosa 1941; Muñoz & Pisano 1947; Villagran et al. 2003; Schaumann 2005; He 1998; Müller & Pereira 2006; Dusén 1903b; Cardot 1908; Brotherus 1924a, 1924b; Roivainen 1934; Herzog & Schwabe 1939; Herzog 1954, 1960; Bartram 1957; Robinson 1975; Deguchi 1991b; Zomlefer 1993 (as *Rigodium argentinicum*, Seki 1974; as *Rigodium nano-fasciculatum*, Dusén 1903b; Thériot 1918; Seki 1974; as *Rigodium pendulum*, Herzog & Schwabe 1939; Herzog 1954; Seki 1974; as *Hypnum toxarium*, Mitten 1869). **Dist.** IV. Choapa, Limarí; V. Petorca, Valparaíso; VI. Cardenal Caro; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; Juan Fernández Is.

***Rigodium toxarium*** var. ***robustum*** (Broth.) Zomlefer

Zomlefer 1993 (as *Rigodium looseri*, Barrera 2006; Thériot 1927a, 1928; as *Rigodium robustum*, Brotherus 1924b; Bartram 1957; Robinson 1975). **Dist.** Juan Fernández Is.

***Sagenotortula quitoensis*** (Taylor) R.H. Zander

Zander 1989 (as *Tortula mniadelphus*, Thériot 1923; as *Tortula quitoensis*, Mishler in Sharp et al. 1994). **Dist.** RM. Santiago.

***Saitobryum lorentzii*** (Müll. Hal.) Ochyra

Cano 2003. **Dist.** XV. Parinacota.

***Sanionia symmetrica*** (Renauld & Cardot) Wheldon

Ireland et al. 2007 (as *Hypnum symmetricus*, Cardot 1908; as *Hypnum uncinatum* var. *symmetricus*, Dusén 1903b; as *Amblystegium uncinatum* var. *symmetricus*, Dusén 1903b; as *Drepanocladus symmetricus*, Cardot & Brotherus 1923). **Dist.** VIII. Ñuble; XI. Aisén.

***Sanionia uncinata*** (Hedw.) Loeske

Goffinet et al. 2006; Larraín 2007b; Buck 2002; Larraín 2007a; Ireland et al. 2007; Schaumann 2005; He 1998; Ochyra & Matteri 2001; Matteri & Schiavone 2002; Seki 1974; Deguchi 1991a (as *Drepanocladus uncinatus*, Hässel et al. 1984; Cardot & Brotherus 1923; Roivainen 1934; Herzog & Schwabe 1939; Herzog 1954; Matteri 1985b; as *Hypnum austrouncinatum*, Dusén 1903b; as *Hypnum uncinatum*, Dusén 1903b; as *Drepanocladus uncinatus* var. *stenocarpus*, Barrera 2006). **Dist.** VIII. Biobío, Ñuble; IX. Cautín, Malleco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Sarconeurum antarcticum* Bryhn = *Syntrichia sarconeurum* fide Ochyra et al. 2008.

*Sarconeurum glaciale* (Müll. Hal.) Cardot & Bryhn = *Syntrichia sarconeurum* fide Ochyra & Zander 2007.

*Sarmientypnum sarmentosum* (Wahlenb.) Tuom. & T.J. Kop. ≡ *Warnstorffia samentosa*.

***Sauloma tenella*** (Hook.f. & Wilson) Mitt.

Müller 2009; Hässel et al. 1984; Buck 2002; Buck 2004; Matteri & Schiavone 2002; Bartram 1946; Matteri 1972, 1985b; Deguchi 1991a (as *Pulvinella albicans*, Herzog 1928). **Dist.** X. Llanquihue; XI. Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Schimpereobryum splendidissimum*** (Mont.) Margad. var. ***splendidissimum***

Tropicos 2009; Larraín 2007b; Larraín 2005; Villagran et al. 2003; He 1998; Müller & Pereira 2006; Matteri 1972 (as *Lepidopilum splendidissimum*, Mitten 1869; as *Cyathophorum splendidissimum*, Dusén 1903b; Cardot 1908; as *Lamprophyllum splendidissimum*, Espinosa 1941; Herzog 1922, 1954; Cardot & Brotherus 1923; Thériot 1924, 1927a; Brotherus 1924b; Reimers 1926; Herzog & Hosseus 1938; Bartram 1957; Robinson 1975). **Dist.** V. Valparaíso; RM. Chacabuco, Santiago; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; Juan Fernández Is.

***Schimpereobryum splendidissimum*** (Mont.) Margad. var. ***perdentatum*** Matteri

Villagran et al. 2003; Matteri 1972; Deguchi 1991a. **Dist.** VIII. Concepción; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén.

*Schistidium absconditum* (Cardot) Ochyra = *Schistidium praemorsum* fide Ochyra et al. 2008.

***Schistidium amblyophyllum*** (Müll. Hal.) Ochyra & Hertel

Ochyra et al. 2008; Matteri & Schiavone 2002; Herzog 1960; Ochyra & Hertel 1990 (as *Grimmia amblyophylla*, Mitten 1869; Dusén 1903b, 1906b; Cardot 1908; Bartram 1952; as *Grimmia hyalinocuspidata*, Cardot & Brotherus 1923; as *Schistidium donatii*, Ochyra & Matteri 1996; as *Grimmia donatii*, Herzog 1937). **Dist.** XIV. Valdivia/Ranco; XI. Capitán Prat; XII. Antártica Chilena, Magallanes.

***Schistidium andinum*** (Mitt.) Herzog

Ochyra et al. 2008 (as *Schistidium syntrichiaceum*, Hässel et al. 1984; Matteri 1985b; Matteri & Schiavone 2002; as *Schistidium occultum*, Buck 2002; Ochyra 1998; Matteri & Schiavone 2002; as *Grimmia occulta*, Dusén 1906b; Cardot & Brotherus 1923; as *Schistidium fallax*, Matteri & Schiavone 2002; Ochyra & Matteri 1996; as *Grimmia fallax*, Dusén 1903b, 1906b; Cardot 1908; Thériot 1924). **Dist.** XIV. Valdivia/Ranco; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Schistidium apocarpum*** (Hedw.) Bruch & Schimp.

Tropicos 2009; Hässel et al. 1984; He 1998; Deguchi 1984; Matteri 1985b (as *Grimmia apocarpa*, Mitten 1869; Dusén 1903b; Cardot 1908; Roivainen 1934; as *Grimmia perplexa*, Thériot 1923, 1934b). **Dist.** V. San Antonio, Valparaíso; RM. Santiago; VI. Cardenal Caro; VII. Linares; VIII. Biobío, Ñuble; IX. Cautín; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Schistidium celatum* (Cardot) B.G. Bell. = *Schistidium cupulare* fide Ochyra 2004b.

***Schistidium cupulare*** (Müll. Hal.) Ochyra

Ochyra 2004b (as *Schistidium celatum*, Buck 2002). **Dist.** XII. Antártica Chilena.

*Schistidium donatii* (Herzog & Thér.) Ochyra & Matteri = *Schistidium amblyophyllum* fide Ochyra et al. 2008.

***Schistidium falcatum*** (Hook.f. & Wilson) B. Bremer

Ochyra et al. 2008; Matcham et al. 2007; Buck 2002; Ireland et al. 2007; He 1998; Müller & Pereira 2006; Matteri & Schiavone 2002; Deguchi 1984, 1991a (as *Grimmia fasciculata*, Dusén 1905a, 1906b). **Dist.** VII. Cauquenes; VIII. Biobío, Ñuble; X. Osorno; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Schistidium fallax* (Dusén) Ochyra & Matteri = *Schistidium andinum* fide Ochyra et al. 2008.

***Schistidium halinae*** Ochyra

NY 2009. **Dist.** XII. Antártica Chilena (*Buck 40920 & 41249, NY*).

*Schistidium hyalinocuspitatum* (Müll. Hal.) B.G. Bell = *Schistidium amblyophyllum* fide Ochyra 1998.

*Schistidium occultum* (Müll. Hal.) Ochyra & Matteri = *Schistidium andinum* fide Ochyra et al. 2008.

***Schistidium perplexum*** (Thér.) Ochyra

Muñoz & Pando 2000. **Dist.** RM. Santiago.

***Schistidium praemorsum*** (Müll. Hal.) Herzog

Ochyra et al. in Blockeel et al. 2009 (as *Schistidium absconditum*, Buck 2002). **Dist.** XII. Antártica Chilena.

***Schistidium rivulare*** (Brid.) Podp.

Tropicos 2009; Hässel et al. 1984; Buck 2002; Matteri & Schiavone 2002; Matteri 1985b (as *Grimmia alpicola*, Cardot & Brotherus 1923; as *Grimmia alpicola* var. *rivularis*, Roivainen 1934). **Dist.** VIII. Biobío, Concepción, Ñuble; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Schistidium scabripes*** (E.B. Bartram) Deguchi

Deguchi 1984, Deguchi 1991a (as *Grimmia scabripes*, Roivainen 1934; Bartram 1946). **Dist.** VIII. Ñuble; IX. Cautín; XII. Tierra del Fuego.

*Schistidium syntrichiaceum* (Müll. Hal.) B. G. Bell = *Schistidium andinum* fide Ochyra et al. 2008.

*Schizomitrrium pallidum* (Hornschr.) H.A. Crum & L.E. Anderson ≡ *Callicostella pallida*.

***Schizymenium brevicaule*** (Hornschr.) A.J. Shaw & S.P. Churchill

- (as *Mielichhoferia brevicaulis*, Mitten 1869). **Dist.** Chile, without exact locality (leg. C. Gay).
- Schizymenium campylocarpum*** (Arn. & Hook.) A.J. Shaw  
Matteri & Schiavone 2002 (as *Mielichhoferia campylocarpa*, Hässel et al. 1984; Matteri 1985b; as *Mielichhoferia spegazzinii*, Brotherus 1924c). **Dist.** XII. Magallanes, Última Esperanza.
- Schizymenium fulvonitens*** (Cardot & Broth.) A.J. Shaw  
Matteri & Schiavone 2002 (as *Mielichhoferia fulvonitens*, Cardot & Brotherus 1923). **Dist.** XII. Tierra del Fuego.
- Schizymenium multiflorum*** (E.B. Bartram) A.J. Shaw  
(as *Mielichhoferia multiflora*, Roivainen 1934; Robinson 1975). **Dist.** VIII. Ñuble; XII. Tierra del Fuego.
- Schizymenium pleurogynum*** (Mont.) Matteri  
Matteri 1998 (as *Mielichhoferia pleurogyna*, Mitten 1869; Thériot 1934b; Bartram 1952). **Dist.** RM. Santiago.
- Schizymenium skottsbergii*** (Cardot & Broth.) A.J. Shaw  
Matteri & Schiavone 2002 (as *Mielichhoferia skottsbergii*, Cardot & Brotherus 1923). **Dist.** XII. Magallanes.
- Sciaromium confluens* (Müll. Hal.) Paris = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium conspissatum* (Hook.f. & Wilson) Mitt. = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium conspissatum* var. *maritimum* (Cardot) Herzog = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium crassinervatum* Mitt. = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium depastum* Dusén = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium flavidulum* Dusén = *Eurhynchium fuegianum* fide Matteri & Ochyra 1989.  
*Sciaromium gracile* Dusén = *Cratoneuropsis relaxa* subsp. *minor* fide Ochyra et al. 2008.  
*Sciaromium krauseanum* Paris = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium lacustre* Herzog & P.W. Richards = *Drepanocladus perpicillatus* fide Hedenäs 2003.  
*Sciaromium maritimum* Cardot = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium nigritum* Dusén = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium obscurifolium* Mitt. = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium pachyloma* (Mont.) Paris ≡ *Vittia pachyloma*.  
*Sciaromium pachyloma* var. *brevifolia* Thér. = *Vittia pachyloma* fide Ochyra 1987b.  
*Sciaromium pachyloma* var. *gracilescens* Herzog = *Vittia pachyloma* fide Ochyra 1987b.
- Sciuro-hypnum filirepens*** (Dusén) Ochyra & Żarnowiec  
(as *Brachythecium filirepens*, Buck 2002; Dusén 1905a; Cardot 1908; McFarland 1988; Matteri & Schiavone 2002; as *Brachythecium longidecurrens*, Bartram 1946). **Dist.** XIV. Valdivia/Ranco; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego.
- Sciuro-hypnum fuegianum*** (Broth.) Ochyra & Żarnowiec  
(as *Brachythecium majusculum*, Schaumann 2005; Frey & Schaumann 2002; Newton 1974; McFarland 1988; Matteri & Schiavone 2002; Dusén 1903b). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.
- Sciuro-hypnum glaciale*** (Schimp.) Ignatov & Huttunen  
Ochyra et al. 2008. **Dist.** XI. Aisén; XII. Antártica Chilena, Tierra del Fuego.
- Sciuro-hypnum plumosum*** (Hedw.) Ignatov & Huttunen  
(as *Brachythecium plumosum*, McFarland 1988; as *Brachythecium flagellare*, Roivainen 1934; as *Brachythecium subpilosum*, Herzog 1922). **Dist.** VIII. Ñuble; X. Osorno; XII. Magallanes.  
*Scleropodium purum* (Hedw.) Limpr. ≡ *Pseudoscleropodium purum*.
- Scorpidium cossonii*** (Schimp.) Hedenäs  
(as *Limprichtia cossonii*, Ochyra & Matteri 2001; Matteri & Schiavone 2002). **Dist.** XII. Tierra del Fuego, Última Esperanza.
- Scorpidium revolvens*** (Sw. ex anon.) Rubers  
(as *Limprichtia revolvens*, Ochyra & Matteri 2001; Matteri & Schiavone 2002). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.
- Scouleria patagonica*** (Mitt.) A. Jaeger

Tropicos 2009; He 1998; Dusén 1903b; Dusén 1906b; Cardot 1908; Thériot 1935; Herzog 1954, 1960; Seki 1974; Matteri 1979; Deguchi 1991a. **Dist.** VIII. Biobío, Ñuble; IX. Malleco; XIV. Valdivia; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén, Coihaique.

**Sematophyllum aberrans** (Broth.) E.B. Bartram

Ireland & Bellolio 2002; Bartram 1957; Robinson 1975 (as *Rhaphidostegium aberrans*, Barrera 2006; Espinosa 1941; Brotherus 1924b; as *Rhaphidostegium caespitosoides*, Barrera 2006; Espinosa 1941; Brotherus 1924b). **Dist.** Juan Fernández Is.; Easter I.

*Sematophyllum amoenum* (Hedw.) Mitt.  $\equiv$  *Rhaphidorrhynchium amoenum*.

*Sematophyllum aureo-nitidum* E.B. Bartram = *Rhaphidorrhynchium scorpiurus* fide Seki 1974.

**Sematophyllum brachycladulum** (Broth.) Broth.

Ireland & Bellolio 2002; Bartram 1957; Robinson 1975 (as *Rhaphidostegium brachycladulum*, Brotherus 1924b). **Dist.** Juan Fernández Is.; Easter I.

**Sematophyllum caespitosum** Mitt.

Robinson 1975 (as *Rhaphidostegium caespitosum*, Brotherus 1924b). **Dist.** Juan Fernández Is.

*Sematophyllum callidum* (Mont.) Mitt.  $\equiv$  *Rhaphidorrhynchium callidum*.

**Sematophyllum gunckelii** (Thér.) W.R. Buck

Buck 1989 (as *Rhaphidostichum gunckelii*, Thériot 1930). **Dist.** XIV. Valdivia/Ranco.

**Sematophyllum kunkelii** H. Rob.

Robinson 1975. **Dist.** Juan Fernández Is.

*Sematophyllum leptophyllum* Mitt.  $\equiv$  *Rhaphidorrhynchium leptophyllum*.

*Sematophyllum leucocytum* (Müll. Hal.) Sainsb.  $\equiv$  *Warburgiella leucocytus*.

*Sematophyllum liliputianum* (Mont.) Mitt.  $\equiv$  *Rhaphidorrhynchium liliputianum*.

**Sematophyllum masafuerae** (Broth.) E.B. Bartram

Bartram 1957; Robinson 1975 (as *Rhaphidostegium masafuerae*, Brotherus 1924b; as *Hypnum masafuerae*, Bartram 1957). **Dist.** Juan Fernández Is.

*Sematophyllum noduliferum* Mitt.  $\equiv$  *Rhaphidorrhynchium noduliferum*.

*Sematophyllum secundifolium* (Müll. Hal.) Mitt.  $\equiv$  *Drepanocladus secundifolius*.

**Sematophyllum swartzii** (Schwägr.) W.H. Welch & H.A. Crum

He 1998. **Dist.** IX. Cautín.

**Sematophyllum uncinatum** I.G. Stone & G.A.M. Scott

Müller & Pereira 2006 (as *Hypnum tenuirostre*, Mitten 1869; as *Rhaphidorrhynchium tenuirostre*, Brotherus 1925). **Dist.** VI. O'Higgins; VII. Cauquenes.

**Skottsbergia paradoxa** Cardot

Matteri & Schiavone 2002; Roivainen 1937. **Dist.** XII. Tierra del Fuego.

*Sphagnum amblyphyllum* (Russ.) Warnst. = *Sphagnum flexuosum* fide Smith 2004.

**Sphagnum capillifolium** (Ehrh.) Hedw.

Matcham et al. 2007; Larraín 2007a; Larraín 2005 (as *Sphagnum nemoreum*, Deguchi 1991b; as *Sphagnum acutifolium*, Larraín 2005; Villagran et al. 2003). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue.

**Sphagnum cuspidatum** Ehrh. ex Hoffm.

Tropicos 2009; Larraín 2005; Villagran et al. 2003; Cardot 1908; Cardot & Brotherus 1923; Thériot 1934b; Deguchi 1991b (as *Sphagnum cuspidatum* var. *falcatum*; Dusén 1903a, 1903b; Cardot 1908; *Sphagnum cuspidatum* var. *miquelonense* (Renauld & Cardot) Renauld & Cardot, Dusén 1903a; as *Sphagnum cuspidatum* var. *serrulatum* (Schlieph.) Schlieph., Matteri & Schiavone 2002; as *Sphagnum trinitense*, Cardot & Brotherus 1923; as *Sphagnum cuspidatum* var. *serratum*, Dusén 1903a; as *Sphagnum cuspidatum* var. *submersum*, Dusén 1903a). **Dist.** XIV. Valdivia/Ranco; X. Chiloé; XI. Aisén; XII. Antártica Chilena, Magallanes.

*Sphagnum cuspidatum* var. *falcatum* Russow = *Sphagnum cuspidatum* fide Crum 1984.

*Sphagnum cymbifolium* var. *condensatum* Hook.f., hom. illeg., Dusén 1903b (XII. Magallanes).

**Sphagnum dissimile** Roiv.

Matteri & Schiavone 2002; Roivainen 1937. **Dist.** XII. Tierra del Fuego.

**Sphagnum duseniooides** Roiv.

Matteri & Schiavone 2002; Roivainen 1937. **Dist.** XII. Magallanes, Tierra del Fuego.

*Sphagnum ehyalinum* A.J. Shaw & Goffinet

Goffinet et al. 2006; Shaw & Goffinet 2000. **Dist.** XII. Magallanes.

*Sphagnum falcatulum* Besch.

Díaz et al. 2008; Larraín 2007b; Hässel et al. 1984; Larraín 2005; Villagran et al. 2003; He 1998; Matteri & Schiavone 2002; Cardot & Brotherus 1923; Roivainen 1937; Seki 1974; Matteri 1985b; Deguchi 1991b; Warnstorf 1911 (as *Sphagnum undulatum*, Dusén 1903a; Warnstorf 1911; as *Sphagnum patagoniense*, Warnstorf 1911; Herzog & Schwabe 1939). **Dist.** IX. Malleco; XIV. Valdivia/Ranco; XI. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Sphagnum fimbriatum* Wilson

Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; Shaw & Goffinet 2000; He 1998; Matteri & Schiavone 2002; Mitten 1869; Cardot 1900, 1901, 1908; Dusén 1903b; Roivainen 1937; Herzog & Schwabe 1939; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Sphagnum fimbriatum* var. *robustum*, Warnstorf 1911; Dusén 1903a, 1903b; Cardot & Brotherus 1923; Herzog & Schwabe 1939; as *Sphagnum fimbriatum* var. *robustum* fo. *brachyasyclada*, Dusén 1903a; Cardot 1908; as *Sphagnum fimbriatum* var. *robustum* fo. *laxifolia*, Dusén 1903a; as *Sphagnum fimbriatum* var. *validius*, Cardot 1908; Cardot & Brotherus 1923). **Dist.** VIII. Arauco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Sphagnum flexuosum* Dozy & Molk.

(as *Sphagnum amblyphyllum*, Thériot 1934b). **Dist.** VIII. Ñuble.

*Sphagnum magellanicum* Brid.

Díaz et al. 2008; Goffinet et al. 2006; Larraín 2007b; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; Shaw & Goffinet 2000; He 1998; Matteri & Schiavone 2002; Roivainen 1937; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Sphagnum medium*, Cardot 1908; Warnstorf 1911; as *Sphagnum rigescens*, Warnstorf 1911; Dusén 1903a, 1903b; as *Sphagnum medium* var. *flavescens*, Warnstorf 1911; as *Sphagnum medium* var. *fuscorubellum*, Dusén 1903a; *Sphagnum medium* var. *fuscorubellum* fo. *brachydasyclada*, Dusén 1903a, 1903b; as *Sphagnum medium* var. *pallidocarneum* fo. *brachydasyclada*, Dusén 1903a, 1903b; *Sphagnum medium* var. *purpurascens*, Dusén 1903a; *Sphagnum medium* var. *purpurascens* fo. *brachylomatoclada*, Dusén 1903a). **Dist.** VIII. Arauco; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Sphagnum medium* Limpr. = *Sphagnum magellanicum* fide Eddy 1977.

*Sphagnum miradorense* Larraín, nom. nud., Larraín 2005 (XIV. Valdivia/Ranco).

*Sphagnum nemoreum* Scop. = *Sphagnum capillifolium* fide Crum 1984.

*Sphagnum patagoniense* Warnst. = *Sphagnum falcatulum* fide Wijk et al. 1967.

*Sphagnum personatum* Roiv.

Matteri & Schiavone 2002; Roivainen 1937. **Dist.** XII. Magallanes, Tierra del Fuego.

*Sphagnum plumulosum* Röll = *Sphagnum subnitens* fide Crum 1984.

*Sphagnum pulchricoma* Müll. Hal. = *Sphagnum recurvum* fide Crum 1984.

*Sphagnum recurvum* P. Beauv.

Díaz et al. 2008; Larraín 2007b; Cardot 1908 (as *Sphagnum pulchricoma*, Mitten 1869; Herzog & Schwabe 1939). **Dist.** X. Chiloé, Llanquihue; XII. Antártica Chilena, Magallanes.

*Sphagnum recurvum* var. *brevifolium* (Lindb.) Warnst.

Ireland et al. 2007. **Dist.** VIII. Arauco.

*Sphagnum rigescens* Warnst. = *Sphagnum magellanicum* fide Crum 1990.

*Sphagnum schwabeanum* H.K.G. Paul

Herzog & Schwabe 1939. **Dist.** X. Llanquihue.

*Sphagnum subfalcatum* Roiv.

Matteri & Schiavone 2002; Roivainen 1937; Deguchi 1991b. **Dist.** IX. Malleco; XII. Tierra del Fuego.

***Sphagnum subnitens*** Russow & Warnst.

He 1998 (as *S. plumulosum*, Warnstorff 1911; Brotherus 1924; as *Sphagnum subnitens* var. *purpurascens*, Dusén 1903a). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Osorno; XI. Aisén.

***Sphagnum subrigidum*** Hampe & Lorentz

Warnstorff 1911; Brotherus 1924c; Crum 1990. **Dist.** Chile, without exact locality.

***Sphagnum subsecundum*** Nees

Larraín 2007b; He 1998. **Dist.** X. Chiloé, Llanquihue.

***Sphagnum subserratum*** Roiv.

Matteri & Schiavone 2002; Roivainen 1937. **Dist.** XII. Tierra del Fuego.

***Sphagnum torreyanum*** Sull.

Warnstorff 1911. **Dist.** XII. Tierra del Fuego.

*Sphagnum trinitense* Müll. Hal. = *Sphagnum cuspidatum* fide Griffin 1981.

*Sphagnum undulatum* Warnst. = *Sphagnum falcatulum* fide Matteri & Schiavone 2002.

***Splachnobryum obtusum*** (Brid.) Müll. Hal.

Arts 2001a. **Dist.** Chile, without exact locality.

***Splachnobryum valdiviae*** Müll. Hal.

Brotherus 1924c. **Dist.** Chile, without exact locality. Note: The generic position is uncertain; the species was excluded from the genus but was'nt placed in another (Crosby et al. 1999).

*Sporledera hampeana* Müll. Hal. ≡ *Bruchia hampeana*.

*Stableria tenella* (Mitt.) Broth. = *Orthodontium gracile* fide Robinson 1975.

*Stenomitrium pentastichum* (Mont.) Broth. ≡ *Zygodon pentastichus*.

*Stenomitrium robustulum* Dusén ex Paris, nom. nud. = *Zygodon bartramoides* fide Calabrese 2006.

*Stereodon lechleri* (Müll. Hal.) Mitt. = *Hypnum chrysogaster* fide Ando 1972.

*Stereodon nitidus* (Hook.f. & Wilson) Mitt. ≡ *Catagonium nitidum*.

*Stereodon campanoanus* Thér. ≡ *Hypnum campanoanum*.

*Stereophyllum fuegianum* Besch. = *Brachythecium longidens* fide Wijk et al. 1967.

*Stereophyllum seminerve* (Kunze ex Schwägr.) Mitt. ≡ *Juratzaea seminervis* subsp. *seminervis*.

*Stokesiella praelonga* (Hedw.) H. Rob. ≡ *Kindbergia praelonga*.

***Straminergon stramineum*** (Dicks. ex Brid.) Hedenäs

(as *Calliergon stramineum*, Donat 1936). **Dist.** XI. Aisén.

*Streptopogon mnioides* (Schwägr.) Mitt. ≡ *Calyptopogon mnioides*.

***Symblepharis fuegiana*** (Cardot) Ochyra & Matteri

Matteri & Schiavone 2002; Ochyra & Matteri 1996 (as *Oncophorus fuegianus*, Frahm et al. 1998; Cardot 1900, 1901, 1908; Dusén 1903b; Brotherus 1924b; Bartram 1957; Robinson 1975; Matteri 1985b). **Dist.** X. Llanquihue; XI. Aisén; XII. Magallanes, Tierra del Fuego; Juan Fernández Is.

***Symblepharis krausei*** (Lorentz) Ochyra & Matteri

Buck 2002; Ireland et al. 2007; Müller & Pereira 2006; Ochyra & Matteri 1996 (as *Anisothecium krausei*, Herzog & Schwabe 1939; Herzog 1954). **Dist.** VII. Cauquenes; VIII. Arauco; XIV. Valdivia/Ranco; X. Osorno; XI. Aisén; XII. Antártica Chilena.

***Symblepharis luteovirens*** (E.B. Bartram) Ochyra & Matteri

Matteri & Schiavone 2002; Ochyra & Matteri 1996 (as *Oncophorus luteo-virens*, Ireland et al. 2007; Roivainen 1937; Frahm et al. 1998). **Dist.** VIII. Arauco; XII. Magallanes, Tierra del Fuego.

*Syntrichia anderssonii* (Ångström) R.H. Zander = *Syntrichia glacialis* fide Müller 2009.

*Syntrichia anderssonii* (Ångström) R.H. Zander var. *fagicola* (Müll. Hal.) R.H. Zander = *Syntrichia glacialis* fide Matteri 2003a.

***Syntrichia antarctica*** (Hampe) R.H. Zander

Matcham et al. 2007; Matteri & Schiavone 2002. **Dist.** XII. Última Esperanza.

*Syntrichia apiculatopilosa* Dusén, nom. nud. = *Pseudocrossidium crinitum* fide Müller 2009.

***Syntrichia bogotensis*** (Hampe) Mitt. ex R.H. Zander

Gallego & Cano 2007b. **Dist.** IV. Elqui.

*Syntrichia brachyclada* (Cardot) R.H. Zander

Matteri & Schiavone 2002 (as *Tortula brachyclada*, Hässel et al. 1984). **Dist.** XII. Magallanes, Última Esperanza.

*Syntrichia breviseta* (Mont.) M.J. Cano & M.T. Gallego

(as *Tortula atrata*, Thériot 1921; as *Tortula breviseta*, Mitten 1869; Thériot 1923; Herzog & Hosseus 1938). **Dist.** V. Valparaíso; RM. Santiago; VIII. Biobío.

*Syntrichia campestris* (Dusén) R.H. Zander

Matteri & Schiavone 2002; Zander 1993 (as *Tortula campestris*, Dusén 1906a; Thériot 1921; Bartram 1952; Seki 1974). **Dist.** RM. Cordillera; XI. Aisén, Coihaique; XII. Magallanes.

*Syntrichia costesii* (Thér.) R.H. Zander

Müller 2009; Larraín 2007a; Schaumann 2005; Herzog 1954; Zander 1993; Frey & Schaumann 2002 (as *Tortula costesii*, Thériot 1921; Herzog & Hosseus 1938). **Dist.** V. Valparaíso; VII. Cauquenes; IX. Cautín; X. Chiloé, Osorno; XII. Magallanes.

*Syntrichia crispatula* Müll. Hal. = *Calyptropogon mnioides* (Schwägr.) Broth. fide Wijk et al. 1959.

*Syntrichia didymodontoides* (Broth.) R.H. Zander = *Syntrichia saxicola* fide Ochyra et al. 2008.

*Syntrichia epilosa* (Broth. ex Dusén) R.H. Zander var. *epilosa*

Ireland et al. 2007; He 1998; Zander 1993 (as *Tortula epilosa*, Dusén 1906a; Thériot 1934b).

**Dist.** V. Valparaíso; RM. Santiago; VIII. Arauco, Concepción, Ñuble.

*Syntrichia epilosa* var. *pilifera* (Thér.) R.H. Zander

Zander 1993 (as *Tortula epilosa* var. *pilifera*, Thériot 1926). **Dist.** RM. Santiago; VI. Colchagua.

*Syntrichia filaris* (Müll. Hal.) R.H. Zander

Ochyra et al. 2008; Matteri & Schiavone 2002. **Dist.** XII. Magallanes.

*Syntrichia flagellaris* (Schimp.) R.H. Zander

(as *Barbula flagellaris*, Dusén 1903b, 1906a; Thériot 1917; Herzog 1922; as *Tortula flagellaris*, Espinosa 1941; Mitten 1869; Thériot 1921; Brotherus 1924a, 1924b; Robinson 1975; as *Tortula contorta*, Mitten 1869). **Dist.** V. Valparaíso; RM. Santiago; XIV. Valdivia/Ranco; XI. Aisén; XII. Magallanes; Juan Fernández Is.

*Syntrichia flavidopilosa* Dusén, nom. nud. = *Pseudocrossidium crinitum* fide Müller 2009.

*Syntrichia fontana* (Müll. Hal.) R.H. Zander

Müller 2009 (as *Tortula rivularis*, Cardot & Brotherus 1923; Dusén 1906; Cardot 1908). **Dist.** XI. Coihaique; XII. Magallanes, Tierra del Fuego, Última Esperanza.

*Syntrichia fragilis* (Taylor) Ochyra

Cano 2003 (as *Tortula laevinervis*, Dusén 1906b; Villagran et al. 2004). **Dist.** XV. Parinacota; IV. Limarí; V. Valparaíso.

*Syntrichia fuegiana* Mitt. = *Syntrichia magellanica* fide Lightowler 1985.

*Syntrichia geheeiaeopsis* (Müll. Hal.) R.H. Zander

Matcham et al. 2007; Buck 2002; Matteri & Schiavone 2002. **Dist.** XII. Antártica Chilena, Magallanes.

*Syntrichia glacialis* (Kunze ex Müll. Hal.) R.H. Zander

Müller 2009 (as *Tortula glacialis*, Mitten 1869; as *Syntrichia anderssonii*, Tropicos 2009; Matcham et al. 2007; Buck 2002; Schaumann 2005; Matteri & Schiavone 2002; Herzog 1954; Zander 1993; as *Barbula andersonii*, Cardot 1900, 1901; Dusén 1903b; as *Barbula perrubiginosa*, Dusén 1903b; as *Tortula andersonii*, Hässel et al. 1984; Dusén 1906a; Cardot 1908; Cardot & Brotherus 1923; Roivainen 1934; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b; *Tortula perrubiginosa*, Paris 1903-1906; as *Tortula pseudolatifolia*, Hässel et al. 1984; Matteri & Schiavone 2002; Dusén 1906a; Cardot 1908; Seki 1974; Matteri 1985b). **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; X. Llanquihue, Palena; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Syntrichia gromschii* (Thér.) R.H. Zander

(as *Tortula gromschii*, Thériot 1934b). **Dist.** XII. Última Esperanza.

*Syntrichia jaffueli* (Thér.) R.H. Zander ≡ *Tortula jaffueli*.

***Syntrichia laevipila*** Brid.

Matcham et al. 2007; Ireland et al. 2007. **Dist.** VIII. Arauco, Concepción; XII. Magallanes.

*Syntrichia lingulaefolia* (Cardot & Broth.) Herzog, hom. illeg. = *Hennediella arenae* fide Lightowers 1985.

***Syntrichia lithophila*** (Dusén) Ochyra & R.H. Zander

Ochyra & Zander 2007 (as *Syntrichia pygmaea*, Matcham et al. 2007; as *Tortula lithophila*, Dusén 1906a; Seki 1974; Deguchi 1991b). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego.

***Syntrichia magellanica*** (Mont.) R.H. Zander

Müller 2009; Ochyra et al. 2008; Matcham et al. 2007; Matteri & Schiavone 2002; Zander 1993 (as *Barbula lechleri*, Dusén 1903b; as *Tortula lechleri*, Herzog 1922; as *Barbula pusilla*, Dusén 1903b; as *Tortula pusilla*, Bartram 1952; as *Tortula brachypelma*, Dusén 1905a; as *Tortula magellanica*, Cardot 1908; as *Tortula fuegiana*, Dusén 1906a; Cardot 1908; Herzog 1922; as *Tortula monoica*, Hässel et al. 1984). **Dist.** XI. Coihaique; XII. Magallanes, Tierra del Fuego, Última Esperanza.

*Syntrichia marginatoserrata* Dusén, nom. nud. = *Syntrichia serrulata* fide Müller 2009.

*Syntrichia micro-runcinata* Dusén, nom. nud. = *Leptodontium longicaule* var. *microruncinatum* fide Müller 2009.

***Syntrichia mniadelphus*** (Müll. Hal.) Herzog var. *cochlearifolia* Herzog

Herzog 1954 (as *Tortula mniadelphus* var. *cochlearifolia*, Seki 1974). **Dist.** XI. Aisén. Note:

*Syntrichia mniadelphus* is a synonym of *Sagenotortula quitoensis* (Taylor) R.H. Zander, but the status of this variety is uncertain and need verification.

***Syntrichia muricata*** M.T.Gallego & Cano

Gallego & Cano 2007a. **Dist.** IV. Elqui, Limarí.

***Syntrichia papillosa*** (Wilson) Jur. var. *papillosa*

NY 2009; Tropicos 2009; Müller 2009; Ireland et al. 2007; Matteri & Schiavone 2002; Matteri 1994; Herzog 1954 (as *Tortula papillosa*, Hässel et al. 1984; Dusén 1905a; Dusén 1906a; Cardot 1908; Thériot 1921; Deguchi 1991b). **Dist.** V. Aconcagua; VII. Talca; VIII. Arauco, Concepción; X. Llanquihue; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Syntrichia papillosa* var. *chilensis*** (Thér.) R.H. Zander

Matteri 1994 (as *Tortula papillosa* var. *chilensis*, Thériot 1921). **Dist.** V. Valparaíso.

***Syntrichia princeps*** (De Not.) Mitt.

Cano & Gallego 2008; Matcham et al. 2007; Buck 2002; Matteri & Schiavone 2002 (as *Tortula princeps*, Hässel et al. 1984; Mitten 1869; Seki 1974; as *Tortula grossiretis*, Cardot 1908; Thériot 1918; Cardot & Brotherus 1923; Bartram 1952; as *Tortula chrysopila*, Cardot 1908). **Dist.** V. Valparaíso; IX. Malleco; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza. Note: The species was excluded by Ochyra et al. (2008) from the Southern Hemisphere. All the records from the area must therefore belong to other species.

*Syntrichia prostrata* (Mont.) R.H. Zander = *Syntrichia serrulata* fide Gallego et al. 2009.

*Syntrichia pseudolatifolia* (Cardot) Cano & M.T. Gallego = *Syntrichia glacialis* fide Müller 2009.

***Syntrichia pseudorobusta*** (Dusén) R.H. Zander

Pereira et al. 2006; Herzog 1954; Zander 1993 (as *Tortula pseudo-robusta*, Dusén 1906a; Thériot 1921; Herzog & Hosseus 1938; Herzog & Schwabe 1939). **Dist.** VII. Talca; VIII. Arauco, Biobío, Concepción, Ñuble; XIV. Valdivia/Ranco; X. Llanquihue; XI. Aisén.

*Syntrichia pygmaea* (Dusén) R.H. Zander = *Syntrichia lithophila* fide Ochyra & Zander 2007.

***Syntrichia robusta*** (Hook. & Grev.) R.H. Zander

Buck 2002; Schaumann 2005; Matteri & Schiavone 2002; Herzog 1954; Zander 1993 (as *Barbula robusta*, Dusén 1903b; as *Tortula robusta*, Hässel et al. 1984; Mitten 1869; Paris 1903-1906; Dusén 1906a; Cardot & Brotherus 1923; Herzog & Schwabe 1939; Seki 1974; Matteri 1985b; Deguchi 1991b; as *Tortula robusta* var. *laxa*, Roivainen 1934; Bartram 1946; as *Tortula robusta* var. *runcinata*, Cardot & Brotherus 1923; as *Tortula punctulata*, Mitten 1869). **Dist.** IV. Limarí; VIII. Ñuble; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Syntrichia ruralis*** (Hedw.) F. Weber & D. Mohr

- Müller 2009; Cano & Gallego 2008; Schaumann 2005 (as *Barbula ruralis*, Cardot 1900, 1901; as *Tortula bullata*, Herzog 1923). **Dist.** VII. Talca; XII. Magallanes, Última Esperanza.
- Syntrichia saxicola*** (Cardot) R.H. Zander  
Ochyra et al. 2008; Buck 2002; Matteri & Schiavone 2002; Zander 1993 (as *Tortula saxicola*, Seki 1974). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes.
- Syntrichia scabrella*** (Dusén) R.H. Zander  
Ireland et al. 2007; Zander 1993 (as *Tortula scabrella*, Dusén 1906b). **Dist.** VI. Colchagua; VIII. Concepción, Ñuble.
- Syntrichia scabrinervis*** (Müll. Hal.) R.H. Zander  
Herzog 1954; Zander 1993 (as *Tortula scabrinervis*, Mitten 1869; Brotherus 1924b; Bartram 1957; Robinson 1975). **Dist.** II. Antofagasta; IV. Limarí; V. Valparaíso; Juan Fernández Is.
- Syntrichia schnyderi*** (Müll. Hal.) R.H. Zander  
Zander 1993 (as *Tortula schnyderi*, Dusén 1906a; Cardot 1908). **Dist.** XII. Magallanes.
- Syntrichia serripungens*** (Lorentz & Müll. Hal.) R.H. Zander  
Herzog 1954; Zander 1993. **Dist.** V. Aconcagua.
- Syntrichia serrulata*** (Hook. & Grev.) M.J. Cano  
(as *Hennediella serrulata*, Matteri & Schiavone 2002; Zander 1993; as *Tortula serrulata*, Mitten 1869; Bartram 1952; as *Syntrichia prostrata*, Tropicos 2009; Zander 1993; as *Tortula prostrata*, Mitten 1869; Dusén 1906a; Thériot 1915, 1928; Herzog & Hosseus 1938; Bartram 1952; Herzog 1960). **Dist.** VII. Cauquenes, Linares; VIII. Biobío, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Osorno; XII. Magallanes, Tierra del Fuego.
- Syntrichia socialis*** (Dusén) R.H. Zander  
Zander 1993 (as *Tortula socialis*, Dusén 1906b). **Dist.** X. Llanquihue; XII. Magallanes.
- Syntrichia squarripila*** (Thér.) Herzog  
Herzog 1954, 1960 (as *Tortula squarripila*, Thériot 1917; Bartram 1952). **Dist.** V. Aconcagua, Valparaíso.
- Syntrichia subpapillosa*** (Cardot & Broth.) Matteri  
Matcham et al. 2007; Buck 2002; Buck 2005a; Matteri & Schiavone 2002; Matteri 1994 (as *Tortula subpapillosa*, Cardot & Brotherus 1923). **Dist.** XII. Antártica Chilena, Magallanes.  
*Syrhopodon fasciculatus* Hook.f. & Grev. ≡ *Mithyridium fasciculatum*.
- Tayloria dubyi*** Broth. var. ***dubyi***  
Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Buck 2005a; Matteri & Schiavone 2002; Cardot 1908; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Hymenocleiston magellanicum*, Dusén 1903b). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.
- Tayloria dubyi*** var. ***edenensis*** (Besch.) Paris  
Cardot 1908 (as *Hymenocleiston magellanicum* var. *edenense*, Dusén 1903b). **Dist.** XII. Magallanes.
- Tayloria magellanica*** (Brid.) Mitt. var. ***magellanica***  
Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Buck 2005a; Matteri 1993; Matteri & Schiavone 2002; Mitten 1869; Cardot 1908; Cardot & Brotherus 1923; Matteri 1985b (as *Dissodon magellanicum*, Cardot 1900; Dusén 1903b). **Dist.** XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.
- Tayloria magellanica*** var. ***gigantea*** E.B. Bartram  
Matteri & Schiavone 2002; Bartram 1946. **Dist.** XII. Tierra del Fuego.
- Tayloria mirabilis*** (Cardot) Broth.  
Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Buck 2002; Buck 2005b; Schaumann 2005; He 1998; Matteri & Schiavone 2002; Cardot 1908; Cardot & Brotherus 1923; Matteri 1985b (as *Dissodon mirabilis*, Cardot 1900). **Dist.** IX. Cautín, Malleco; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.
- Tayloria stenophysata*** (Herzog) A.K. Kop.

Larraín 2007b; Hässel et al. 1984; He 1998; A. Koponen 1977; Matteri 1985b (as *Tetraplodon stenophysatus*, Herzog & Schwabe 1939; Deguchi 1991b). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XII. Magallanes, Última Esperanza.

*Tetraplodon fuegianus* Besch. = *Tetraplodon mnioides* fide A. Koponen 1982.

***Tetraplodon mnioides*** (Hedw.) Bruch & Schimp.

Díaz et al. 2008; Larraín 2007a; Robinson 1964; Deguchi 1991b (as *Tetraplodon fuegianus*, Buck 2002, 2005a; Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2007; Dusén 1903b; Cardot 1908; Seki 1974; Matteri 1985b; Matteri 1993; Matteri & Schiavone 2002). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Tetraplodon stenophysatus* Herzog ≡ *Tayloria stenophysata*.

*Tetapterum recurvirostrum* (Müll. Hal.) Broth. = *Weissia diffidentia* fide Zander 1993.

***Tetrodontium brownianum*** (Dicks.) Schwägr.

He 1998; Mahu 1985. **Dist.** IX. Cautín.

***Thamniopsis incurva*** (Hornschr.) W.R. Buck

(as *Hookeriopsis incurva*, Matteri 1972). **Dist.** VIII. Concepción.

*Thamnium arbusculans* (Müll. Hal.) A. Jaeger ≡ *Porothamnium arbusculans*.

*Thamnium assimile* Broth. = *Thamnobryum rigidum* fide Robinson 1975.

*Thamnium caroli* Broth. ≡ *Thamnobryum caroli*.

*Thamnium confertum* Mitt. ≡ *Thamnobryum confertum*.

*Thamnium corralense* Broth., nom. herb. = *Porothamnium arbusculans* fide Gunckel 1938.

*Thamnium crassinervium* Broth. = *Thamnobryum rigidum* fide Robinson 1975.

*Thamnium decumbens* Besch. = *Porothamnium arbusculans* fide Reimers 1926.

*Thamnium ingae* Broth. ≡ *Thamnobryum ingae*.

*Thamnium latinerme* (Mitt.) Broth. = *Thamnobryum rigidum* fide Robinson 1975.

*Thamnium leucocaulon* (Müll. Hal.) Kindb. ≡ *Porothamnium leucocaulon*.

*Thamnium neckeroides* (Hook.f.) Schimp. ≡ *Thamnobryum neckeroides*.

*Thamnium panduraefolium* (Müll. Hal.) Broth. ≡ *Porothamnium panduraefolium*.

*Thamnium proboscideum* Broth. ≡ *Thamnobryum proboscideum*.

*Thamnium rigidum* Mitt. ≡ *Thamnobryum rigidum*.

*Thamnium valdiviae* (Müll. Hal.) Kindb. ≡ *Porothamnium valdiviae*.

*Thamnobryum assimile* (Broth.) Sérgio = *Thamnobryum rigidum* fide Robinson 1975.

***Thamnobryum caroli*** (Broth.) H. Rob.

Robinson 1975 (as *Thamnium caroli*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Bartram 1957). **Dist.** Juan Fernández Is.

***Thamnobryum confertum*** (Mitt.) H. Rob.

Robinson 1975 (as *Thamnium confertum*, Brotherus 1924b). **Dist.** Juan Fernández Is.

*Thamnobryum crassinervium* (Broth.) S. He = *Thamnobryum rigidum* fide Robinson 1975.

***Thamnobryum fasciculatum*** (Sw. ex Hedw.) I. Sastre

Ireland et al. 2007; He 1998 (as *Porothamnium fasciculatum*, Espinosa 1941; Brotherus 1924b). **Dist.** VIII. Arauco, Biobío, Concepción, Ñuble; XIV. Valdivia/Ranco; Juan Fernández Is.

***Thamnobryum ingae*** (Broth.) H. Rob.

He 1998; Robinson 1975 (as *Thamnium ingae*, Barrera 2006; Espinosa 1941; Brotherus 1924b;

Thériot 1927a; Bartram 1957). **Dist.** V. Valparaíso; Juan Fernández Is.

***Thamnobryum neckeroides*** (Hook.) E. Lawton

Lawton 1971 (as *Thamnium neckeroides*, Thériot 1924). **Dist.** Without exact locality. Note: The occurrence of this species in the region needs verification.

***Thamnobryum proboscideum*** (Broth.) H. Rob.

Robinson 1975 (as *Thamnium proboscideum*, Brotherus 1924b; Bartram 1957). **Dist.** Juan Fernández Is.

***Thamnobryum rigidum*** (Mitt.) H. Rob.

Robinson 1975 (as *Thamnobryum assimile*, Sérgio 1981; as *Thamnium assimile*, Barrera 2006; Espinosa 1941; Brotherus 1924b; as *Thamnium latinerme*, Brotherus 1924b; as *Thamnium*

*rigidum*, Mitten 1869; Brotherus 1924b; Bartram 1957; as *Porothamnium crassinervium*, Espinosa 1941). **Dist.** Juan Fernández Is.

**Thamnobryum** spec.

Matcham et al. 2007. **Dist.** XII. Última Esperanza.

**Thuidiopsis chilensis** (Mitt.) Broth.

Hässel et al. 1984; Herzog 1922, 1954; Matteri 1985b (as *Thuidium chilense*, Mitten 1869).

**Dist.** XIV. Valdivia/Ranco; X. Osorno; XII. Magallanes, Última Esperanza.

*Thuidiopsis corralensis* (Broth.) Herzog = *Thuidiopsis furfurosa* fide Wijk et al. 1969.

**Thuidiopsis dusenii** (Broth.) Broth.

Cardot & Brotherus 1923 (as *Thuidium dusenii*, He 1998). **Dist.** VIII. Arauco; XIV. Valdivia/Ranco; X. Chiloé.

*Thuidiopsis filaris* (Mitt.) Broth. = *Thuidiopsis sparsa* fide Touw 2001.

**Thuidiopsis furfurosa** (Hook.f. & Wilson) M. Fleisch.

Ireland et al. 2007; Touw 2001 (as *Thuidium furfurosum*, Larraín 2007b; Larraín 2005; Villagran et al. 2003; Schaumann 2005; He 1998; Cardot & Brotherus 1923; Bartram 1952; Robinson 1975; Deguchi 1991b; as *Thuidiopsis corralensis*, Herzog & Schwabe 1939; Herzog 1960; as *Thuidium corralensis*, Dusén 1903b; as *Thuidiopsis furfurosum*, Herzog & Schwabe 1939; as *Thuidium masafuerae*, Barrera 2006; Espinosa 1941; Brotherus 1924b; Robinson 1975; as *Thuidium valdiviae*, Brotherus 1924b; as *Thuidiopsis valdiviae*, Herzog & Schwabe 1939; Bartram 1957). **Dist.** VIII. Arauco; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé; Llanquihue, Osorno, Palena; XI. Aisén; XII. Magallanes; Juan Fernández Is.

**Thuidiopsis sparsa** (Hook.f. & Wilson) Broth.

Tropicos 2009; Müller & Pereira 2006; Touw 2001 (as *Thuidium filarium*, Thériot 1918; Reimers 1926; as *Thuidiopsis filaris*, Herzog & Hosseus 1938; Herzog 1954, 1960; as *Thuidium sparsum*, Schaumann 2005; He 1998; Deguchi 1991b; as *Thuidium valdiviae*, Barrera 2006; Espinosa 1941). **Dist.** VII. Cauquenes; VIII. Arauco, Biobío, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; Juan Fernández Is.

*Thuidiopsis valdiviae* (Broth.) Broth. = *Thuidiopsis furfurosa* fide Robinson 1975.

*Thuidium chilense* Mitt. ≡ *Thuidiopsis chilensis*.

*Thuidium corralensis* (Broth.) Broth. = *Thuidiopsis furfurosa* fide Wijk et al. 1969.

*Thuidium dusenii* Broth. ≡ *Thuidiopsis dusenii*.

*Thuidium filarium* Mitt. = *Thuidiopsis sparsa* fide Touw 2001.

*Thuidium furfurosum* (Hook.f. & Wilson) A. Jaeger ≡ *Thuidiopsis furfurosa*.

**Thuidium inconspicuum** Herzog

Herzog 1922. **Dist.** XIV. Valdivia/Ranco.

*Thuidium masafuerae* Broth. = *Thuidiopsis furfurosa* fide Touw & Van den Haak 1989.

**Thuidium raphidostegum** (Müll. Hal.) Mitt.

Mitten 1869; Herzog & Hosseus 1938. **Dist.** IX. Cautín.

*Thuidium sparsum* (Hook.f. & Wilson) A. Jaeger ≡ *Thuidiopsis sparsa*.

*Thuidium valdiviae* Broth. = *Thuidiopsis sparsa* fide Touw 2001.

*Thysanomitrium laetevirens* Broth. = *Campylopus laxoventralis* fide Frahm 1988.

*Thysanomitrium leptodus* (Mont.) Broth. = *Campylopus clavatus* fide Sainsbury 1955.

*Thysanomitrium richardii* (Brid.) Schwägr. ≡ *Campylopus richardii*.

**Tortella hosseusii** Herzog

Herzog & Hosseus 1938. **Dist.** IX. Cautín.

**Tortella humilis** (Hedw.) Jenn.

Ireland & Bellolio 2002. **Dist.** Easter I.

**Tortella knightii** (Mitt.) Broth.

Buck 2005a; Eckel 1997; Matteri & Schiavone 2002. **Dist.** XII. Antártica Chilena.

**Tortella tortuosa** (Hedw.) Limpr.

Tropicos 2009; Hässel et al. 1984; Ireland et al. 2007; He 1998; Matteri & Schiavone 2002; Cardot & Brotherus 1923; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b. **Dist.** RM. Chacabuco, Santiago; VIII. Biobío; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Tortula amblyophylla* (Mont.) Thér., hom. illeg. = *Tortula platyphylla* fide Mitten 1869.

*Tortula andersonii* Ångström = *Syntrichia glacialis* fide Müller 2009.

*Tortula antarctica* (Hampe) Paris ≡ *Syntrichia antarctica*.

***Tortula appressa* Mitt.**

Mitten 1869. **Dist.** Chile, without exact locality (leg. Lobb). Note: The type was not studied by Cano & Gallego (2008), therefore the taxonomic status is uncertain.

*Tortula arenae* (Besch.) Broth. ≡ *Hennediella arenae*.

*Tortula atrata* Thér. = *Syntrichia breviseta* fide Cano & Gallego 2008.

***Tortula atrovirens* (Sm.) Lindb.**

Cano & Gallego 2008; Gallego & Cano 2007; Mitten 1869; Thériot 1921; Herzog 1954. **Dist.**

II. Antofagasta; IV. Elqui, Limarí; V. Aconcagua, Valparaíso; RM. Cordillera; VII. Talca.

*Tortula atrovirens* var. *brevifolia* Thér. = *Tortula atrovirens* fide Cano & Gallego 2008.

*Tortula australasiae* Hook.f. & Grev. ≡ *Didymodon australasiae*.

*Tortula berteroana* (Müll. Hal.) Broth. ex Paris = *Tortula platyphylla* fide Cano & Gallego 2008.

***Tortula berthoana* Thér.**

Thériot 1926. **Dist.** V. Valparaíso. Note: Type material was studied by Cano & Gallego (2008).

The species belong to *Syntrichia* and is similar to *S. fragilis*, but differs in a few details.

*Tortula brachypelma* Dusén = *Syntrichia magellanica* fide Zander 1993.

*Tortula breviseta* Mont. ≡ *Syntrichia breviseta*.

*Tortula bullata* Herzog, hom. illeg. = *Syntrichia ruralis* fide Cano & Gallego 2008.

*Tortula campestris* Dusén ≡ *Syntrichia campestris*.

*Tortula calycina* (Schwägr.) Hook.f. & Grev. ≡ *Barbula calycina*.

*Tortula chilensis* (Mont.) Mitt. ≡ *Chrysoblastella chilensis*.

*Tortula chrysopila* (Müll. Hal.) Paris = *Syntrichia princeps* fide Matteri & Schiavone 2002.

*Tortula chubutensis* Dusén = *Syntrichia ruralis* fide Cano & Gallego 2008.

*Tortula conferta* Bartr. = *Syntrichia magellanica* fide Ochyra et al. 2008.

*Tortula conotricha* (Müll. Hal.) Paris = *Syntrichia glacialis* fide Müller 2009.

*Tortula contorta* (Hampe) Mont. = *Syntrichia flagellaris* fide Cano & Gallego 2008.

*Tortula costesii* Thér. ≡ *Syntrichia costesii*.

*Tortula curta* Cardot & Broth., hom. illeg. = *Syntrichia costesii* fide Wijk et al. 1969.

*Tortula densifolia* (Hook.f & Wilson) Herzog ≡ *Hennediella densifolia*.

***Tortula diaguita* (R.H. Zander & Mahu) Cano & M.T. Gallego**

Cano & Gallego 2008 (as *Hennediella diaguita*, Zander & Mahu 1999). **Dist.** IV. Elqui, Limarí.

*Tortula didymodontoides* Broth. = *Syntrichia saxicola* fide Ochyra et al. 2008.

*Tortula epilosa* Broth. ≡ *Syntrichia epilosa*.

*Tortula epilosa* var. *pilifera* Thér. ≡ *Syntrichia epilosa* var. *pilifera*.

*Tortula excelsa* Cardot = *Syntrichia filaris* fide Ochyra 1998.

*Tortula flagellaris* (Schimp.) Thér. ≡ *Syntrichia flagellaris*.

*Tortula flavipes* Broth., hom. illeg. = *Tortula platyphylla* fide Cano & Gallego 2008.

*Tortula flaviseta* Mitt. = *Hennediella heimii* fide Cano 2008.

*Tortula fuegiana* (Mitt.) Mitt. = *Syntrichia magellanica* fide Matteri 2003a.

*Tortula fusca* (Müll. Hal.) Mont. ≡ *Didymodon fuscus*.

*Tortula fuscinervia* Mitt. = *Didymodon pruinosis* fide Jiménez & Cano 2008.

*Tortula fuscoviridis* Cardot = *Syntrichia saxicola* fide Ochyra 1998.

*Tortula geniculata* Mont. = *Didymodon australasiae* fide Jiménez et al. 2005.

*Tortula glacialis* Kunze ex Müll. Hal. ≡ *Syntrichia glacialis*.

*Tortula graminicolor* (Müll. Hal.) Mont. = *Didymodon australasiae* fide Zander 1993.

*Tortula gromschii* Thér. ≡ *Syntrichia gromschii*.

*Tortula grossiretis* Cardot = *Syntrichia magellanica* fide Ochyra et al. 2008.

*Tortula grossiretis* var. *atrata* Cardot = *Syntrichia magellanica* fide Ochyra et al. 2008.

*Tortula heimii* (Hedw.) Mitt. ≡ *Hennediella heimii*.

*Tortula heteroneura* Cardot = *Syntrichia magellanica* fide Ochyra et al. 2008.

***Tortula hoppeana* (Schultz) Ochyra**

Müller 2009; Cano & Gallego 2008. **Dist.** RM. Santiago.

***Tortula jaffueli* Thér.**

Cano & Gallego 2008; Thériot 1923. **Dist.** IV. Choapa; V. Valparaíso; VI. Cachapoal.

*Tortula kunzeana* (Müll. Hal.) Mitt. ≡ *Hennediella kunzeana*.

*Tortula laeta* Kunze ≡ *Rhamphidium laetum*.

*Tortula laevinervis* Broth. ex Dusén = *Syntrichia fragilis* fide Cano & Gallego 2008.

*Tortula lechleri* (Müll. Hal.) Broth. = *Syntrichia magellanica* fide Zander 1993.

*Tortula leucocalyx* Mont. ≡ *Pseudocrossidium leucocalyx*.

*Tortula lingulaefolia* Cardot & Broth. = *Hennediella arenae* fide Lightowers 1985.

*Tortula lithophila* Dusén ≡ *Syntrichia lithophila*.

#### ***Tortula litorea* Cardot**

Matteri & Schiavone 2002. **Dist.** XII. Tierra del Fuego. Note: Cano & Gallego (2008) have studied type material and concluded the taxonomic position of this species in *Syntrichia* similar to *S. fragilis*, but they doesn't make the new combination.

*Tortula macrocarpa* (Schimp.) Mitt. ≡ *Funaria macrocarpa*.

*Tortula magellanica* Mont. ≡ *Syntrichia magellanica*.

*Tortula mendozensis* Mitt. ≡ *Pseudocrossidium mendozense*.

*Tortula mniadelphus* (Müll. Hal.) Broth. = *Sagenotortula quitoensis* fide Zander 1989.

*Tortula mniadelphus* var. *cochlearifolia* Herzog ≡ *Syntrichia mniadelphus* var. *cochlearifolia*.

#### ***Tortula modica* R.H. Zander**

(as *Pottia intermedia*, Müller 2002). **Dist.** VII. Talca.

*Tortula monoica* Cardot = *Syntrichia magellanica* fide Zander 1993.

#### ***Tortula muralis* Hedw.**

Tropicos 2009; Pereira et al. 2006; Espinosa 1941; He 1998; Mitten 1869; Dusén 1906a; Williams 1915; Thériot 1921; Brotherus 1924a; Roivainen 1934; Herzog & Hosseus 1938; Herzog & Schwabe 1939 (as *Tortula muralis* var. *rupestris*, Herzog & Hosseus 1938; as *Tortula muralis* var. *aestiva*, Thériot 1921). **Dist.** IV. Choapa, Elqui, Limarí; V. Valparaíso; RM. Santiago; VI. Cachapoal; VII. Cauquenes, Curicó, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Osorno.

*Tortula muralis* var. *longipila* Dusén = *Tortula muralis* fide Cano & Gallego 2008.

#### ***Tortula obscuriretis* Thér.**

Thériot 1918. **Dist.** IX. Malleco. Note: Fide Cano & Gallego (2008) this species belongs to *Pseudocrossidium* and is similar to *P. leucocalyx*.

*Tortula papillosa* Wilson ≡ *Syntrichia papillosa*.

*Tortula papillosa* var. *chilensis* Thér. = *Syntrichia papillosa* var. *chilensis*.

*Tortula perarmata* Broth. = *Pseudocrossidium leucocalyx* fide Cano & Gallego 2008.

*Tortula perflaccida* Broth. ex Dusén = *Syntrichia flagellaris* fide Zander 1993.

*Tortula perrubiginosa* (Dusén) Paris = *Syntrichia glacialis* fide Zander 1993.

*Tortula pilifera* Hook.f. = *Pseudocrossidium crinitum* fide Zander 1993.

*Tortula pilifera* var. *denticulata* (Dusén) Wijk & Margad. = *Pseudocrossidium crinitum* fide Zander 1993.

#### ***Tortula platyphylla* Mitt.**

Cano & Gallego 2008; Gallego & Cano 2007; Ireland et al. 2007; Mitten 1869 (as *Tortula amblyophylla*, Thériot 1923, 1934b; Herzog & Schwabe 1939; Herzog 1954; as *Barbula graminicolor* subsp. *subgraminicola*, Thériot 1917; as *Barbula subgraminicola*, Costes 1921; as *Tortula flavipes*, Brotherus 1924a; Espinosa 1941). **Dist.** IV. Choapa, Elqui, Limarí; V. Valparaíso; RM. Cordillera, Santiago; VI. Colchagua; VIII. Concepción; X. Llanquihue.

*Tortula polycarpa* Dusén = *Hennediella arenae* fide Cano & Gallego 2008.

*Tortula princeps* De Not. ≡ *Syntrichia princeps*.

*Tortula princeps* var. *magellanica* (Mont.) Lightowers ≡ *Syntrichia magellanica*.

*Tortula prostrata* Mont. = *Syntrichia serrulata* fide Gallego et al. 2009.

*Tortula pseudolatifolia* Cardot ≡ *Syntrichia glacialis* Müller 2009.

*Tortula pseudorobusta* Dusén ≡ *Syntrichia pseudorobusta*.

*Tortula pulvinatula* Dusén = *Syntrichia breviseta* fide Cano & Gallego 2008.

*Tortula punctulata* (Brid.) Mitt. = *Syntrichia robusta* fide Zander 1993.

*Tortula purpureo-velutina* Herzog = *Tortula platyphylla* fide Cano & Gallego 2008.

*Tortula pusilla* Ångström = *Syntrichia magellanica* fide Zander 1993.

*Tortula pygmaea* Dusén = *Syntrichia lithophila* fide Ochyra & Zander 2007.

*Tortula rivularis* Dusén = *Syntrichia fontana* fide Lightowers 1985.

*Tortula robusta* Hook.f. & Grev. ≡ *Syntrichia robusta*.

*Tortula robusta* var. *laxa* E.B. Bartram = *Syntrichia robusta* fide Zander 1993.

*Tortula robusta* var. *runcinata* (Müll. Hal.) Broth. = *Syntrichia robusta* fide Zander 1993.

*Tortula robustula* Cardot = *Syntrichia filaris* fide Matteri & Schiavone 2002.

*Tortula santiagensis* Broth. = *Pseudocrossidium excavatum* fide Cano & Gallego 2008.

*Tortula saxicola* Cardot ≡ *Syntrichia saxicola*.

- Tortula saxicola* Dusén, hom. illeg. = *Syntrichia lithophila* fide Ochyra & Zander 2007.
- Tortula scabrella* Dusén ≡ *Syntrichia scabrella*.
- Tortula scabrinervis* (Müll. Hal.) Mont. ≡ *Syntrichia scabrinervis*.
- Tortula schmyderi* (Müll. Hal.) Broth. ≡ *Syntrichia schmyderi*.
- Tortula serripungens* (Lorentz & Müll. Hal.) Broth. ≡ *Syntrichia serripungens*.
- Tortula serrulata* Hook. & Grev. ≡ *Syntrichia serrulata*.
- Tortula socialis* Dusén ≡ *Syntrichia socialis*.
- Tortula squarripila* Thér. ≡ *Syntrichia squarripila*.
- Tortula stenophylla* Cardot & Broth., hom. illeg. = *Syntrichia glacialis* fide Cano & Gallego 2008.
- Tortula subglacialis* Thér. = *Pseudocrossidium crinitum* fide Zander 1993.
- Tortula subpapillosa* Cardot & Broth. ≡ *Syntrichia subpapillosa*.
- Tortula subsessilis* Brid. ≡ *Pterygoneurum subsessilis*.
- Tortula truncata*** (Hedw.) Mitt.  
Cano & Gallego 2008; Ireland et al. 2007. **Dist.** VIII. Concepción.  
*Tortula umbrosa* Dusén = *Leptodontium proliferum* fide Cano & Gallego 2008.
- Trematodon geniculatus*** Matteri  
Deguchi 1991a. **Dist.** X. Osorno.
- Trematodon pascuanus*** Thér.  
Ireland & Bellolio 2002; Thériot 1937. **Dist.** Easter I.
- Trichodon cylindricus*** (Hedw.) Schimp.  
Müller 2009. **Dist.** VII. Talca.
- Trichostomum brachydontium*** Bruch  
Tropicos 2009; Espinosa 1941; Brotherus 1924b; Bartram 1957; Robinson 1975. **Dist.** Juan Fernández Is.; Easter I.
- Trichostomum elliotii*** Broth. ex Dusén  
Dusén 1906a; Herzog 1954. **Dist.** RM. Chacabuco; VIII. Concepción.  
*Trichostomum tortella* Müll. Hal. = *Tortella* spec. fide Wijk et al. 1969.
- Trichostomum williamsii*** R.H. Zander  
(as *Astomum chilense*, Williams 1915; Thériot 1921). **Dist.** IV. Elqui; V. Valparaíso.  
*Triquetrella filicaulis* Dusén ≡ *Triquetrella patagonica* fo. *filicaulis*.
- Triquetrella patagonica*** Müll. Hal.  
Müller 2009; Pereira et al. 2006; Ireland et al. 2007; Müller & Pereira 2006; Thériot 1917; Herzog & Hosseus 1938. **Dist.** II. Antofagasta; V. Valparaíso; VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín.
- Triquetrella patagonica* fo. *filicaulis* (Dusén) Herzog  
Herzog & Hosseus 1938 (as *Triquetrella filicaulis*, Espinosa 1941; Dusén 1906a; Brotherus 1924a). **Dist.** VIII. Concepción; IX. Cautín.  
*Ulota anderssonii* (Ångström) A. Jaeger = *Orthotrichum elegantulum* fide Lewinsky 1987.  
*Ulota brevicollis* (Mitt.) A. Jaeger = *Ulota rufula* fide Malta 1927.
- Ulota carinata*** Mitt.  
Villagran et al. 2003; Herzog & Hosseus 1938; Herzog & Schwabe 1939 (as *Orthotrichum carinatum*, Mitten 1869). **Dist.** X. Chiloé, Llanquihue.  
*Ulota chilensis* (Mitt.) A. Jaeger = *Ulota rufula* fide Malta 1927.  
*Ulota eremitense* Mitt. = *Ulota glabella* fide Malta 1927.  
*Ulota crenatoerosa* (Müll. Hal.) Kindb. = *Orthotrichum incanum* fide Matteri 2000.  
*Ulota darwinii* Mitt. ≡ *Ulota fuegiana* var. *darwinii*.
- Ulota fernandeziana*** Malta  
Bartram 1957; Robinson 1975. **Dist.** Juan Fernández Is.
- Ulota fuegiana*** Mitt. var. *fuegiana*  
Hässel et al. 1984; Larraín 2005; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1901, 1908; Cardot & Brotherus 1923; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Orthotrichum fuegianum*, Mitten 1869). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.
- Ulota fuegiana*** var. *crispata* Malta  
Bartram 1952; Herzog 1954. **Dist.** XIV. Valdivia/Ranco; XI. Aisén.

*Ulota fuegiana* var. *darwinii* (Mitt.) Malta

Matteri & Schiavone 2002 (as *Orthotrichum darwinii*, Mitten 1869; as *Ulota darwinii*, Dusén 1903b). **Dist.** XII. Tierra del Fuego.

*Ulota fulvella* (Mitt.) Mitt. = *Ulota luteola* fide Wijk & Margadant 1961.

*Ulota germana* var. *breviseta* Malta

Herzog & Hosseus 1938; Seki 1974. **Dist.** XIV. Valdivia/Ranco.

*Ulota germana* (Mont.) Mitt. var. *germana*

Díaz et al. 2008; Larraín 2007b; Buck 2002; He 1998; Matteri & Schiavone 2002; Cardot 1908; Reimers 1926; Herzog 1922, 1954; Thériot 1935; Seki 1974; Deguchi 1991b (as *Orthotrichum germanum*, Mitten 1869; as *Ulota savatieri*, Cardot 1900, 1901, 1908; Dusén 1903b; Cardot & Brotherus 1923). **Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén. XII. Antártica Chilena, Magallanes, Última Esperanza, Tierra del Fuego.

*Ulota glabella* Mitt.

Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Seki 1974; Deguchi 1991b (as *Orthotrichum eremitense*, Mitten 1869; as *Orthotrichum glabellum*, Mitten 1869; as *Ulota eremitense*, Dusén 1903b; Cardot 1908). **Dist.** IX. Cautín; X. Llanquihue; XI. Aisén; XII. Antártica Chilena.

*Ulota gymnomitria* Müll. Hal. = *Orthotrichum elegantulum* fide Lewinsky 1987.

*Ulota hamata* Dusén = *Ulota magellanica* fide Cardot 1908.

*Ulota incana* (Müll. Hal.) Besch. = *Orthotrichum incanum* fide Matteri 2000.

*Ulota inclinata* (Müll. Hal.) Kindb. = *Orthotrichum inclinatum* fide Matteri 2000.

*Ulota lativentrosa* Müll. Hal. ex Malta fo. *angustifolia*

Herzog & Hosseus 1938. **Dist.** XIV. Valdivia/Ranco; X. Llanquihue.

*Ulota leiothecia* (Müll. Hal.) A. Jaeger ≡ *Orthotrichum leiothecium*.

*Ulota lobbiana* Mitt.

Dusén 1903b; Cardot 1908 (as *Orthotrichum lobbianum*, Mitten 1869). **Dist.** X. Chiloé.

*Ulota luteola* (Hook.f. & Wilson) Wijk & Margad.

Matteri & Schiavone 2002; Deguchi 1991b (as *Orthotrichum fulvellum*, Mitten 1869; as *Ulota fulvella*, Hässel et al. 1984; Eaton 1892; Dusén 1903b; Cardot 1908; Matteri 1985b). **Dist.** X. Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Ulota macrocalycina* Mitt.

Hässel et al. 1984; Buck 2002; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Matteri 1985b; Deguchi 1991b (as *Orthotrichum macrocalycinum*, Mitten 1869; as *Ulota marginata*, Cardot 1908). **Dist.** X. Osorno; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Ulota macrodonia* Dixon & Malta

Ireland et al. 2007; He 1998; Dusén 1903b; Herzog 1954; Seki 1974; Deguchi 1991b. **Dist.** VIII. Arauco, Ñuble; IX. Cautín; X. Llanquihue; XI. Aisén.

*Ulota magellanica* (Mont.) A. Jaeger

Goffinet et al. 2006; Hässel et al. 1984; Matcham et al. 2002; Buck 2002; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1905; Cardot 1908; Herzog & Hosseus 1938; Bartram 1952; Seki 1974; Matteri 1985b; Deguchi 1991b (as *Orthotrichum magellanicum*, Mitten 1869; as *Ulota hamata*, Dusén 1903b). **Dist.** IX. Malleco; X. Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

*Ulota marginata* (Ångström) A. Jaeger = *Ulota macrocalycina* fide Malta 1927.

*Ulota persubulata* Dusén, nom. nud. = *Ulota rufula* fide Malta 1927.

*Ulota phyllantha* Brid.

Buck 2002; Buck 2005b; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Bartram 1952 (as *Orthotrichum phyllanthum*, Mitten 1869). **Dist.** XII. Antártica Chilena, Magallanes.

*Ulota pusilla* Malta

Matteri & Schiavone 2002; Deguchi 1991b. **Dist.** IX. Malleco; X. Llanquihue, Osorno; XII. Magallanes.

*Ulota pygmaeothecia* (Müll. Hal.) Kindb.

Hässel et al. 1984; Buck 2002; Matteri & Schiavone 2002; Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; Bartram 1952; Seki 1974; Matteri 1985b. **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Ulota rufula* (Mitt.) A. Jaeger var. *rufula*

Larraín 2007b; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; He 1998; Herzog 1922, 1954; Brotherus 1924b; Roivainen 1934; Thériot 1935; Herzog & Hosseus 1938; Bartram 1957; Seki 1974; Robinson 1975; Deguchi 1991b (as *Orthotrichum brevicolle*, Mitten 1869; as *Orthotrichum chilense*, Mitten 1869; as *Orthotrichum rufulum*, Mitten 1869; as *Ulota brevicollis*, Thériot 1934b; as *Ulota chilense*, Thériot 1934b; as *Ulota persubulata*, Dusén 1903b). **Dist.** VIII. Arauco, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; Juan Fernández Is.

*Ulota rufula* var. *patagonica* Malta

Seki 1974. **Dist.** XI. Aisén.

*Ulota savatieri* Besch. = *Ulota germana* fide Malta 1927.

*Ulota ventricosa* (Müll. Hal.) Malta

Matteri & Schiavone 2002; Deguchi 1991b (as *Zygodon ventricosus*, Mitten 1869). **Dist.** X. Llanquihue; XII. Magallanes.

*Valdiviella pauperculata* Thér. & Herzog ≡ *Muscoherzogia pauperculata*.

*Verrucidens turpis* (Cardot) Cardot ≡ *Hymenoloma turpe*.

*Vesiculariopsis spirifolium* (Dusén) Broth.

Seki 1974; Deguchi 1991a (as *Ectropothecium spirifolium*, Dusén 1903b, 1905a; Cardot 1908; as *Achrohypnella subenervis*, Herzog 1954; Matteri 1972). **Dist.** X. Osorno; XI. Aisén, General Carrera.

*Vittia elimbata* Hedenäs, Vanderpoorten & Goffinet

Matcham et al. in Blockeel et al. 2008a. **Dist.** XII. Última Esperanza.

*Vittia pachyloma* (Mont.) Ochyra

Tropicos 2009; Goffinet et al. 2006; Larraín 2007b; Matcham et al. 2007; Buck 2002; Buck 2005a; Larraín 2007a; Vanderpoorten et al. 2003; He 1998; Müller & Pereira 2006; Ochyra & Matteri 2001; Matteri & Schiavone 2002; Ochyra 1987b; Deguchi 1991a (as *Grimmia pachyloma*, Mitten 1869; as *Sciaromium confluens*, Dusén 1903b; Cardot 1908; as *Sciaromium conspissatum*, Cardot 1908; Thériot 1915, Herzog & Schwabe 1939; Bartram 1952; Herzog 1954; Seki 1974; as *Sciaromium conspissatum* var. *maritimum*, Herzog 1954; as *Sciaromium crassinervatum*, Herzog & Schwabe 1939; as *Sciaromium depastum*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; as *Sciaromium krauseanum*, Paris 1894-1900; as *Sciaromium maritimum*, Cardot 1908; Cardot & Brotherus 1923; Thériot 1924; as *Sciaromium nigritum*, Dusén 1905a; as *Sciaromium obscurifolium*, Mitten 1869; Thériot 1934b; Herzog 1954; as *Sciaromium pachyloma*, Espinosa 1941; Brotherus 1924b; Reimers 1926; Bartram 1952, 1957; Robinson 1975; as *Sciaromium pachyloma* var. *brevifolia*, Thériot 1924; as *Sciaromium pachyloma* var. *gracilescens*, Herzog 1954). **Dist.** V. Los Andes, Quillota, Valparaíso; RM. Chacabuco, Cordillera, Santiago, Talagante; VI. Colchagua; VII. Cauquenes, Curicó, Linares, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Coihaique; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

*Warburgiella aureonitida* (E.B. Bartram) H. Akiy. = *Rhaphidorrhynchium scorpiurus* fide Seki 1974.

*Warburgiella leucocytus* (Müll. Hal.) B.C. Tan, W.B. Schofield & H.P. Ramsay

(as *Rhaphidostegium leucocytus*, Dusén 1903b; Cardot 1908). **Dist.** XII. Antártica Chilena.

*Warnstorffia exannulata* (Schimp.) Loeske

Müller 2009; Larraín 2007b; Buck 2002; Larraín 2007a; Ireland et al. 2007; He 1998; Ochyra & Matteri 2001; Matteri & Schiavone 2002 (as *Drepanocladus exannulatus*, Seki 1974; Deguchi 1991a). **Dist.** RM. Santiago; VII. Talca; VIII. Arauco; X. Chiloé, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Última Esperanza.

***Warnstorffia fluitans*** (Hedw.) Loeske

Müller 2009; Buck 2002; He 1998; Matteri & Schiavone 2002 (as *Drepanocladus fluitans*, Matteri 1985b; Hässel et al. 1984; Deguchi 1991a; as *Drepanocladus fuegianus*, Cardot & Brotherus 1923; as *Amblystegium fuegianum*, Mitten 1869; as *Hypnum fuegianum*, Dusén 1903b; Cardot 1908; as *Hypnum fluitans*, Cardot 1908). **Dist.** V. San Antonio; VII. Talca; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

***Warnstorffia fontinaliopsis*** (Müll. Hal.) Ochyra

Ochyra & Matteri 2001; Matteri & Schiavone 2002 (as *Drepanocladus laculosus*, Cardot & Brotherus 1923; as *Hypnum fluitans* var. *laculosum*, Dusén 1903b; as *Calliergidium austrostramineum*, Seki 1974). **Dist.** XI. Aisén; XII. Magallanes, Tierra del Fuego.

*Warnstorffia laculosa* (Müll. Hal.) Ochyra & Matteri = *Warnstorffia fontinaliopsis* fide Ochyra & Matteri 2001.

*Warnstorffia luipichensis* (R.S. Williams) Hedenäs = *Warnstorffia sarmentosa* fide Ochyra et al. 2008.

***Warnstorffia sarmentosa*** (Wahlenb.) Hedenäs

Ochyra et al. 2008; Buck 2002; Ochyra & Matteri 2001; Matteri & Schiavone 2002 (as *Calliergon sarmenosum*, Hässel et al. 1984; Cardot & Brotherus 1923; Matteri 1985b; Deguchi 1991a; as *Warnstorffia luipichensis*, Hedenäs 2003). **Dist.** XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Webera albicans* Schimp., hom. illeg. = *Pohlia wahlenbergii* fide Shaw 1982.

*Webera alticaulis* (Müll. Hal.) Paris = *Pohlia wahlenbergii* var. *glacialis* fide Warburg 1962.

*Webera costesii* Cardot & Thér. = *Pohlia chilensis* fide Shaw 1987.

*Webera cruda* (Hedw.) Fürnr. ≡ *Pohlia cruda*.

*Webera firmo-acuminata* Dusén ex Paris., nom. nud. = *Pohlia chilensis* fide Suárez & Schiavone 2008.

*Webera lonchochaete* Dusén ≡ *Pohlia lonchochaete*.

*Webera looseri* Thér. ≡ *Pohlia looseri*.

*Webera magnifica* Herzog = *Bryum australe* fide Müller 2009.

*Webera nutans* Hedw. ≡ *Pohlia nutans*.

*Webera philonotaea* (Müll. Hal.) Paris = *Pohlia wahlenbergii* fide Matteri 1998.

*Webera sphagnadelphus* (Müll. Hal.) Besch. = *Pohlia nutans*.

***Webera timmiaecaulon*** Dusén, nom. nud., Dusén 1903b.

*Weissia calcarea* (Nees & Hornsch.) Müll. Hal. ≡ *Gymnostomum calcareum*.

*Weissia chilensis* Hampe ex Müll.Hal. = *Oreoweisia erosa* fide O'Shea & Matcham in Blockeel et al. 2004.

***Weissia controversa*** Hedw. var. ***controversa***

Ireland et al. 2007; Ireland & Bellolio 2002; Bartram 1957; Deguchi 1991b (as *Weissia flavipes*, Espinosa 1941; Brotherus 1924; as *Weissia patagonica*, Hässel et al. 1984; Cardot & Brotherus 1923; Matteri 1985b). **Dist.** VIII. Arauco, Biobío, Concepción, Ñuble; XI. General Carrera; XII. Magallanes, Última Esperanza; Juan Fernández Is.; Easter I.

***Weissia controversa*** var. ***amblyodon*** (Brid.) Sendtn.

(as *Weissia viridula* var. *amblyodon*, Herzog 1954). **Dist.** V. Aconcagua.

*Weissia crispula* Hedw. var. *ambigua* = *Hymenoloma antarcticum* fide Ochyra et al. 2008.

***Weissia diffidentia*** R.H. Zander

(as *Astomum recurvirostrum*, Thériot 1924; as *Tetrapterum recurvirostrum*, Brotherus 1924).

**Dist.** V. Valparaíso.

*Weissia flavipes* Hook.f. & Wilson = *Weissia controversa* fide Wijk et al. 1969.

***Weissia kunzeana*** Müll. Hal.

Pereira et al. 2006; Müller & Pereira 2006; Mitten 1869; Robinson 1975 (as *Hymenostomum kunzeanum*, Brotherus 1924b; Thériot 1935; Herzog & Schwabe 1939; Herzog 1954). **Dist.** VI. Colchagua, San Vicente; VII. Cauquenes, Talca; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; Juan Fernández Is.

***Weissia longirostris*** Mitt., hom. illeg., Mitten 1869.

*Weissia patagonica* Cardot & Broth. = *Weissia controversa* fide Müller 2009.

*Weissia poeppigiana* (Müll. Hal.) Mitt. = *Didymodon vinealis* fide Sollman 1995.

*Weissia viridula* Hedw. ex Brid. var. *amblyodon* Schimp. ≡ *Weissia controversa* var. *amblyodon*.

***Weissia*** spec.

Brotherus 1924. **Dist.** Easter I.

*Weymouthia billardieri* (Hampe) Broth. = *Weymouthia cochlearifolia* fide Streimann 2001.

***Weymouthia cochlearifolia* (Schwägr.) Dixon**

Larraín 2007b; Larraín 2005; Ireland et al. 2007; Villagran et al. 2003; He 1998; Quandt et al. 2001; Thériot 1935; Bartram 1952; Deguchi 1991b (as *Pilotrichella krausei*, Dusén 1903b; as *Weymouthia billardieri*, Cardot 1908; Herzog 1922, 1940, 1954, 1960; Cardot & Brotherus 1923; Reimers 1926; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Seki 1974; as *Coelidium cochlearifolium*, Eaton 1892). **Dist.** VIII. Arauco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén, Capitán Prat.

***Weymouthia mollis* (Hedw.) Broth.**

Larraín 2007b; Larraín 2005; Ireland et al. 2007; Espinosa 1941; Villagran et al. 2003; He 1998; Quandt et al. 2001; Müller & Pereira 2006; Cardot 1908; Herzog 1922, 1954, 1960; Cardot & Brotherus 1923; Brotherus 1924a, 1924b; Reimers 1926; Thériot 1927a; Roivainen 1934; Herzog & Hosseus 1938; Bartram 1952, 1957; Seki 1974; Robinson 1975; Deguchi 1991b (as *Meteorium molle*, Mitten 1869; as *Pilotrichella cumingii*, Dusén 1903b). **Dist.** IV. Limarí; VII. Cauquenes, Talca; VIII. Arauco; IX. Cautín; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno, Palena; XI. Aisén; XII. Magallanes; Juan Fernández Is.

*Weymouthia orbiculata* Thér. = *Lembophyllum orbiculatum*.

***Willia austroleucophaea* (Besch.) Broth.**

Ochyra et al. 2008; Matteri & Schiavone 2002 (as *Willia senilis*, Brotherus 1924). **Dist.** XII. Antártica Chilena, Magallanes.

***Willia brachychaete* (Dusén) R.H. Zander**

NY 2009; Tropicos 2009; Müller 2009; Cano et al. 2008b. **Dist.** VII. Talca; VIII. Biobío; IX. Cautín.

*Willia grimmiooides* Müll. Hal. = *Willia austroleucophaea* fide Bell 1974.

*Willia senilis* Müll. Hal. = *Willia austroleucophaea* fide Bell 1974.

*Wollnya wilsonii* (Mitt.) Herzog = *Pohlia wilsonii*.

***Zygodon bartramoides* Malta**

Müller 2009; Calabrese 2006; Calabrese et al. 2006; He 1998; Herzog & Hosseus 1938; Herzog 1954; Seki 1974; Deguchi 1991b (as *Zygodon tristis*, Herzog 1960). **Dist.** VII. Talca; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Osorno. Note: Records from region Aisén under this name (Seki 1974; He 1998) belongs to *Z. chilensis* (Calabrese et al. 2006).

***Zygodon chilensis* Calabrese & F. Lara**

Calabrese 2006; Calabrese et al. 2006. **Dist.** XIV. Valdivia/Ranco; XI. Aisén.

*Zygodon corralensis* Lorentz = *Zygodon menziesii* fide Matcham & O'Shea 2005.

*Zygodon curvicaulis* Dusén = *Zygodon intermedius* fide Malta 1926.

*Zygodon cylindropyxis* Müll. Hal. ex Malta = *Zygodon bartramoides* fide Calabrese 2006.

*Zygodon denticulatus* Taylor = *Zygodon reinwardtii* fide Malta 1926.

*Zygodon gracillimus* Dusén, p.p., nom. nud. = *Zygodon magellanicus* fide Calabrese 2006.

*Zygodon gracillimus* Dusén, p.p., nom. nud. = *Zygodon papillatus* fide Calabrese 2006.

***Zygodon hookeri* Hampe var. *hookeri***

Calabrese 2006; Matteri 1985b; Hässel et al. 1984. **Dist.** XII. Magallanes, Tierra del Fuego, Última Esperanza.

***Zygodon hookeri* var. *leptobolax* (Müll. Hal.) Calabrese**

Tropicos 2009; Larraín 2007b; Pereira et al. 2006; Larraín 2007a; Calabrese 2006 (as *Zygodon inermis*, Larraín 2005; He 1998; Müller & Pereira 2006; Seki 1974; Deguchi 1991b; as *Zygodon theriotii*, Herzog & Hosseus 1938). **Dist.** VII. Cauquenes, Curicó, Talca; VIII. Biobío, Concepción, Ñuble; IX. Cautín; X. Chiloé, Llanquihue; XI. Aisén. XII. Magallanes.

*Zygodon hyadesii* Besch. = *Zygodon reinwardtii* fide Calabrese 2006.

*Zygodon inermis* Malta = *Zygodon hookeri* var. *leptobolax* fide Calabrese 2006.

***Zygodon intermedius* Bruch & Schimp.**

Larraín 2005; Villagran et al. 2003; Calabrese 2006; He 1998; Müller & Pereira 2006; Cardot & Brotherus 1923; Thériot 1927a; Herzog 1954; Bartram 1957; Seki 1974; Robinson 1975; Deguchi 1991b (as *Zygodon curvicaulis*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923). **Dist.** VII. Cauquenes, Linares; IX. Malleco; XIV. Valdivia/Ranco; X. Chiloé,

Llanquihue, Osorno; XI. Aisén, General Carrera; XII. Magallanes, Tierra del Fuego, Última Esperanza; Juan Fernández Is.

**Zygodon jaffuelii** Thér.

Calabrese 2006; He 1998; Thériot 1921; Herzog & Hosseus 1938; Herzog 1954; Deguchi 1991b. **Dist.** V. Valparaíso; IX. Cautín; XIV. Valdivia/Ranco; X. Llanquihue, Osorno; XI. Aisén. Note: The species was synonymized with *Zygodon liebmanii* Schimp. by Allen (2002), but is treated as a distinct species by Calabrese (2006).

*Zygodon krausei* Lorentz = *Zygodon intermedius* fide Calabrese 2006.

**Zygodon magellanicus** Dusén ex Malta

Müller 2009; Calabrese et al. 2002; Calabrese 2006; Matteri & Schiavone 2002; Seki 1974.

**Dist.** VII. Cauquenes; XI. Aisén; XII. Magallanes, Tierra del Fuego.

**Zygodon menziesii** (Schwägr.) Arn.

Calabrese 2006; He 1998; Matcham & O'Shea 2005; Mitten 1869; Brotherus 1924b; Herzog 1954; Robinson 1975; Matteri 1989 (as *Zygodon corralensis*, Herzog & Hosseus 1938; Herzog 1954; Seki 1974; Deguchi 1991b; as *Codonoblepharon menziesii*, Matteri & Schiavone 2002).

**Dist.** XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; Juan Fernández Is.

**Zygodon obovalis** Mitt.

Brotherus 1924b. **Dist.** Juan Fernández Is. Note: The species is not treated or mentioned in the revision of Calabrese (2006), therefore its taxonomic status is uncertain.

**Zygodon obtusifolius** Hook.

Calabrese 2006; Deguchi 1991b (as *Bryomaltaea obtusifolia*, Ireland et al. 2007). **Dist.** V. Valparaíso; VIII. Arauco; IX. Malleco; XIV. Valdivia/Ranco; X. Llanquihue.

*Zygodon obtusifolius* var. *antarcticus* Malta = *Zygodon obtusifolius* fide Calabrese 2006.

**Zygodon papillatus** Mont.

Tropicos 2009; Larraín 2007b; Larraín 2007a; Calabrese 2006; Müller & Pereira 2006; Matteri & Schiavone 2002; Mitten 1869; Herzog 1960; Seki 1974; Deguchi 1991b. **Dist.** VII. Cauquenes, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes.

*Zygodon papillosum* Mont. ex Broth. = *Zygodon papillatus* fide Calabrese et al. 2002.

**Zygodon pentastichus** (Mont.) Müll. Hal.

Larraín 2007b; Hässel et al. 1984; Calabrese 2006; Mitten 1869; Herzog & Hosseus 1938; Herzog & Schwabe 1939; Bartram 1952; Herzog 1954; Bartram 1957; Herzog 1960; Robinson 1975; Matteri 1985b (as *Zygodon porteri* var. *crispatus*, Thériot 1926; as *Zygodon pentastichus* var. *crispatus*, Malta 1926; as *Pentastichella pentasticha* var. *strictifolia*, Thériot 1924; as *Zygodon porteri*, Thériot 1926; as *Pentastichella jaffueli*, Thériot 1921; as *Pentastichella pentasticha*, Tropicos 2009; Larraín 2005; Villagran et al. 2003; Müller & Pereira 2006; Dusén 1903b; Thériot 1918; as *Macromitrium poeppigii*, Mitten 1869; as *Stenomitrium pentastichum*, Espinosa 1941; Cardot 1908; Herzog 1922; Cardot & Brotherus 1923; Brotherus 1924b; Reimers 1926; Seki 1974; Deguchi 1991b; as *Zygodon uncinatus*, Mitten 1869). **Dist.** V. Valparaíso; VII. Cauquenes, Linares, Maule, Talca; VIII. Arauco, Biobío, Concepción, Ñuble; IX. Cautín, Malleco; XIV. Valdivia/Ranco; X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Magallanes, Última Esperanza; Juan Fernández Is.

*Zygodon pentastichus* var. *crispatus* (Thér.) Malta = *Zygodon pentastichus* fide Calabrese 2006.

**Zygodon pichinchensis** (Taylor) Mitt.

Calabrese 2006; Seki 1974. **Dist.** XI. Aisén, Coihaique; XII. Última Esperanza.

*Zygodon porteri* Thér. var. *porteri* = *Zygodon pentastichus* fide Calabrese 2006.

*Zygodon porteri* var. *crispatus* Thér. = *Zygodon pentastichus* fide Calabrese 2006.

**Zygodon reinwardtii** (Hornschr.) A. Braun

NY 2009; Calabrese 2006; Bartram 1952; Matteri 1985b (as *Zygodon reinwardtii* var. *hyadesii*, Hässel et al. 1984; Matteri & Schiavone 2002; Seki 1974; Deguchi 1991b; as *Zygodon hyadesii*, Dusén 1903b; Cardot 1908; Cardot & Brotherus 1923; as *Zygodon denticulatus*,

Mitten 1869). **Dist.** X. Chiloé, Llanquihue, Osorno; XI. Aisén; XII. Antártica Chilena, Magallanes, Tierra del Fuego, Última Esperanza.

*Zygodon reinwardtii* var. *hyadesii* (Besch.) Malta = *Zygodon reinwardtii* fide Calabrese 2006.

*Zygodon robustulus* Broth. ex Malta = *Zygodon bartramoides* fide Malta 1924.

*Zygodon robustus* Broth., nom. nud. = *Zygodon bartramoides* fide Calabrese 2006.

*Zygodon theriotii* Herzog = *Zygodon hookeri* var. *leptobolax* fide Calabrese 2006.

*Zygodon tristis* Herzog = *Zygodon bartramoides* fide Calabrese 2006.

*Zygodon uncinatus* Mitt. = *Zygodon pentastichus* fide Malta 1926.

*Zygodon ventricosus* Müll. Hal. ≡ *Ulota ventricosa*.

#### Taxa excluded or doubtful from Chile

##### *Anacolia laevisphaera* (Taylor) Flowers

The species is recorded under different names (*A. laevisphaera*, *A. subsessilis*, *A. subsessilis* var. *brevifolia*) from many regions of Chile (IV, V, RM, VI, VII, VIII, IX, XIV, X, XI, and Juan Fernández Is.), e. g. by He (1998), Bartram (1957), Robinson (1975), Brotherus (1924b), Barrera (2006), and Espinosa (1941). Matteri (1983) has demonstrated that the material of all Chilean records checked by her represent *Bartramia stricta*. The occurrence of true *Anacolia hemisphaerica* in Chile is in need of confirmation.

##### *Atrichum androgynum* (Müll.Hal.) A. Jaeger

The species is cited by Nyholm (1971) without exact locality for Chile, but left in all regional publications of Chile. The record of this species and of the genus *Atrichum* in Chile is therefore most unlikely and need further studies.

##### *Bartramia halleriana* Hedw.

All South American material referred to this species belongs to *Bartramia mossmaniana* (Fransén 2004a).

##### *Bartramia ithyphylla* Brid.

The species was excluded from Chile by Fransén (2004b). All records under this name from the area belong to *B. ithyphylloides*.

##### *Bartramia pomiformis* Hedw.

The species occurs only in the northern hemisphere (Fransén 2004a). Records from the area (Mitten 1869, Cardot 1908) must therefore belong to other species of the genus.

##### *Breutelia pendula* (Sm.) Mitt.

Dusén (1903b) and Cardot (1908) give records for the province of Antártica Chilena in Magallanes region. The species was excluded from the area by Matteri (1973c). This is in accordance with Jolley & Klazenga (2007), which describe the distribution as restricted to Australasia.

##### *Breutelia polygastrica* (Müll. Hal.) Broth.

Thériot (1934b) gives a record of this species under the synonym *Breutelia cuspidatissima* from the province Valdivia. Griffin (1988) cited only records from Costa Rica to Bolivia and from northern Argentina. The occurrence of this species in Chile is most unlikely and needs verification.

##### *Bryohumbertia filifolia* (Hornschr.) J.-P. Frahm

The species is cited in Brotherus (1924c) under the synonym *Campylopus macrophyllus* from Chile, but in the original description (Müller 1848) and also in Mitten (1869) the record is given as „Peru ad Cuchero: Pöppig“.

***Bucklandiella heterosticha*** (Hedw.) Bednarek-Ochyra & Ochyra (*Racomitrium heterostichum* [Hedw.] Brid.)

The records of this species from southern South America are doubtless erroneous (Ochyra et al. 2008).

***Campylopus areodictyon*** (Müll. Hal.) Mitt.

The species was excluded from the area by Frahm (2005).

***Campylopus asperifolius*** Mitt.

Mitten (1869) cited the species from “Andes Chilenses (Tatanara)”. The species was collected by Lechler in Tatanara, which is situated in the today’s Peru (Frahm 1991).

***Campylopus savannarum*** (Müll.Hal.) Mitt.

The species was excluded from Chile by Frahm (1998).

***Codriophorus aquaticus*** (Brid. ex Schrad.) Bednarek-Ochyra & Ochyra (*Racomitrium aquaticum* [Brid. ex Schrader] Brid.)

The species was excluded from the area by Bednarek-Ochyra (2006).

***Conostomum tetragonum*** (Hedw.) Lindb.

Frahm et al. (1996) synonymized *C. pentastichum* with the northern hemispheric *C. tetragonum*. Since this time the species is treated in different references under this name from Chile (e. g., Goffinet et al. 2006, Buck 2002, and Buck 2004). Ochyra et al. (2008) doesn’t accept this synonymization and treated *C. pentastichum* as a clearly distinct taxon.

***Didymodon pruinosis*** (Mitt.) R.H.Zander

The record of this species from Chiloé is probably a label mistake (Jiménez & Cano 2008). Records of *Bryoerythrophyllum fuscinervium*, now a synonym of *D. pruinosis*, from Chile were misidentified mainly with *D. fuscus* (Jiménez & Cano 2008).

***Entosthodon balansae*** Besch.

The species was excluded from the Chilean bryoflora by Cuvertino & Buffa (2009). Specimens from Chile reported under this name represent either *Entostodon obtusifolius*, *Funaria chilensis* or *Physcomitrium* sp.

***Fissidens julianus*** (Savi ex DC.) Schimp.

The record from Chile in Herzog (1954) belongs to *Fissidens berteroii* (Müller & Pursell 2003).

***Fissidens osmundoides*** Hedw.

Specimens from Chile identified as such belong to *Fissidens adianthoides* (Müller & Pursell 2003).

***Funaria erectiuscula*** Mitt.

The species is given with the record “Andes Chilensis, Mendoza (leg. Gillies)” by Mitten (1869) and is therefore included in the Chilean checklist by He (1998). This record is situated in the nowadays territory of Peru and the species is therefore excluded from Chile.

***Juratzkaea leptura*** (Taylor) W.A. Weber ex W.R. Buck

The Chilean record of this Australian and South African moss given by He (1998) is most unlikely and needs confirmation.

***Lepidopilum erectiusculum* (Taylor) Mitt.**

The species is given with the record “Andes Chilenses (Sachapata)” by Mitten (1869) and is therefore included in the Chilean checklist by He (1998). The record lie in the nowadays territory of Peru and the species must therefore excluded from Chile.

***Leptotrichella kunzeana* (Müll. Hal.) Ochyra (*Dicranella kunzeana* Müll. Hal., *Microodus kunzeanus* [Müll. Hal.] Broth.)**

The species is cited as *Dicranella kunzeana* for Chile by Mitten (1869) with the record “Chili et Peru ad Chuchero”. Therefore the species is included in the checklist of He (1998). The record of Mitten is situated in the nowadays territory of Peru and the species must therefore excluded from Chile.

***Muelleriella angustifolia* (Hook.f. & Wilson) Dusén**

The species is cited by Dusén (1905a) from the Magallanes province. Following Vitt (1976) the species is endemic to Campbell Island, New Zealand. The record of Dusén will therefore belong to *M. crassifolia*.

***Orthotheciella varia* (Hedw.) Ochyra**

The species recorded in different literature sources (e. g., Pereira et al. 2006, Buck 2002, Larraín 2007a, He 1998, Müller & Pereira 2006, Ochyra & Matteri 2001, and Matteri & Schiavone 2002) as *Orthotheciella varia* for Chile represent in fact *Cratoneuropsis relaxa* subsp. *minor* (Ochyra et al. 2008).

***Philonotis fontanoides* (Gillies & Grev.) A. Jaeger**

The species is given under the name *Bartramia fontanoides* with the record “Andes Chilensis, Mendoza (leg. Gillies)” by Mitten (1869) and was therefore included in the Chilean checklist by He (1998). The record is situated in the nowadays territory of Peru and the species must therefore excluded from Chile.

***Plagiomnium rostratum* (Schrad.) T.J. Kop.**

Dusén (1903b) and Cardot (1908) cited the species under the synonym *Mnium rostratum* from “Fuegia, Patagonia australis”. Koponen (1979) doesn’t cite this species for South America. Therefore the records of this species from the area will belong to other *Plagiomnium* species.

***Pogonatum cirratum* (Sw.) Brid. subsp. *fuscatum* (Mitt.) Hyvönen**

The species is cited for Chile under the synonym *Pogonatum spuriocirratum* Broth. by Thériot (1926). Fide Hyvönen (1989) the distribution area of this species is restricted to East Asia, therefore the record from Chile is most unlikely.

***Polytrichadelphus umbrosus* Mitt.**

He (1998) attributed the record of Mitten (1869) from “San Gavan” to Chile. In fact, San Gavan, is situated in Peru and therefore the species is excluded from the Chilean bryoflora.

***Pseudocrossidium mendozense* (Mitt.) R.H. Zander**

Mitten (1869) gives a record as *Tortula mendozensis* from “Andes chilensis, Mendoza (leg. Gillies)”. This record is attributed in He (1998) to Chile, but in reality it is situated in the nowadays Peru.

***Pterygoneurum subsessilis* (Brid.) Jur.**

Mitten (1869) gives a record as *Tortula subsessilis* from “Andes chilensis, Mendoza (leg. Gillies)”. This record is attributed in He (1998) to Chile, but in reality it is situated in the nowadays Peru.

***Ptychomnion aciculare* (Brid.) Mitt.**

According to Hattaway (1984) all of the Chilean collections (e.g. Mitten 1869, Dusén 1903b, Cardot 1908, Bartram 1952) under this name represent *Ptychomnion cygnisetum* or *Ptychomnion densifolium*.

***Ptychomnion fruticetorum* Müll. Hal.**

This species is only known from Brazil and doesn't occur in Chile (Robinson 1970). However, Hattaway (1984) considered it to be a form of *Ptychomnion cygnisetum* and placed *Ptychomnion horridum* and *Ptychomnion subaciculare* in its synonyms.

***Pyrrhobryum medium* (Besch.) Manuel**

The species was excluded from the area by Matteri & Piñero (1987). The Chilean records cited by He (1998) belongs to *P. minoides*.

***Sphagnum imbricatum* (Hornschr.) Russ.**

Warnstorf (1911) gives a record from Chiloé. The species was excluded from the flora of the area by Flatberg (1984).

***Syntrichia sarconeurum* (Hook. f. & Wilson) Ochyra & R.H. Zander**

Records from western Patagonia in southern South America (e. g., Hässel et al. 1984, Matteri & Schiavone 2002, Matteri 1982, and Matteri 1985b) are erroneous and correctly refer to *Syntrichia lithophila* (Ochyra & Zander 2007, Ochyra et al. 2008).

***Tortula vahliana* (Schultz) Mont.**

The species was cited from Quillota for Chile by Montagne (1850). Cano & Gallego (2008) have excluded the species from the area.

**Family placement**

Families are arranged alphabetically. The taxonomic arrangement of the families and genera follows with minor exceptions the classification of Goffinet et al. (2008). Following each genus is the number of accepted taxa recorded for Chile. The 890 taxa are assigned to 230 genera in 68 families.

<b>Amblystegiaceae</b>	
<i>Amblystegium</i> Schimp.	1
<i>Campylium</i> (Sull.) Mitt.	2
<i>Cratoneuron</i> (Sull.) Spruce	1
<i>Cratoneuropsis</i> (Broth.) M. Fleisch.	1
<i>Drepanocladus</i> Müll. Hal.	6
<i>Leptodictyum</i> (Schimp.) Warnst.	1
<i>Sanionia</i> Loeske	2
<i>Scorpidium</i> (Schimp.) Limpr.	2
<i>Vittia</i> Ochyra	2
<b>Andreaeaceae</b>	
<i>Acroschisma</i> Lindl.	1
<i>Andreaea</i> Hedw.	24

<b>Anomodontaceae</b>	
<i>Chileobryon</i> Enroth	1
<i>Haplohymenium</i> Schwägr.	1
<b>Archidiaceae</b>	
<i>Archidium</i> Brid.	2
<b>Aulacomniaceae</b>	
<i>Aulacomnium</i> Schwägr.	1
<b>Bartramiaceae</b>	
<i>Bartramia</i> Hedw.	7
<i>Breutelia</i> (Bruch & Schimp.)	10

Schimp.		
<i>Conostomum</i> Sw. ex F. Weber & D. Mohr	3	
<i>Philonotis</i> Brid.	12	
<b>Brachytheciaceae</b>		
<i>Brachytheciastrum</i> Ignatov & Huttunen	3	
<i>Brachythecium</i> Schimp.	10	
<i>Eriodon</i> Mont.	1	
<i>Eurhynchiella</i> M. Fleisch.	2	
<i>Eurhynchium</i> Bruch & Schimp.	2	
<i>Kindbergia</i> Ochyra	1	
<i>Pseudoscleropodium</i> (Limpr.) M. Fleisch.	1	
<i>Rhynchostegiella</i> (Schimp.) Limpr.	1	
<i>Rhynchostegium</i> Bruch & Schimp.	3	
<i>Sciuro-hypnum</i> (Hampe) Hampe	4	
<b>Bruchiaceae</b>		
<i>Bruchia</i> Schwägr.	1	
<i>Trematodon</i> Michx.	2	
<b>Bryaceae</b>		
<i>Anomobryum</i> Schimp.	3	
<i>Brachymenium</i> Schwägr.	7	
<i>Bryum</i> Hedw.	61	
<b>Calliergonaceae</b>		
<i>Straminergon</i> Hedenäs	1	
<i>Warnstorfia</i> Loeske	4	
<b>Calymperaceae</b>		
<i>Mitthyridium</i> H. Rob.	1	
<b>Catagoniaceae</b>		
<i>Catagonium</i> Müll. Hal. ex Broth.	3	
<b>Cryphaeaceae</b>		
<i>Cryphaea</i> D. Mohr & F. Weber	2	
<i>Cryphaeophilum</i> M. Fleisch.	1	
<i>Dendrocryphaea</i> Paris & Schimp. ex Broth.	4	
<b>Daltoniaceae</b>		
<i>Achrophyllum</i> Vitt & Crosby	8	
<i>Calyptrochaete</i> Desv.	7	
<i>Daltonia</i> Hook. & Taylor	3	
<i>Distichophyllum</i> Dozy & Molk.	15	
<b>Dicranaceae</b>		
<i>Anisothecium</i> Mitt.	6	
<i>Aongstroemia</i> Bruch & Schimp.	1	
<i>Camptodontium</i> Dusén	1	
<i>Campylopodium</i> (Müll. Hal.) Besch.	2	
<i>Chorisodontium</i> (Mitt.) Broth.	5	
<i>Dicranella</i> (Müll. Hal.) Schimp.	6	
<i>Dicranoloma</i> (Renauld) Renauld	22	
<i>Eucamptodon</i> Mont.	1	
<i>Muscoherzogia</i> Ochyra	1	
<i>Platyneuron</i> (Cardot) Broth.	1	
<b>Diphysciaceae</b>		
<i>Diphygium</i> D. Mohr	1	
<b>Ditrichaceae</b>		
<i>Astomiopsis</i> Müll. Hal.	1	
<i>Ceratodon</i> Brid.	3	
<i>Chrysoblastella</i> R.S. Williams	1	
<i>Distichium</i> Bruch & Schimp.	1	
<i>Ditrichum</i> Hampe	14	
<i>Pleuridium</i> Brid.	4	
<i>Rhamphidium</i> Mitt.	2	
<i>Skottsbergia</i> Cardot	1	
<i>Trichodon</i> Schimp.	1	
<b>Drummondiaceae</b>		
<i>Drummondia</i> Hook.	1	
<b>Encalyptaceae</b>		
<i>Encalypta</i> Hedw.	6	
<b>Entodontaceae</b>		
<i>Entodon</i> Müll. Hal.	1	
<b>Eustichiaceae</b>		
<i>Eustichium</i> (Brid.) Brid.	1	
<b>Fabroniaceae</b>		
<i>Fabronia</i> Raddi	4	
<b>Fissidentaceae</b>		
<i>Fissidens</i> Hedw.	19	
<b>Funariaceae</b>		
<i>Entosthodon</i> Schwägr.	7	

<i>Funaria</i> Hedw.	6
<i>Physcomitrium</i> (Brid.) Brid.	3
<b>Gigaspermaceae</b>	
<i>Costesia</i> Thér.	1
<i>Neosharpiella</i> H. Rob. & Delgad.	1
<b>Grimmiaceae</b>	
<i>Bucklandiella</i> Roiv.	11
<i>Codriophorus</i> P. Beauv.	1
<i>Coscinodon</i> Spreng.	2
<i>Grimmia</i> Hedw.	16
<i>Niphotrichum</i> (Bednarek-Ochyra)	1
Bednarek-Ochyra & Ochyra	
<i>Racomitrium</i> Brid.	4
<i>Schistidium</i> Brid.	10
<b>Hedwigiaceae</b>	
<i>Braunia</i> Bruch & Schimp.	1
<i>Hedwigidium</i> Bruch & Schimp.	1
<b>Hypnaceae</b>	
<i>Calliergonella</i> Loeske	1
<i>Chryso-hypnum</i> Hampe	1
<i>Hypnum</i> Hedw.	10
<i>Isopterygiopsis</i> Z. Iwats.	1
<i>Mahua</i> W.R. Buck	1
<i>Mittenothamnium</i> Henn.	1
<i>Platydictya</i> Berk.	1
<i>Pseudotaxiphyllum</i> Z. Iwats.	1
<b>Hypnodendraceae</b>	
<i>Hypnodendron</i> (Müll. Hal.) Lindb.	1
<b>Hypopterygiaceae</b>	
<i>Dendrohypopterygium</i> Kruijer	1
<i>Hypopterygium</i> Brid.	2
<i>Lopidium</i> Hook. f. & Wilson	1
<b>Lembophyllaceae</b>	
<i>Acrocladium</i> Mitt.	1
<i>Fallaciella</i> H. A. Crum	1
<i>Lembophyllum</i> Lindb.	1
<i>Weymouthia</i> Broth.	2
<b>Leptodontaceae</b>	
<i>Forsstroemia</i> Lindb.	1
<i>Leptodon</i> D. Mohr	2

<b>Leptostomataceae</b>	
<i>Leptostomum</i> R. Brown	2
<b>Lepyrodontaceae</b>	
<i>Lepyrodon</i> Hampe	5
<b>Leskeaceae</b>	
<i>Leptopterigynandrum</i> Müll. Hal.	1
<b>Leucobryaceae</b>	
<i>Atractylocarpus</i> Mitt.	1
<i>Campylopus</i> Brid.	18
<i>Microcampylopus</i> (Müll. Hal.) Fleisch.	1
<i>Pilopogon</i> Brid.	1
<b>Leucomiaceae</b>	
<i>Leucomium</i> Mitt.	1
<b>Meesiaceae</b>	
<i>Amblyodon</i> P. Beauv.	1
<i>Leptobryum</i> (Bruch & Schimp.) Wilson	1
<i>Meesia</i> Hedw.	1
<i>Neomeesia</i> Deguchi	1
<b>Meteoriaceae</b>	
<i>Cryptopapillaria</i> M. Menzel	1
<i>Meteoriopsis</i> M. Fleisch.	1
<i>Meteorium</i> (Brid.) Dozy & Molk.	1
<i>Papillaria</i> (Müll. Hal.) Müll. Hal.	2
<b>Mniaceae</b>	
<i>Cinclidium</i> Schwägr.	1
<i>Mielichhoferia</i> Nees & Hornsch.	3
<i>Plagiomnium</i> T. J. Kop.	1
<i>Pohlia</i> Hedw.	13
<i>Schizymenium</i> Harv.	6
<b>Neckeraceae</b>	
<i>Neckera</i> Hedw.	4
<i>Porothamnium</i> M. Fleisch.	4
<i>Porotrichodendron</i> M. Fleisch.	1
<i>Porotrichum</i> (Brid.) Hampe	3
<i>Thamnobryum</i> Nieuwl.	7
<b>Oedipodiaceae</b>	

<i>Oedipodium</i> Schwägr.	1	<i>Erythrophyllopsis</i> Broth.	1
		<i>Eucladium</i> Bruch & Schimp.	1
<b>Orthodontiaceae</b>		<i>Gertrudiella</i> Broth.	1
<i>Leptotheca</i> Schwägr.	1	<i>Gymnostomum</i> Nees & Hornsch.	4
<i>Orthodontium</i> Schwägr.	3	<i>Hennediella</i> Paris	6
		<i>Hymenostylium</i> Brid.	1
<b>Orthotrichaceae</b>		<i>Leptodontium</i> (Müll. Hal.) Hampe	4
<i>Macrocoma</i> (Hornsch.) Grout	3	<i>Molendoa</i> Lindb.	1
<i>Macromitrium</i> Brid.	13	<i>Pseudocrossidium</i> R.S. Williams	8
<i>Matteria</i> Goffinet	2	<i>Pterygoneurum</i> Jur.	1
<i>Muelleriella</i> Dusén	1	<i>Rhexophyllum</i> Herzog	1
<i>Orthotrichum</i> Hedw.	24	<i>Sagenotortula</i> R.H. Zander	1
<i>Pleuroorthotrichum</i> Broth.	1	<i>Saitobryum</i> R. H. Zander	1
<i>Ulota</i> D. Mohr	20	<i>Splachnobryum</i> Müll. Hal.	2
<i>Zygodon</i> Hook. & Taylor	13	<i>Syntrichia</i> Brid.	34
		<i>Tortella</i> (Limpr.) Lindb.	4
<b>Pilotrichaceae</b>		<i>Tortula</i> Hedw.	11
<i>Callicostella</i> (Müll. Hal.) Mitt.	2	<i>Trichostomum</i> Bruch	3
<i>Cyclodictyon</i> Mitt.	1	<i>Triquetrella</i> Müll. Hal.	1
<i>Thamniopsis</i> (Mitt.) M. Fleisch.	1	<i>Weissia</i> Hedw.	4
		<i>Willia</i> Müll. Hal.	2
<b>Plagiotheciaceae</b>			
<i>Plagiothecium</i> Bruch & Schimp.	6	<b>Pterigynandraceae</b>	
		<i>Myurella</i> Schimp.	1
<b>Polytrichaceae</b>			
<i>Atrichopsis</i> Cardot	1	<b>Pterobryaceae</b>	
<i>Dendroligotrichum</i> (Müll. Hal.) Broth.	2	<i>Renaudia</i> Müll. Hal.	1
<i>Hebantia</i> G. L. Merr.	1		
<i>Notoligotrichum</i> G. L. Sm.	5	<b>Ptychomitriaceae</b>	
<i>Oligotrichum</i> Lam. & DC.	5	<i>Campylostelium</i> Bruch & Schimp.	1
<i>Pogonatum</i> P. Beauv.	1	<i>Coscinodontella</i> R.S. Williams	1
<i>Polytrichadelphus</i> (Müll. Hal.) Mitt.	1	<i>Jaffueliobryum</i> Thér.	1
<i>Polytrichastrum</i> G. L. Sm.	3	<i>Ptychomitrium</i> Fürnr.	9
<i>Polytrichum</i> Hedw.	5		
		<b>Ptychomniaceae</b>	
<b>Pottiaceae</b>		<i>Cladomniopsis</i> M. Fleisch.	1
<i>Acaulon</i> Müll. Hal.	1	<i>Glyphothecium</i> Hampe	2
<i>Aloina</i> Kindb.	4	<i>Ombronesus</i> N.E. Bell, N. Pedersen & A.E. Newton	1
<i>Aloinella</i> Cardot	1	<i>Ptychomniella</i> (Broth.) W.R. Buck, C.J. Cox, A.J. Shaw & Goffinet	1
<i>Barbula</i> Hedw.	11	<i>Ptychomnion</i> (Hook.f. & Wilson) Mitt.	3
<i>Bryoerythrophyllum</i> P.C. Chen	5		
<i>Calyptopogon</i> (Mitt.) Broth.	1	<b>Pylaisiadelphaceae</b>	
<i>Chenia</i> R. H. Zander	1	<i>Aptychella</i> (Broth.) Herzog	1
<i>Cinclidotus</i> P. Beauv.	1	<i>Isopterygium</i> Mitt.	2
<i>Crossidium</i> Jur.	1		
<i>Didymodon</i> Hedw.	19		
<i>Ephemerum</i> Hampe	1		

<b>Racopilaceae</b>	
<i>Racopilum</i> P. Beauv.	4
<b>Rhabdoweisiaceae</b>	
<i>Amphidium</i> Schimp.	2
<i>Arctoa</i> Bruch & Schimp.	1
<i>Holodontium</i> (Mitt.) Broth.	1
<i>Hymenoloma</i> Dusén	5
<i>Kiaeria</i> I. Hagen	1
<i>Oreoweisia</i> (Bruch & Schimp.) De Not.	1
<i>Rhabdoweisia</i> Bruch & Schimp.	2
<i>Symblepharis</i> Mont.	3
<b>Rhacocarpaceae</b>	
<i>Pararhacocarpus</i> Frahm	1
<i>Rhacocarpus</i> Lindb.	1
<b>Rhizogoniaceae</b>	
<i>Goniobryum</i> Lindb.	1
<i>Pyrrhobryum</i> Mitt.	2
<i>Rhizogonium</i> Brid.	1
<b>Rigodiaceae</b>	
<i>Rigodium</i> Schwägr.	7
<b>Saulomataceae</b>	
<i>Ancistrodes</i> Hampe	1
<i>Sauloma</i> (Hook.f. & Wilson) Mitt.	1
<i>Vesiculariopsis</i> Broth.	1
<b>Schimperobryaceae</b>	
<i>Schimperobryum</i> Margad.	2

<b>Scouleriaceae</b>	
<i>Scouleria</i> Hook.	1
<b>Seligeriaceae</b>	
<i>Blindia</i> Bruch & Schimp.	5
<b>Sematophyllaceae</b>	
<i>Rhaphidorrhynchium</i> Besch. ex M. Fleisch.	8
<i>Sematophyllum</i> Mitt.	8
<i>Warburgiella</i> Müll. Hal.	1
<b>Sphagnaceae</b>	
<i>Sphagnum</i> L.	19
<b>Splachnaceae</b>	
<i>Tayloria</i> Hook.	6
<i>Tetraplodon</i> Bruch & Schimp.	1
<b>Stereophyllaceae</b>	
<i>Catagoniopsis</i> Broth.	1
<i>Juratzaea</i> Lorentz	1
<b>Tetraphidaceae</b>	
<i>Tetradontium</i> Schwägr.	1
<b>Thuidiaceae</b>	
<i>Thuidiopsis</i> (Broth.) M. Fleisch.	4
<i>Thuidium</i> Bruch & Schimp.	2

#### Acknowledgements

I wish to thank Si He for allowing me to use the data's of his preliminary published Chilean checklist (He 1998).

Financial support for travels to the herbariums of Stockholm (S) and Paris (PC) was provided by the Synthesys program of the European Commission. I am grateful to the curators of PC and S, Catherine Rausch and Lars Hedenäs, for assistance during my stay at their institutions and for the loan of specimens.

## References

- Abramov, I. I. & Abramova, A. L.** 1983. Konspekt flor'i mhov Mongol'skoj Narodnoj Respubliki. *Biologiceskie Resursy i Prirodnye Uslovija Mongol'skoj Narodnoj Respubliki* **17**. 221 pp.
- Akiyama, H.** 1993. Taxonomic studies of mosses of Seram and Ambon (Moluccas, East Malesia) collected by Indonesian-Japanese botanical expeditions. VII, Lembophyllaceae, Splachnaceae, Myuriaceae, Neckeraceae, Brachytheciaceae, Amblystegiaceae and Sematophyllaceae, with additions to previous reports on Dicranaceae and Pterobryaceae. *Journal of the Faculty of Science: University of Tokyo, Botany* **15**: 219–254.
- Allen, B.H.** 1987a. A revision of the Dicnemonaceae (Musci). *Journal of the Hattori Botanical Laboratory* **62**: 1–100.
- Allen, B.H.** 1987b. A revision of the genus *Leucomium* (Leucomiaceae). *Memoirs of the New York Botanical Garden* **45**: 661–677.
- Allen, B.H.** 1994. Moss Flora of Central America. Part 1. Sphagnaceae-Calymporaceae. *Monographs in Systematic Botany from the Missouri Botanical Garden* **49**. 242 pp.
- Allen, B.** 1999. A revision of the moss genus *Lepyrodon* (Leucodontales, Lepyrodontaceae). *Bryobrothera* **5**: 23–48.
- Allen, B.** 2002. Moss flora of Central America, Part 2. Encalyptaceae-Orthotrichaceae. *Monographs in Systematic Botany from the Missouri Botanical Garden* **90**: viii + 699 pages.
- Allen, B. & Ireland, R.R.** 2007. A new species of *Bartramia* (Bartramiaceae) from Chile. *The Bryologist* **110**: 506–509.
- Ando, H.** 1972. Distribution and speciation in the genus *Hypnum* in the circum-Pacific region. *Journal of the Hattori Botanical Laboratory* **35**: 68–98.
- Ando, H.** 1982. *Hypnum* in Australasia and the Southern Pacific. *Journal of the Hattori Botanical Laboratory* **52**: 93–106.
- Ando, H. & Matteri, C.M.** 1982. Patagonian bryophytes 7. *Hypnum revolutum* (Mitt.) Lindb., new to South America, with notes on the *Hypnum* species from the Transecta zone, S Argentina. *Lindbergia* **8**: 60–64.
- Andrews, A.L.** 1951. Taxonomic notes. X. The family Leptostomaceae. *The Bryologist* **54**: 217–223.
- Ångström, J.** 1872. Förteckning och beskrifning öfver mossor, samlade af Professor N. J. Andersson under Fregatten Eugenies verldsomsegling åren 1851–53. *Öfversigt af Förfärlingar: Kongliga Svenska Vetenskaps-Akademien* **29** (4): 3–29.
- Ångström, J.** 1876. Primae lineae muscorum cognoscendorum, qui ad Caldas Brasiliæ sunt collecti. *Öfversigt af Förfärlingar: Kongliga Svenska Vetenskaps-Akademien* **33** (4): 3–50.
- Arts, T.** 1995. *Bryum sauteri* B., S. and G., recorded from Chile, Ecuador and South Africa, new to the Americas and continental Africa. *Journal of Bryology* **18**: 830.
- Arts, T.** 2001a. A revision of the Splachnobryaceae (Musci). *Lindbergia* **26**: 77–96.
- Arts, T.** 2001b. The moss genus *Leptobryum* and the identity of *Pohlia integra*. *Journal of Bryology* **23**: 325–330.
- Arts, T., Crundwell, A.C. & Whitehouse, H.L.K.** 1995. *Bryum valparaisense* Thér. an earlier name for *B. pyriferum* Crundw. & Whiteh. *Journal of Bryology* **18**: 797–801.
- Barrera, E.** 2006. Tipos de musgos depositados en el Museo Nacional de Historia Natural, Santiago, Chile. *Boletín del Museo Nacional de Historia Natural, Chile*, **55**: 7–20.
- Bartlett, J.K. & Vitt, D.H.** 1986. A survey of species in the genus *Blindia* (Bryopsida, Seligeriaceae). *New Zealand Journal of Botany* **24**: 203–246.
- Bartram, E.B.** 1931. A review of the American species of *Daltonia*. *Bulletin of the Torrey Botanical Club* **58**: 31–48.
- Bartram, E.B.** 1943. Additions to the moss flora of northern Chile. *Farlowia* **1**: 191–194.
- Bartram, E.B.** 1946. New mosses from Tierra Del Fuego. *Farlowia* **2**(3): 309–319.
- Bartram, E.B.** 1952. Mosses of Chile and Argentina mainly collected by R. Santesson. *Svensk Botanisk Tidskrift* **46**: 242–253.
- Bartram, E.B.** 1957. Mosses collected during Dr. and Mrs. C. Skottsberg's second expedition to the Juan Fernández Islands, December 1954 to March 1955. *Arkiv för Botanik utgivet av K. Svenska Vetenskaps-Akademien* **4**: 29–43.
- Bednarek-Ochyra, H.** 1993. The identity of two neglected species of *Racomitrium* (Musci, Grimmiaceae) from Patagonia. *Fragmenta Floristica et Geobotanica, Supplement* **2** (1): 83–90.

- Bednarek-Ochyra, H.** 2006. A Taxonomic Monograph of the Moss Genus *Codriophorus* P. Beauv. (Grimmiaceae). W. Szafer Institute of Botany, Polish Academy of Sciences, Krakow, Poland, 276 pp.
- Bednarek-Ochyra, H., Lewis-Smith, R.I. & Ochyra, R.** 1999. The genus *Plagiothecium* (Plagiotheciaceae, Bryopsida) in Antarctica. *Bryobrothera* 5: 55–64.
- Bednarek-Ochyra, H. & Ochyra, R.** 1994. *Racomitrium lamprocarpum* (Musci, Grimmiaceae) in southern South America. *Fragmenta Floristica et Geobotanica* 39: 361–367.
- Bednarek-Ochyra, H. & Ochyra, R.** 2003. *Racomitrium patagonicum*, a new moss species from southern South America. *Journal of Bryology* 25: 181–187.
- Beever, J., Allison, K.W. & Child, J.** 1992. Mosses of New Zealand (ed. 2). University of Otago Press, 214 pp. 82 fig. 72 pl.
- Bell, B.G.** 1984. A synoptic flora of South Georgian mosses: *Grimmia* and *Schistidium*. *British Antarctic Survey Bulletin* 63: 71–109. 1 append. 20 fig.
- Bell, N.E., Pedersen N. & Newton, A.E.** 2007. *Ombronesus stuvensis*, a new genus and species of the Ptychomniaceae (Bryophyta) from south west Chile. *Taxon* 56: 887–896.
- Blöcher, R. & Frahm, J.-P.** 2002. A comparison of the moss floras of Chile and New Zealand. *Tropical Bryology* 21: 67–80.
- Blockeel, T.L., Abay, G., Çetin, B., Bednarek-Ochyra, H., Ochyra, R., Lewis-Smith, R.I., Matteri, C.M., Farias, R.M., Novotny, I., Rao, P., Enroth, J., van Rooy, J., Schiavone, M.M. & Vána, J.** 2003. New national and regional bryophyte records, 7. *Journal of Bryology* 25: 141–144.
- Blockeel, T.L., Bednarek-Ochyra, H., Ochyra, R., Bruggeman-Nannenga, M.A., Gremmen, N.J.M., Hebrard, J.-P., Luis, L., Matcham, H.W., O'Shea, B.J. & Séneca, A.** 2004. New national and regional bryophyte records, 10. *Journal of Bryology* 26: 305–309.
- Blockeel, T.L., Bednarek-Ochyra, H., Ochyra, R., Duckett, J.G., Erzberger, P., Hedenäs, L., Hugonnot, V., Maier, E., Marková, I., Matcham, H.W., Plášek, V., Pócs, T., Seppelt, R.D., Szücs, P., Thouvenot, L., van Zanten, B.O.** 2008a. New national and regional bryophyte records, 18. *Journal of Bryology* 30: 161–167.
- Blockeel, T.L., Bergamini, A., Brusa, G., Ertz, D., Sergio, C., Garcia, C., Hedenäs, L., Müller, F., Nieuwkoop, J.A.W., Sabovljevic, M.S.** 2000. New national and regional bryophyte records, 3. *Journal of Bryology* 22: 303–306.
- Blockeel, T.L., Arts, T., Bruggeman-Nannenga, M.A., Brusa, G., Hedenäs, L., Novotný, I., Ochyra, R., Sabovljevic, M.S. & Townsend, C.C.** 2002. New national and regional bryophyte records, 6. *Journal of Bryology* 24: 329–332.
- Blockeel, T.L., Abay, G., Bakalin, V.A., Bednarek-Ochyra, H., Ochyra, R., Çetin, B., Cykowska, B., Fuertes, E., Hespanhol, H., Holyoak, D.T., Hradílek, Z., Keçeli, T., Kürschner, H., Larraín, J., Long, D.G., Parolly, G., Piątek, J., Piątek, M., Rams, S., Ros, R.M., Séneca, A., Sérgio, C., Soldán, Z., Ştefanuț, S., Uyar, G., Váňa, J. & Tonguç Yayintaş, Ö.** 2008b. New national and regional bryophyte records, 19. *Journal of Bryology* 30: 231–237.
- Blockeel, T.L., Bakalin, V.A., Bednarek-Ochyra, H., Ochyra, R., Buck, W. R., Choi, S., Cykowska, B., Erdağ, A., Erzberger, P., Kirmaci, M., Kürschner, H., Lebouvier, M., Papp, B., Sabovljević, M., Sabovljević, A., Schröder, W., Singh, S. M., Sun, B.-Y., Townsend, C.C., Váňa, J. & Tonguç Yayintaş, Ö.** 2009. New national and regional bryophyte records, 20. *Journal of Bryology* 31: 54–62.
- Bowers, F.D.** 1974. The mosses reported from Costa Rica. *The Bryologist* 77: 150–171.
- Brotherus, V.F.** 1900. Die Laubmoose der ersten Regnellschen Expedition. *Bihang til Kongliga Svenska Vetenskaps-Akademien Handlingar* 26 (3): 1–76.
- Brotherus, V.F.** 1902–1909. Musci. – In: A. Engler & K. Prantl, Die Natürlichen Pflanzenfam. 1(3). Leipzig.
- Brotherus, V.F.** 1905. *Pleurorthotrichum*, eine neue Laubmoosgattung aus Chile. *Oefversigt af Förhandlingar, Finska Vetenskaps-Societeten* 47: 1–3.
- Brotherus, V.F.** 1924. Musci Insulae-Paschalis. – In: Skottsberg, C. (ed.), The Natural History of Juan Fernández and Easter Island 2: 241–246. Uppsala.
- Brotherus, V.F.** 1924a. Musci nonnulli Chilense a C. Skottsberg anno 1917 lectae. *Acta Horti Gothoburgensis* 1: 189–195.
- Brotherus, V.F.** 1924b. The Musci of the Juan Fernández Islands. – In: Skottsberg, c. (ed.), The Natural History of Juan Fernández and Easter Island 2: 409–448. Uppsala.
- Brotherus, V.F.** 1924c. Musci. – In: A. Engler & K. Prantl, Die Natürlichen Pflanzenfam. ed. 2, 10: i–iv, 1–478. Leipzig.

- Brotherus, V.F.** 1925. Musci. – In: A. Engler & K. Prantl, Die Natürlichen Pflanzenfam. ed. 2, 11: i–iv, 1–542. Leipzig.
- Bruggeman-Nannenga, M.A. & Pursell, R.A.** 1995 [1996]. Notes on *Fissidens* V. *Lindbergia* **20**: 49–55.
- Buck, W.R.** 1977. A taxonomic investigation of *Juratzkaea* Lor. and *Juratzkaella* gen. nov. *Revue Bryologique et Lichénologique* **43**: 309–325.
- Buck, W.R.** 1981. A review of *Cheilotrichia* (Ditrichaceae). *Brittonia* **33**: 453–456.
- Buck, W.R.** 1983. A synopsis of the South American taxa of *Fabronia* (Fabroniaceae). *Brittonia* **35**: 248–254.
- Buck, W.R.** 1987. Taxonomic and nomenclatural rearrangements in the Hookeriales with notes on West Indian taxa. *Brittonia* **39**: 210–224.
- Buck, W.R.** 1989. Miscellaneous notes on Antillean mosses, 2: *Rhaphidostichum* (Sematophyllaceae) in the New World. *Moscosoa* **5**: 189–193.
- Buck, W.R.** 2002. Preliminary Key to the Mosses of Isla Navarino, Chile (Prov. Antártica Chilena). – Published by the author: Bronx, NY. 147 pp.
- Buck, W.R.** 2004. Exploración briológica en Cabo de Hornos. 1era parte. *Briolatina* **51**: 1–4.
- Buck, W.R.** 2005a. Exploración briológica en Cabo de Hornos. 2a parte. *Briolatina* **52**: 1–4.
- Buck, W.R.** 2005b. Exploración briológica en Cabo de Hornos. 3a parte. *Briolatina* **53**: 1–5.
- Buck, W.R. & Goffinet, B.** 2000. Morphology and classification of mosses. – pp. 71–123. In: Shaw, A.J. & Goffinet, B. (ed.), *Bryophyte Biology*. Cambridge University Press.
- Buck, W.R. & Ireland, R.R.** 1989. *Plagiotheciaceae*. *Flora Neotropica Monographs* **50**: 1–22.
- Buck, W.R. & Landrum, L.** 1977. A new species of *Astomiopsis* (Ditrichaceae). *The Bryologist* **80**: 359–362.
- Burley, J.S. & Pritchard, N.M.** 1990. Revision of the genus *Ceratodon* (Bryophyta). *Harvard Papers in Botany* **2**: 17–76.
- Calabrese, G.M.** 2006. A taxonomic revision of *Zygodon* (Orthotrichaceae) in southern South America. *The Bryologist* **109**: 453–509.
- Calabrese, G.M., Elias, M.J. & Lara, F.** 2006. A new species of *Zygodon* (Orthotrichaceae) from southern South America. *Journal of Bryology* **28**: 97–103.
- Calabrese, G.M., Garilletti, R., Mazimpaka, V. & Lara, F.** 2002. Lectotypification and differentiation of *Zygodon magellanicus* Malta and *Z. papillatus* Mont. (Orthotrichaceae, Musci), two often confused Andean-Patagonian species. *Nova Hedwigia* **74**: 149–157.
- Cano, M.J.** 2003. New records and range extension of some mosses in tropical areas of Chile. *Tropical Bryology* **24**: 15–20.
- Cano, M.J.** 2008. Taxonomic revision of *Hennediella* Paris (Pottiaceae, Bryophyta). *Bryophytorum Bibliotheca* **64**, 142 pp.
- Cano, M.J. & Gallego, M.T.** 2008. The genus *Tortula* (Pottiaceae, Bryophyta) in South America. *Botanical Journal of the Linnean Society* **156**: 173–220.
- Cano, M.J., Gallego, M.T., Jiménez, J.A. & Guerra, J.** 2008a. *Aloina obliquifolia* (Pottiaceae, Bryophyta) new to South America, and new reports of *Aloina* in the Neotropics. *Cryptogamie, Bryologie* **29**: 75–81.
- Cano, M.J., Jiménez, J.A., Churchill, S.P. & Guerra, J.** 2008b. New records of Pottiaceae (Bryophyta) for South America. *Cryptogamie, Bryologie* **29**: 183–191.
- Cao, T., Guo, S. & Yu, J.** 2003. Preliminary studies on distribution pattern of the genus *Ptychomitrium* (Musci) in the world. *Journal of the Hattori Botanical Laboratory* **93**: 247–258.
- Cao, T., Zuo, B., Guo, S.-L., Hyvönen, J. & Virtanen, V.** 2006. New synonyms and combinations in the genus *Ptychomitrium* (Bryopsida: Ptychomitriaceae). *Journal of the Hattori Botanical Laboratory* **100**: 41–52.
- Cardot, J.** 1900. Note préliminaire sur les mousses recueillies par l'expédition Antarctique Belge. *Revue Bryologique* **27**: 38–46.
- Cardot, J.** 1901. Expédition Antarctique Belge. Resultats du Voyage du S.Y. Belgica en 1897–1899. Voyage Belgica, Mousses. 48 pp.
- Cardot, J.** 1905. Notice préliminaire sur les mousses recueillies par l'Expédition antarctique suédoise. *Bulletin de l'herbier Boissier* **5**: 997–1011.
- Cardot, J.** 1908. La flora bryologique des Terres magellaniques, de la Géorgie du Sud et de l'Antarctide. – In: *Wissenschaftliche Ergebnisse der Schwedischen Südpolar-Expedition 1901–1903*, **4**: 1–298, plates 1–11.

- Cardot, J. & Brotherus, V.F.** 1923. Les Mousses. – In: Botanische Ergebnisse der Schwedischen Expedition nach Patagonien und dem Feuerlande 1907–1909. *Bihang til Kongliga Svenska Vetenskaps-Akademiens Handlingar* **63**: 1–73.
- Churchill, S.P. & Linares E.L.** 1995a. Prodromus bryologiae Novo-Granatensis: introducción a la flora de musgos de Colombia. Parte 1: Adelotheciaceae a Funariaceae. *Biblioteca José Jerónimo Triana* **12**: 1–453 + i–xxvi.
- Churchill, S.P. & Linares C., E.L.** 1995b. Prodromus bryologiae Novo-Granatensis: introducción a la flora de musgos de Colombia. Parte 2: Grimmiaceae a Trachypodaceae. *Biblioteca José Jerónimo Triana* **12**: 455–924 + 2 unnumbered pages.
- Clifford, H.T.** 1955. On the distribution of *Rhacomitrium crispulum* (Hook.f. & Wils.) Hook.f. & Wils. *The Bryologist* **58**: 330–334.
- Costes, N.** 1921. Nomenclatura de los principales musgos de la Hoya de Marga-Marga (Quilpue-Provincia de Valparaíso). *Revista Chilena de Historia Natural* 1921: 130–132.
- Crosby, M.R.** 1977. *Florschuetzia*, a new genus of Buxbaumiaceae (Musci) from Southern Chile. *The Bryologist* **80**: 149–152.
- Crosby, M.R.** 1978. *Muscoflorschuetzia* (Musci), a new name for *Florschuetzia* Crosby, hom. illeg. *The Bryologist* **81**: 338.
- Crosby, M.R., Magill, R.E., Allen, B. & He, S.** 1999. A Checklist of the Mosses. St. Louis: Missouri Botanical Garden.
- Crum, H.** 1984. Part 11: Sphagnopsida, Sphagnaceae. – North American Flora, Series II, iv + 180 pp. 61 fig.
- Crum, H.** 1990. Comments on *Sphagnum* sect. *Sphagnum* in South America. *Contributions from the University of Michigan Herbarium* **17**: 71–81.
- Cuverino, J., Miserere, L. & Buffa, G.** 2009. *Costesia macrocarpa* comb. nov. for *Funaria macrocarpa* (Gigaspermaceae). *The Bryologist* **112**: 287–289.
- Cuverino, J. & Buffa, G.** 2009. *Entosthodon balansae* (Funariaceae) is excluded from the Chilean bryophyte flora. *Cryptogamie, Bryologique* **30**: 425–432.
- Deguchi, H.** 1983. *Neomeesia* Deguchi, a new genus of the family Meesiaceae from Southern South America. *Bulletin of the National Science Museum, Tokyo, Series B, Botany* **9**: 143–148.
- Deguchi, H.** 1984. Studies on some Patagonian species of Grimmiaceae (Musci, Bryophyta). – In: H. Inoue (ed.) Studies on Cryptogams in South Chile. pp. 17–72. Kensei-Sha, Tokyo.
- Deguchi, H.** 1987. Studies on some Peruvian species of Grimmiaceae (Musci, Bryophyta). – In: H. Inoue (ed.) Studies on Cryptogams in Southern Peru. pp. 19–74, Kensei-Sha, Tokyo.
- Deguchi, H.** 1991a. A list of moss collections made during the Expeditions to Chile in 1981 and 1987 (1). *Bulletin of the National Science Museum, Tokyo, Series B, Botany* **17** (1): 15–34.
- Deguchi, H.** 1991b. A list of moss collections made during the Expeditions to Chile in 1981 and 1987 (2). *Bulletin of the National Science Museum, Tokyo, Series B, Botany* **17** (2): 67–83.
- Deguchi, H. & Oginuma, K.** 1989. Cytological studies on some Chilean mosses. *Lindbergia* **15**: 87–90.
- Delgadillo, C.** 1973. A new species, nomenclatural changes, and generic limits in *Aloina*, *Aloinella*, and *Crossidium* (Musci). *The Bryologist* **76**: 271–277.
- De Luna, E. & Biasuso, B.** 2001. Morphometric variation and species delimitation in the *Braunia exserta* complex (Hedwigiaceae). – Botany 2001: Plants and People. Abstracts. Botanical Society of America: Albuquerque, NM. p. 7.
- Díaz, M. F., Larraín, J., Zegers, G. & Tapia, C.** 2008. Caracterización florística e hidrológica de turberas de la Isla Grande de Chiloé, Chile. *Revista Chilena de Historia Natural* **81**: 455–468.
- Dixon, H.N.** 1914. Studies in the bryology of New Zealand, with special reference to the herbarium of Robert Brown. Part II. *New Zealand Institute Bulletin* **3**: 31–74.
- Dixon, H.N.** 1926. Studies in the bryology of New Zealand, with special reference to the herbarium of Robert Brown. Part IV. *New Zealand Institute Bulletin* **3**: 153–238.
- Dixon, H.N.** 1929. Studies in the bryology of New Zealand, with special reference to the herbarium of Robert Brown. Part VI. *New Zealand Institute Bulletin* **3**(6): 299–372.
- Döbbeler, P.** 1999. Two new species of *Bryonectria* (Hypocreales, Ascomycetes) on bryophytes. *Sendtnera* **6**: 93–102.
- Döbbeler, P.** 2003. Ascomycetes on *Dendroligotrichum* (Musci). *Nova Hedwigia* **76**: 1–44.
- Döbbeler, P. & Triebel, D.** 2000. *Potridiscus polymorphus* (Leotiales) - a new ascomycete on Polytrichaceae (Musci) with palaeoaustral distribution. *Hoppea* **61**: 71–83.

- Donat, A.** 1936. Resultados fitogeográficos de la Expedición patagónica "Gaea" 1933. I. Algunas briofitas nuevas de la Cordillera Central Patagónica. *Revista Sudamericana de Botánica* **3**: 61–68.
- Duby, J.-É.** 1880. Choix de mousses exotiques nouvelles ou mal connues [3]. *Mémoires de la Société de Physique et d'Histoire Naturelle de Genève* **27**: 1–10.
- Dusén, P.** 1903a. Beiträge zur Bryologie der Magellansländer von Westpatagonien und Südchile. I. *Arkiv för Botanik utgivet av K. Svenska Vetenskaps-Akademien* **1** (1): 441–466, Tafl. 18–28.
- Dusén, P.** 1903b. Patagonian and Fuegian mosses. Part III. *Reports of the Princeton University Expeditions to Patagonia, Botany* **8**: 63–125.
- Dusén, P.** 1905a. Musci nonnulli novi e Fuegia et Patagonia reportati. *Botaniska Notiser* 1905: 299–310.
- Dusén, P.** 1905b. Beiträge zur Bryologie der Magellansländer von Westpatagonien und Südchile. II. *Arkiv för Botanik utgivet av K. Svenska Vetenskaps-Akademien* **4** (1): 1–45, Tafl. 1–11.
- Dusén, P.** 1905c. Beiträge zur Bryologie der Magellansländer von Westpatagonien und Südchile. III. *Arkiv för Botanik utgivet av K. Svenska Vetenskaps-Akademien* **4** (13): 1–24, Tafl. 1–8.
- Dusén, P.** 1906a. Beiträge zur Bryologie der Magellansländer von Westpatagonien und Südchile. IV. *Arkiv för Botanik utgivet av K. Svenska Vetenskaps-Akademien* **6** (8): 1–40, Tafl. 1–12.
- Dusén, P.** 1906b. Beiträge zur Bryologie der Magellansländer von Westpatagonien und Südchile. V. *Arkiv för Botanik utgivet av K. Svenska Vetenskaps-Akademien* **6** (10): 1–32, Tafl. 1–6.
- Eaton, D.C.** 1892. List of mosses from Fuegia and Patagonia. *Contributions from the United States National Herbarium* **1**: 138–139.
- Eckel, P.M.** 1997. *Tortella knightii*, an Australasian species new to South America in Tierra del Fuego. *The Bryologist* **100**: 210–211.
- Eddy, A.** 1977. Sphagnales of tropical Asia. *Bulletin of the British Museum (Natural History), Botany* **5**: 359–445 + pl.
- Enroth, J.** 1991. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XLIII. Funariaceae (Musci). *Acta Botanica Fennica* **143**: 57–69.
- Enroth, J.** 1992. Notes on the Neckерaceae (Musci). 11–12. The taxonomic position of *Pinnatella callicostelloides* and *Bissetia lingulata*, with the description of *Chileobryon* (Anomodontaceae). *Nova Hedwigia* **54**: 137–146.
- Espinosa, M.R.** 1941. Lista sistemática de Musgos y Liquenes chilenos continentales e insulares, enviados por el Dr. C. Skottsberg. *Boletín del Museo Nacional de Historia Natural* **19**: 113–132.
- Fife, A.** 1982. Taxonomic and nomenclatural observations on the Funariaceae 2. Lectotypification of *Physcomitrium* subg. *Cryptopyxis* (C. Müll.) Broth. *Lindbergia* **8**: 75–76.
- Fife, A.** 1987. Taxonomic and nomenclatural observations on the Funariaceae 5. A revision of the Andean species of *Entostothodon*. *Memoirs of the New York Botanical Garden* **45**: 301–325.
- Flatberg, K.I.** 1984. A taxonomic revision of the *Sphagnum imbricatum* complex. *Kongelige Norske Videnskabers Selskab Skrifter* **3**: 1–80.
- Fleischer, M.** 1920. Kritische Revision von C. Müllerschen Laubmoosgattungen. IV. *Hedwigia* **63**: 209–216.
- Frahm, J.-P.** 1976. Zur *Campylopus*-Flora von Chile. *Herzogia* **4**: 141–160.
- Frahm, J.-P.** 1987. A revised list of the *Campylopus* species of the world. *Bryologische Beiträge* **7**: 1–117.
- Frahm, J.-P.** 1988. The Subantarctic and southern Hemispheric species of *Campylopus* (Dicranaceae) with contributions to the origin and speciation of the genus. *Journal of the Hattori Botanical Laboratory* **64**: 367–387.
- Frahm, J.-P.** 1991. Dicranaceae: Campylopodioidae, Paraleucobryoideae. *Flora Neotropica* **54**. Organization for Flora Neotropica by The New York Botanical Garden: New York. 238 pp.
- Frahm, J.-P.** 1996. Revision der Gattung *Rhacocarpus* Lindb. (Musci). *Cryptogamie: Bryologie, Lichénologie* **17**: 39–65.
- Frahm, J.-P.** 1998. Taxonomische Notizen zur Gattung *Campylopus* XVII. *Cryptogamie: Bryologie, Lichénologie* **19**: 27–34.
- Frahm, J.-P.** 1999. A type catalogue of Campylopodioidae and Paraleucobryoideae (Musci, Dicranaceae), Part II, *Campylopus*. *Tropical Bryology* **16**: 17–102.
- Frahm, J.-P.** 2001a. Aquatic mossballs of *Blindia inundata* in Patagonia. *The Bryologist* **104**: 503.
- Frahm, J.-P.** 2001b. Mossballs of *Rigodium implexum* (Rigodiaceae) on the forest floor in Chile. *The Bryologist* **104**: 639–641.
- Frahm, J.-P.** 2005. A contribution to the *Campylopus* flora of Chile. *Tropical Bryology* **26**: 39–43.

- Frahm, J.-P., Börner, H., Streiber, N., Wallau, B. & Weitkus, S.** 1996. Revision der Gattung *Conostomum* (Musci, Bartramiaceae). *Tropical Bryology* **12**: 97–114.
- Frahm, J.-P., Buchbender, V., Lachmann, S., Reifenrath, K. & Werner, F.** 1998. Revision der Gattung *Oncophorus* (Musci, Dicranaceae). *Tropical Bryology* **14**: 119–131.
- Frahm, J.-P., Klöcker, T., Schmidt, R. & Schöter, C.** 2000. Revision der Gattung *Amphidium* (Musci, Dicranaceae). *Tropical Bryology* **18**: 173–184.
- Frahm, J.-P., Rembold, K., Röver, T. & Schamell, T.** 2003. Synopsis der Gattung *Pyrrhobryum* (Musci, Rhizogoniaceae). *Tropical Bryology* **24**: 115–127.
- Fransén, S.** 2004a. A taxonomic revision of *Bartramia* Hedw. section *Bartramia*. *Lindbergia* **29**: 113–122.
- Fransén, S.** 2004b. A taxonomic revision of extra-Neotropical *Bartramia* section *Vaginella* C. Müll. *Lindbergia* **29**: 73–107.
- Frey, W. & Schaumann, F.** 2002. Records of rare southern South American bryophytes. Studies in austral temperate rain forest bryophytes 18. *Nova Hedwigia* **74**: 533–543.
- Frisvoll, A.A.** 1986. Southern hemisphere synonyms of *Racomitrium sudeticum* (Funck). Bruch et Schimp. *Journal of Bryology* **14**: 339–346.
- Froehlich, J.** 1953. Zwei neue Laubmoose aus Süd-Chile und Feuerland. *Annalen des Naturhistorischen Museums in Wien* **59**: 117–118.
- Fuentes, F.** 1913 [1914]. Reseña botánica sobre la Isla de Pascua. *Boletín del Museo Nacional de Chile* **5** (2): 320–337.
- Gallego, M.T. & Cano, M.J.** 2007a. A new species of *Syntrichia* Brid. (Pottiaceae, Bryophyta) from Chile. *Journal of Bryology* **29**: 183–187.
- Gallego, M.T. & Cano, M.J.** 2007b. New reports of *Syntrichia* Brid. (Pottiaceae, Bryophyta) taxa from South America. *Nova Hedwigia* **85**: 457–461.
- Gallego, M.T., Cano, M.J. & Guerra, J.** 2009. New synonymy in *Syntrichia* (Pottiaceae) in the Neotropics. *The Bryologist* **112**: 173–177.
- Giese, M. & Frahm, J.-P.** 1985 [1986]. A revision of *Campylopus* (C. Müll.) Besch. *Lindbergia* **11**: 125–133.
- Goffinet, B., Buck, W.R., Massardo, F. & Rozzi, R.** 2006. Miniature Forests of Cape Horn/Los Bosques en Miniatura del Cabo de Hornos. Universidad de Magallanes: Punta Arenas, Chile. 254 pp.
- Goffinet, B., Buck, W.R. & Shaw, A.J.** 2008. Morphology and classification of the Bryophyta. In: Goffinet, B. & Shaw, A.J. (eds.): *Bryophyte Biology*, 2nd edition, p. 55–138, Cambridge University Press.
- Goffinet, B., Buck, W.R. & Wall, M.A.** 2007. *Orthotrichum freyanum* (Orthotrichaceae), a new epiphytic moss from Chile. *Nova Hedwigia Beiheft* **131**: 1–11.
- Gradstein, S.R. & Sipman, H.J.M.** 1978. Taxonomy and World Distribution of *Campylopus introflexus* and *C. pilifer* (= *C. polytrichoides*): a New Synthesis. *The Bryologist* **81**: 114–121.
- Greene, D.M.** 1986. A Conspectus of the Mosses of Antarctica, South Georgia, the Falkland Islands and southern South America. 314 pp., 1 tab. Institute of Terrestrial Ecology. Natural Environment Research Council, Cambridge.
- Greene, S.W.** 1968 [1969]. Studies in Antarctic bryology. II. *Andreaea*, *Neurolooma*. *Revue Bryologique et Lichenologique* **36**: 139–146.
- Griffin, D.** 1981. El género *Sphagnum* en Los Andes de Colombia y Venezuela. Clave para las especies frecuentes u ocasionales con notas ecológicas y taxonómicas. *Cryptogamie: Bryologie, Lichenologie* **2**: 201–211.
- Griffin, D.** 1986. On the occurrence of *Breutelia affinis* (Hook.) Mitt. in South America. *Lindbergia* **12**: 144.
- Griffin, D.** 1988. New world species of *Breutelia* with erect-appressed leaf bases. *Nova Hedwigia* **90**: 357–382.
- Griffin, D. & Buck, W.R.** 1989. Taxonomic and phylogenetic studies on the Bartramiaceae. *The Bryologist* **92**: 368–380.
- Griffin, D., Gradstein, S.R. & Aguirre, J.** 1982. Studies on Colombian cryptogams XVII. On a new antipodal element in the Neotropical Paramos - *Dendrocryphaea latifolia* sp. nov. (Musci). *Acta Botanica Neerlandica* **31**: 174–184.
- Grout, A.J.** 1929. Checklist of pleurocarpous mosses of North America. 32 pp. – New Brighton, New York.
- Grout, A.J.** 1935. Moss Flora of North America, North of Mexico 2: 1–284. Newfane, Vermont.
- Grout, A.J.** 1944. Preliminary synopsis of the North American Macromitriæ. *The Bryologist* **47**: 1–22.
- Gunckel, H.** 1938. Los *Porothamnium* de la flora Corraleña. *Revista Chilena de Historia Natural* **42**: 118–122.

- Gunckel, H.** 1965. Un interesante musgo de la selva Valdiviana: *Eriodon conostomus* Montagne. *Revista Universitaria (Santiago)* **27**: 67–70.
- Guo, S. & Cao, T.** 1999. Two neglected species of *Ptychomitrium* (Musci), with new synonyms. *The Bryologist* **102**: 404–408.
- Hässel de Menéndez, G.G., Greene, S.W. & Matteri, C.M.** 1984. The occurrence and distribution of Bryophytes in southern Patagonia between latitude 51° and 52°S. *Journal of the Hattori Botanical Laboratory* **55**: 45–64.
- Hattaway, R.A.** 1981. Commentary on the genus *Glyphothecium* (Ptychomniaceae). *The Bryologist* **84**: 344–347.
- Hattaway, R.A.** 1984. A monograph of the Ptychomniaceae (Bryopsida). – 311 pp. 50 fig. Doctoral dissertation. University Microfilms. Ann Arbor.
- He, S.** 1998. A checklist of the mosses of Chile. *Journal of the Hattori Botanical Laboratory* **85**: 103–189.
- He, S.** 2005. A revision of the genus *Leptopterigynandrum* (Bryopsida, Leskeaceae). *Journal of the Hattori Botanical Laboratory* **97**: 1–38.
- Hedenäs, L.** 2003. Amblystegiaceae (Musci). *Flora Neotropica Monograph* **89**. The New York Botanical Garden. 108 pp.
- Herzog, T.** 1916. Neue Laubmose aus Ostasien und Südamerika. *Hedwigia* **57**: 233–250.
- Herzog, T.** 1922. Beiträge zur Bryophytenflora Chiles. *Hedwigia* **64**: 1–18.
- Herzog, T.** 1926. Beiträge zur Moosflora Westpatagoniens. *Hedwigia* **66**: 79–92.
- Herzog, T.** 1928. Drei neue Laubmoosgattungen. *Revue Bryologique et Lichénologique* **1**: 98–108.
- Herzog, T.** 1937. Neue Bryophyten vom Ruwenzori und aus dem Patagonischen Inlandeisgebiet. *Repertorium Specierum Novarum Regni Vegetabilis* **41**: 285–292.
- Herzog, T.** 1940. Die Moose der Expedition Ljungner nach Patagonien, 1932/34. *Arkiv för Botanik utgivet av K. Svenska Vetenskaps-Akademien* **29** (21): 1–17.
- Herzog, T.** 1954. Zur Bryophytenflora Chiles. *Revue Bryologique et Lichénologique* **23**: 27–99.
- Herzog, T.** 1960. Weitere Beiträge zur Bryophytenflora Chiles. *Revue Bryologique et Lichénologique* **29**: 183–206.
- Herzog, T. & Hosseus, C.** 1938. Contribucion al conocimiento de la Flora Briofita del sur de Chile. *Archivos de la Escuela de Fármacia de la Facultad de Ciencias Médicas de Córdoba* **7**: 3–95.
- Herzog, T., Schwabe, G.H. & Schwabe, E.** 1939. Zur Bryophytenflora Südchiles. *Beihefte zum Botanischen Centralblatt* **60b**: 1–51.
- Herzog, T., Thériot, I., Buch, H., Schiffner, V. & Verdoorn, F.** 1933. Bryophyta nova (6–16). *Annales Bryologici* **6**: 124–135.
- Holyoak, D. T.** 2004. Taxonomic notes on some European species of *Bryum* (Bryopsida: Bryaceae). *Journal of Bryology* **26**: 247–264.
- Horton, D.G.** 1983. A revision of the Encalyptaceae (Musci), with particular reference to the North American taxa. Part II. *Journal of the Hattori Botanical Laboratory* **54**: 353–532.
- Huttunen, S., Isoviita P. & Quandt, D.** 2008. Proposals to conserve the name *Meteoriump* with a conserved type and change the conserved type of *Papillaria* (Musci: Meteoriaceae). *Taxon* **57**: 992–995.
- Hyvönen, J.** 1987. A synopsis of the genus *Leptostomum* (Leptostomataceae, Musci). *Acta Botanica Fennica* **24**: 63–72.
- Hyvönen, J.** 1989. A synopsis of the genus *Pogonatum* (Polytrichaceae, Musci). *Acta Botanica Fennica* **138**: 1–87.
- Hyvönen, J.** 1991. *Chorisodontium* (Dicranaceae, Musci) in southern South America. *Annales Botanici Fennici* **28**: 247–258.
- Ireland, R.R.** 1991. A preliminary study of the moss genus *Isopterygium* in Latin America. *Caldasia* **16**(78): 265–276.
- Ireland, R.R.,** 1992. The moss genus *Isopterygium* (Hypnaceae) in Latin America. *Tropical Bryology* **6**: 111–132.
- Ireland, R.R. & Bellolio, G.** 2002. The Mosses of Easter Island. *Tropical Bryology* **21**: 11–19.
- Ireland, R.R., Bellolio, G., Bednarek-Ochyra, H. & Ochyra, R.** 2005. Fertile plants of *Racomitrium patagonicum* (Bryopsida, Grimmiaceae). *Journal of the Hattori Botanical Laboratory* **98**: 205–211.
- Ireland, R.R., Bellolio, G., Rodríguez, R. & Larraín, J.** 2007 [2006]. Studies on the moss flora of the Bío-Bío region of Chile. *Tropical Bryology* **28**: 63–77.

- Ireland, R.R., Robinson, H. & Bellolio, G.** 2006. On the distribution and morphology of *Hebantia rigida* (Bryopsida, Polytrichaceae). *Journal of the Hattori Botanical Laboratory* **100**: 201–209.
- Jiménez, J.A.** 2007. *Bryoerythrophyllum berthoanus* comb. nov. and *B. sharpii* (Pottiaceae) in South America. *Journal of Bryology* **29**: 125–130.
- Jiménez, J.A. & Cano, M.J.** 2006. Two new combinations in *Didymodon* (Pottiaceae) from South America. *The Bryologist* **109**: 391–397.
- Jiménez, J.A. & Cano, M.J.** 2007. *Didymodon coquimbensis* (Pottiaceae), a new species from Chile. *The Bryologist* **110**: 812–816.
- Jiménez, J.A. & Cano, M.J.** 2008. Taxonomic assessment of *Didymodon pruinosis* (Mitt.) R.H. Zander (Bryophyta, Pottiaceae) a poorly known South American taxon. *Nova Hedwigia* **87**: 145–152.
- Jiménez, J.A., Ros, R.M., Cano, M.J. & Guerra, J.** 2005. A new evaluation of the genus *Trichostomopsis* (Pottiaceae, Bryophyta). *Botanical Journal of the Linnean Society* **147**: 117–127.
- Jolley, H. & Klazenga, N.** 2007. A morphometric study of *Breutelia pendula* and *B. elongata* (Bryophyta, Bartramiaceae). *Australian Systematic Botany* **20**: 82–91.
- Kabiersch, W.** 1936. Studien über die ostasiatischen Arten einiger Laubmoosfamilien (Mniaceae-Bartramiaeae). *Hedwigia* **76**: 1–94.
- Kindberg, N. C.** 1888. *Enumeratio Bryinearum Exoticarum* 1–83. Linkoeping.
- Koponen, A.** 1977. *Tayloria* subgen. *Pseudotetraplodon*, subgen. nov., and new combinations in *Brachymitrium*, *Moseniella* and *Tayloria* (Splachnaceae, Musci). *Annales Botanici Fennici* **14**: 193–196.
- Koponen, A.** 1982. The family Splachnaceae in Australasia and the Pacific. *Journal of the Hattori Botanical Laboratory* **52**: 87–91.
- Koponen, T.** 1968. Generic revision of Mniaceae Mitt. (Bryophyta). *Annales Botanici Fennici* **5**: 117–151.
- Koponen, T.** 1969. The taxonomic status and typification of *Mnium subpunctatum*. *The Bryologist* **72**: 61–62.
- Koponen, T.** 1974. A guide to the Mniaceae in Canada. *Lindbergia* **2**: 160–184.
- Koponen, T.** 1979. A synopsis of Mniaceae (Bryophyta). I. South and Central American taxa. *Journal of the Hattori Botanical Laboratory* **46**: 155–161.
- Kramer, W.** 1988. Beiträge zur Systematik und Bryogeographie einiger Sippen von *Tortula* Hedw. sect. *Rurales De Not.* (Pottiaceae, Musci) unter besonderer Berücksichtigung der Südhemisphäre. *Journal of the Hattori Botanical Laboratory* **65**: 81–144.
- Kruijer, J. D.** 2002. Hypopterygiaceae of the World. *Blumea, Supplement* **13**, 388 pp.
- Kuc, M.** 1996. On the distribution of *Ancistrodes* Hampe, an endemic moss of Chile. *Cryptogamie: Bryologie, Lichénologie* **17**: 119–125.
- Kühnemann, O. & Goncalves Carralves, M.F.** 1975. Monografía preliminar para la flora criptogámica fuegiana: Los musgos de la familia Ptychomniaceae (Bryophyta). *Darwiniana* **19**: 583–617.
- Kühnemann, O. & Goncalves Carralves, M.F.** 1976. Sobre *Cryphaeophilum molle* (Dus.) Fleisch. Meteoriaceae-Briofitas. *Boletín de la Sociedad Argentina de Botánica* **17**: 247–251.
- Larraín J.** 2005. Musgos de la Cordillera de la Costa de Valdivia, Osorno y Llanquihue: consideraciones ecológicas y lista de especies. – In: Smith-Ramírez, C., Armesto, J.J. & Valdovinos, C. (ed.): Historia, Biodiversidad y Ecología de los Bosques Costeros de Chile. Editorial Universitaria. Santiago, Chile, p. 159–177.
- Larraín, J.** 2007a. Adiciones a la flora de musgos de la Isla Grande de Chiloé, Chile. *Gayana, Botánica* **64**: 7–23.
- Larraín, J.** 2007b. Musgos (Bryophyta) de la estación biológica Senda Darwin, Ancud, isla de Chiloé: lista de especies y claves para su identificación. *Chloris Chilensis* **10** (1). URL: <http://www.chlorischile.cl>
- Larraín, J., Herrera, F., Budke, J.M. & Goffinet, B.** 2009. Phylogenetic affinities and conservation status of the Chilean endemic *Costesia spongiosa* (Gigaspermaceae). *The Bryologist* **112**: 278–286.
- Lawton, E.** 1971. Moss Flora of the Pacific Northwest. The Hattori Botanical Laboratory, xiii + 362 pp. + 195 pl.
- Lewinsky, J.** 1984. *Orthotrichum* Hedw. in South America 1. Introduction and taxonomic revision of taxa with immersed stomata. *Lindbergia* **10**: 65–94.

- Lewinsky, J.** 1987. *Orthotrichum* Hedw. (Orthotrichaceae) in South America 2. Taxonomic revision of taxa with superficial stomata. *Memoirs of the New York Botanical Garden* **45**: 326–370.
- Lewinsky-Haapasaari, J.** 1994. The genus *Pleurorthotrichum* Broth. *Lindbergia* **19**: 11–24.
- Lewinsky, J. & Deguchi, H.** 1989. *Orthotrichum truncatum* Lewinsky & Deguchi, sp. nov. from Chile, and a new record for *O. macrosporum* Lewinsky. *The Bryologist* **92**: 216–218.
- Lightowers, P.J.** 1985. Taxonomic notes on New Zealand species of *Tortula*. *Journal of Bryology* **13**: 369–375.
- Lin, S.H.** 1984. A taxonomic revision of Phyllogoniaceae (Bryopsida). Part II. *Journal of Taiwan Museum* **37**(2): 1–54.
- Lorentz, P.G.** 1864. III. Pugillus specierum novarum e exoticarum. – In: Lorentz, P.G., Moosstudien. Leipzig, Wilhelm Engelmann, p. 155–171.
- Lorentz, P.G.** 1866. Musci frondosi in Chile prope Valdiviam et prope Corral lecti per Dr. Krause. *Botanische Zeitung (Berlin)* **24**: 185–189.
- Magill, R.E.** 1981. Flora of Southern Africa. Bryophyta. Part 1. Mosses. Fasc. 1. Sphagnaceae-Grimmiaceae. – Botanical Research Institute, Department of Agriculture and Fisheries, Pretoria.
- Magombo, Z.L.K.** 2003. Taxonomic revision of the moss family Diphysciaceae M. Fleisch. (Musci). *Journal of the Hattori Botanical Laboratory* **94**: 1–86.
- Mahu, M.** 1981. Las Briofitas del Bosque Las Petras, Quintero, Provincia de Valparaíso, Chile. *The Bryologist* **84**: 548–555.
- Mahu, M.** 1985. *Tetradontium brownianum* (Dicks.) Schwaegr. (Bryatae: Tetraphidaceae) nuevo para Chile. *The Bryologist* **88**: 118–119.
- Malta, N.** 1924. Studien über die Laubmoosgattung *Zygodon* 11–12. *Latvijas Universitatis Raksti* **10**: 303–335.
- Malta, N.** 1926. Die Gattung *Zygodon* Hook. et Tayl., eine monographische Studie. *Latvijas Universitatis Botaniska Darza Darbi* **1**, 185 pp.
- Malta, N.** 1927. Die *Ulota*-Arten Süd-Amerikas. *Acta Horti Botanici Universitatis Latviensis* **2**: 165–208.
- Margadant, W.D.** 1972. Notes on the nomenclature of Musci. *Lindbergia* **1**: 121–129.
- Matcham, H.W.** 2008. Correction to the bryoflora of south-western Patagonia. *Field Bryology* **94**: 38.
- Matcham, H.W. & O'Shea, B.J.** 2005. A review of the genus *Codonoblepharon* Schwägr. (Bryopsida: Orthotrichaceae). *Journal of Bryology* **27**: 129–135.
- Matcham, H.W., Pressel, S., Russell, S., Massardo, F. & Duckett, J.G.** 2007. Inventory and conservation of the bryoflora of south-western Patagonia. *Field Bryology* **93**: 2–8.
- Matsui, T. & Iwatsuki, Z.** 1990. A taxonomic revision of the family Ditrichaceae (Musci) of Japan, Korea and Taiwan. *Journal of the Hattori Botanical Laboratory* **68**: 317–366.
- Matteri, C.M.** 1968. Las especies de "Philonotis (Bartramiaceae)" del sur de Argentina. *Revista del Museo Argentino Ciencias Naturales "Bernardino Rivadavia" e Instituto Nacional de Investigación de las Ciencias Naturales Botánica* **3** (4): 185–234.
- Matteri, C.M.** 1972. Las Hookeriaceae (Musci) Andino-Patagonicas II. *Revista del Museo Argentino Ciencias Naturales "Bernardino Rivadavia" e Instituto Nacional de Investigación de las Ciencias Naturales Botánica* **4** (2): 243–280.
- Matteri, C.M.** 1973a. Notas briologicas (Musci) I-II. *Anales del Instituto de la Patagonia* **4**: 273–274.
- Matteri, C.M.** 1973b. Revision de las Hypopterygiaceae (Musci) Austrosudamericanas. *Boletín de la Sociedad Argentina de Botánica* **25** (2–3): 229–250.
- Matteri, C.M.** 1973c. El genero *Breutelia* (Bartramiaceae, Musci) en la region Andino-Patagonica. *Revista del Museo Argentino Ciencias Naturales "Bernardino Rivadavia" e Instituto Nacional de Investigación de las Ciencias Naturales Botánica* **4** (4): 321–360.
- Matteri, C.M.** 1975a. Hookeriales. – In: Guarnera, S.A., Gamundi de Amos, I. and Rabinovich de Halperin, D. (eds.), Flora criptogamica de Tierra del Fuego. Buenos Aires, Fundacion para la Educacion, la Ciencia y la Cultura **14** (9): 7–60.
- Matteri, C.M.** 1975b. Las Hookeriaceae (Musci) Andino-Patagonicas, I. *Nova Hedwigia* **26**: 649–724.
- Matteri, C.M.** 1979. Notas briologicas (Musci) IV y V. *The Bryologist* **82**: 99–102.
- Matteri, C.M.** 1981. Patagonian bryophytes 4. *Breutelia elongata* (Hook.f. et Wils.) Mitt. and *Myurella julacea* (Schwaegr.) B.S.G. *Lindbergia* **7**: 61–65.
- Matteri, C.M.** 1982. Patagonian bryophytes 6. Fruiting *Sarconeurum glaciale* (C. Muell.) Cardot et Bryhn newly found in southern Patagonia. *Lindbergia* **8**: 105–109.

- Matteri, C.M.** 1983. Sobre *Bartramia stricta* (Musci, Bartramiaceae) en la región Andino-patagónica. *Boletín de la Sociedad Argentina de Botánica* **22**: 231–241.
- Matteri, C.M.** 1984a. Occurrence of tubers and rhizomes in *Chrysoblastella chilensis* (Mont.) Reim. *Lindbergia* **10**: 165–168.
- Matteri, C.M.** 1984b. Sinopsis de las especies Andino-patagonicas, Antárticas y subantárticas de los géneros *Bartramia*, *Bartramidula*, *Conostomum* (Bartramiaceae, Musci). *Darwiniana* **25**: 143–162.
- Matteri, C.M.** 1985a. Bryophyta, Musci: Bartramiaceae. – In: Guarerra, S.A., Gamundi de Amos, I. & Rabinovich de Halperin, D. (eds.), Flora Criptogámica de Tierra del Fuego **14** (7), 62 pp. 18 pl.
- Matteri, C.M.** 1985b. Catalogo de los musgos. In: Boelcke, O., Moore, D.M. & Roig, F.A. (eds.), Transecta botanica de la Patagonia austral. Buenos Aires, Consejo Nacional de Investigaciones Científicas y Técnicas (Argentina), Instituto de la Patagonia (Chile) and Royal Society (Gran Bretaña), 265–298.
- Matteri, C.M.** 1988. Distribution maps of mosses from Tierra del Fuego, Argentina. 1. *Lindbergia* **14**: 176–178.
- Matteri, C.M.** 1989. Additions to the Moss Flora of Tierra del Fuego (Argentina). *The Bryologist* **92**: 174–177.
- Matteri, C.M.** 1993. Distribution maps of mosses from Tierra del Fuego, Argentina. 5. *Lindbergia* **18**: 138–140.
- Matteri, C.M.** 1994. *Tortula subpapillosa* and *T. papillosa* in southern South America with a new combination in *Syntrichia*. *Journal of the Hattori Botanical Laboratory* **75**: 33–40.
- Matteri, C.M.** 1996. *Ditrichum brevirostrum* (R. Brown ter.) Broth. newly discovered in northern Patagonia and the Fuegian region. *Lindbergia* **21**: 3–8.
- Matteri, C.M.** 1998. New synonyms and combinations in southern South American mosses. *Fragmenta Floristica et Geobotanica* **43**: 298–300.
- Matteri, C.M.** 2000. Sobre la identidad de *Orthotrichum inclinatum*, *O. incanum* y *O. crenato-erosum* (Musci, Orthotrichaceae). *Revista Museo Argentino Ciencias Naturales* **2**: 17–21.
- Matteri, C.M.** 2003a. New combination and new synonyms in Fuegian mosses. *Lindbergia* **28**: 80–82.
- Matteri, C.M.** 2003b. Los musgos (Bryophyta) de Argentina. *Tropical Bryology* **24**: 33–100.
- Matteri, C.M. & Calabrese, G.M.** 1999. Taxonomic notes and distribution of *Matteria papilllosula* and *Microdus euchlorus*, from northern Patagonia (Argentina), with a new combination in *Campylopodium* (Bryopsida). *Annales Botanici Fennici* **36**: 43–49.
- Matteri, C.M. & Ochyra, R.** 1989. Notes on two southern South American species of Brachytheciaceae (Musci). *Journal of the Hattori Botanical Laboratory* **66**: 321–330.
- Matteri, C.M. & Ochyra, R.** 1999. The Meesiaceae (Musci) in southern South America, with notes on the subdivision of the family. *Haussknechtia Beiheft* **9**: 225–242.
- Matteri, C.M. & Piñero, M.R.** 1987 [1989]. Sinopsis de las Rhizogoniaceae (Musci) en las regiones Fueguina y Patagonica. *Anales del Instituto de la Patagonia: Serie Ciencias Naturales, Punta Arenas (Chile)* **17**: 59–65.
- Matteri, C.M. & Schiavone, M.M.** 2002. Catálogo de los musgos (Bryophyta) de la Región Fueguina en Argentina y Chile. *Revista del Museo Argentino de Ciencias Naturales*, n.s., **4**: 111–138.
- McFarland, K.D.** 1988. Revision of *Brachythecium* (Musci) for Mexico, Central America, South America, Antarctica and Circum-subantarctic Islands. xii+537 pp. 58 figs. Ph.D. Dissertation, University of Tennessee, Knoxville.
- Meijer, W.** 1951. The genus *Orthodontium*. xiii + 80 pp. 4 maps. 18 pl. 2 tab. North-Holland Publishing Co., Amsterdam.
- Mishler, B.D.** 1994. *Tortula*, pp. 319–350, In: Sharp, A.J. et al. (eds.), Moss Flora of Mexico. Memoirs of the New York Botanical Garden **69**: 581–1113.
- Mitten, W.** 1869. Musci austro-americani Enumeratio omnium Austro-americanorum auctori hucusque congitorum. *Journal of the Linnean Society, Botany* **12**: 1–659.
- Montagne, C.** 1850. Flora chilena, plantas cellulaires. I. Musgos. – pp. 5–202, in: Gay, C., Historia física y política de Chile. Vol. 7, Botanica. Paris.
- Müller, C.** 1843. *Aulacomnion chilense*, nov. sp. *Botanische Zeitung (Berlin)* **1**: 649–656.
- Müller, C.** 1848–1849. Synopsis Muscorum Frondosorum Omnium Hucusque Cognitorum **1**: 1–812.
- Müller, C.** 1885. Bryologia fuegiana. *Flora* **68** (21–23): 391–429.
- Müller, C.** 1897. Prodromus bryologiae Argentiniae atque regionum vicinarum III. *Hedwigia* **36**: 84–144.
- Müller, C.** 1900. Genera Muscorum Frondosorum. Leipzig (E. Kummer), vi + 474 pp.

- Müller, F. 2002. New records and new synonyms for the southern South American moss flora. *Nova Hedwigia* **74**: 445–450.
- Müller, F. 2008. The identity of *Pterogoniadelphus hollermayeri* (Thér.) Ochyra & Zijlstra, an insufficiently known Chilean moss. *Journal of Bryology* **30**: 96–97.
- Müller, F. 2009. New records and new synonyms for the Chilean moss flora. *Tropical Bryology* **30**: 76–83.
- Müller, F. & Pereira, I. 2006. The bryophyte flora of nature reserves in central Chile. 1. The moss flora of Los Ruiles Nature Reserve, near Talca. *Tropical Bryology* **27**: 55–66.
- Müller, F. & Pursell, R. 2003. The genus *Fissidens* (Musci, Fissidentaceae) in Chile. *Journal of the Hattori Botanical Laboratory* **93**: 117–139.
- Mullen, D. & Frye, T.C. 1947. Middle and South American species of *Oligotrichum*. *The Bryologist* **50**: 67–79.
- Muñoz, C. & Pisano, C. 1947. Estudio de la vegetación y flora de los Parques Nacionales de Fray Jorge y Talinai. – Ministerio de Agricultura. Santiago, Chile. Apartado de Agricultura Técnica N°2, 190 pp.
- Muñoz, J. 1999. A revision of *Grimmia* (Musci, Grimmiaceae) in the Americas. 1: Latin America. *Annals of the Missouri Botanical Garden* **86**: 118–191.
- Muñoz, J. & Pando, F. 2000. A world synopsis of the genus *Grimmia*. *Monographs in Systematic Botany from the Missouri Botanical Garden* **83**, 133 p.
- Newton, M.E. 1974. Notes on Antarctic bryophytes: V. *Brachythecium majusculum* M. E. Newton, sp. nov. *British Antarctic Survey Bulletin* **39**: 45–48.
- Newton, M.E. 1977. A synoptic flora of South Georgian mosses: VI. *Cheilothela*, *Dicranella*, *Distichium*, *Myurella* and *Catagonium*. *British Antarctic Survey Bulletin* **46**: 1–21.
- Nishimura, N. & Kanda, H. 1990. *Mittenothamnium deguchi*, a new moss species from southern Chile. *The Bryologist* **93**: 275–278.
- Nyholm, E. 1971. Studies in the genus *Atrichum* P. Beauv. A short survey of the genus and the species. *Lindbergia* **1**: 1–33.
- Ochi, H. 1968. A revision of the family Funariaceae (Musci) in Japan and the adjacent regions. *Japanese Journal of Botany* **20**: 1–34.
- Ochi, H. 1970. A revision of the subfamily Bryoideae in Australia, Tasmania, New Zealand and the adjacent islands. *Journal of the Faculty of Education, Tottori University, Natural Science* **21**: 7–67.
- Ochi, H. 1977. Central and South American bryaceous mosses, new to science or of geographical significance. *Journal of the Faculty of Education, Tottori University, Natural Science* **27**: 33–41.
- Ochi, H. 1980. A revision of the Neotropical Bryoideae, Musci (First Part). *Journal of the Faculty of Education, Tottori University, Natural Science* **29** (2): 49–154.
- Ochi, H. 1981. A revision of the Neotropical Bryoideae, Musci (Second Part). *Journal of the Faculty of Education, Tottori University, Natural Science* **30**: 21–55.
- Ochi, H. 1982. A revision of the Bryoideae (Musci) in southern South America. *Journal of the Faculty of Education, Tottori University, Natural Science* **31**: 11–47, 17 fig.
- Ochi, H. 1990. Bryaceous mosses as the source of distributional records from the Andes region. *Bulletin of the National Science Museum, (Tokyo) Series B, Botany* **16**(2): 61–71.
- Ochi, H. & Mahu, M. 1988. Supplement to the Bryoideae (Bryaceae, Musci) in South America. *Hikobia* **10**: 221–223.
- Ochyra, R. 1987a. A revision of the moss genus *Sciaromium* (Mitt.) I. General remarks and the section *Aloma* Dusén. *Journal of Bryology* **14**: 453–464.
- Ochyra, R. 1987b. A revision of the moss genus *Sciaromium* (Mitt.) II. The section *Limbidium* Dusén, with a description of *Vittia* gen. nov. (Vittiacae, Fam. Nov.). *Journal of the Hattori Botanical Laboratory* **62**: 387–415.
- Ochyra, R. 1989. Animadversions on the moss genus *Cratoneuron* (Sull.) Spruce. *Journal of the Hattori Botanical Laboratory* **67**: 203–242.
- Ochyra, R. 1993a. Antipodal mosses: I. A revision of the genus *Holodontium* (Seligeriaceae). *Fragmenta Floristica et Geobotanica* **38**: 75–98.
- Ochyra, R. 1993b. New synonyms of *Racomitrium lamprocarpum* (Musci, Grimmiaceae). *Fragmenta Floristica et Geobotanica* **38**: 738–741.
- Ochyra, R. 1994. Anipodal mosses: III. Taxonomic status of the genus *Monocranum* (Dicranaceae). *Fragmenta Floristica et Geobotanica* **39**: 453–460.
- Ochyra, R. 1998. The moss flora of King George Island, Antarctica. – Cracow, 279 pp.

- Ochyra, R.** 1999a. *Ditrichum austrogeorgicum*: a synonym of *D. hyalinum* (Musci, Ditrichaceae). *Cryptogamie, Bryologique* **20**: 247–253.
- Ochyra, R.** 1999b. Antipodal mosses: XI. Additional new synonyms of *Anisothecium hookeri* (Dicranaceae). *Fragmenta Floristica et Geobotanica* **44**: 233–238.
- Ochyra, R.** 1999c. The taxonomic status of two varieties of *Ditrichum* (Musci, Ditrichaceae) from southern South America. *Fragmenta Floristica et Geobotanica* **44**: 504–506.
- Ochyra, R.** 2004a. New moss records from the Falkland Islands. *Journal of Bryology* **26**: 226–230.
- Ochyra, R.** 2004b. Antipodal mosses: XV. Taxonomy and distribution of *Schistidium cupulare* (Bryopsida, Grimmiaceae). *Polish Polar Research* **25**: 123–133.
- Ochyra, R. & Bednarek-Ochyra, H.** 1997. The type specimen of *Leptotrichum praealtum* (Musci, Ditrichaceae). *Fragmenta Floristica et Geobotanica* **42**: 567–570.
- Ochyra, R., Bednarek-Ochyra, H. & Lewis-Smith, R.I.** 2002. New and rare moss species from subantarctic South Georgia. *Nova Hedwigia* **74**: 121–147.
- Ochyra, R. & Buck, W.R.** 2003. *Arctoa fulvella*, new to Tierra del Fuego, with notes on Trans-American bipolar bryogeography. *The Bryologist* **106**: 532–538.
- Ochyra, R. & Deguchi, H.** 1999. *Ditrichum gemmiferum* (Musci, Ditrichaceae) in Chile. *Fragmenta Floristica et Geobotanica* **44**: 509–511.
- Ochyra, R. & Hertel, H.** 1990. Contribution to the moss flora of the subantarctic island Marion. *Polish Botanical Studies* **1**: 19–34.
- Ochyra, R. & Lewis-Smith, R.I.** 1998. Antarctic species in the genus *Ditrichum* (Ditrichaceae, Bryopsida), with a description of *D. hyalinum* sp. nov. *Annales Botanici Fennici* **35**: 33–53.
- Ochyra, R., Lewis-Smith, R.I. & Bednarek-Ochyra, H.** 2008. The Illustrated Moss Flora of Antarctica. Cambridge, Cambridge University Press, 685 pp.
- Ochyra, R. & Mahu, M.** 1988. *Richardsiopsis lacustris* (Herzog & Rich.) Ochyra in Chile. *Journal of Bryology* **15**: 238.
- Ochyra, R. & Mahu, M.** 1990. *Cochlearidium aymaranum*, a strange new genus and species of Cochlearidiaceae (fam. nov.) from Chile. *Journal of Bryology* **16**: 215–222.
- Ochyra, R. & Matteri, C.M.** 1996. Nomenclatural changes in South American and sub-Antarctic mosses. *Fragmenta Floristica et Geobotanica* **41**: 1005–1010.
- Ochyra, R. & Matteri, C.M.** 2001. Amblystegiaceae. – In: *Flora Criptogamica de Tierra del Fuego* **14** (10), 96 pp.
- Ochyra, R. & Newton, M.E.** 1986. The taxonomy and distribution of *Dicranella cardotii* (R.Br. ter.) Dixon, an addition to the moss flora of Antarctica. *Lindbergia* **11**: 94–98.
- Ochyra, R. & Zander, R.H.** 2007. Is *Tortula lithophila* conspecific with *Sarconeurum glaciale* (Bryopsida: Pottiaceae)? *Fragmenta Floristica et Geobotanica Polonica* **14**: 209–212.
- Padberg, M. & Frahm, J.-P.** 1985. Monographie der Gattung *Atracylocarpus* Mitt. (Dicranaceae). *Cryptogamie: Bryologie, Lichénologie* **6**: 315–341.
- Paris, E.G.** 1894–1900. Index Bryologicus. 1<sup>st</sup> ed. Vol. 1–5. Paris.
- Paris, E.G.** 1903–1906. Index Bryologicus. 2<sup>nd</sup> ed. Vol. 1–5. Paris.
- Pereira, I., Müller, F. & Valderrama, A.** 2006. Diversity and distribution of Bryophytes and Lichens of El Colorado, Central Chile. *Nova Hedwigia* **83**: 117–127.
- Perrier, C.** 2005. Aperçu de la bryoflore de l'Archipel Juan Fernández, au Chili. *Bulletin Mensuel de la Société Linnéenne de Lyon* **74**: 19–30.
- Podpěra, J.** 1973. *Bryum Generis Monographiae Prodromus*. I. 1. Species Eurasiae Septentrionalis. Pars 16. Systematica. Subsect. 8. *Pseudotriquetra* Amann. Academia: Prague. 257 pp.
- Pursell, R.A.** 1994. Taxonomic notes on Neotropical *Fissidens*. *The Bryologist* **97**: 253–271.
- Quandt, D., Frahm, J.-P. & Frey, W.** 2001. Patterns of molecular divergence within the palaeoaustral genus *Weymouthia* Broth. (Lembophyllaceae, Bryopsida). *Journal of Bryology* **23**: 305–311.
- Rao, P.** 2001. Monographic studies on *Cryphaea* (Bryopsida). *Bryobrothera* **7**, 112 pp.
- Reimers, H.** 1926. Beiträge zur Bryophytenflora Südamerikas. I. Die von Pater A. Hollermeyer in Chile 1918/1923 gesammelten Leber- und Laubmoose. *Hedwigia* **66**: 27–78.
- Reimers, H.** 1936. Über die Laubmoosgattungen *Bryoporteria* Thér., *Camptodontium* Dus., *Hymenoloma* Dus., *Verrucidens* Card. und ihre systematische Stellung. *Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem* **13** (116): 36–52.

- Robinson, H.** 1964. Five Bryophytes of interest from Chile. *The Bryologist* **67**: 53–55.
- Robinson, H.** 1970. Notes on the moss genera *Camptochaete*, *Physcomitrium* and *Ptychomnion* in Chile. *Phytologia* **20**: 329–331.
- Robinson, H.E.** 1972. Observations on the origin and taxonomy of the Antarctic moss flora. *Antarctic Research Series, American Geophysical Union* **20**: 163–177.
- Robinson, H.** 1974. Notes on the mosses of Juan Fernandez and southern South America. *Phytologia* **29**: 116–120.
- Robinson, H.** 1975. The mosses of Juan Fernández Islands. *Smithsonian Contributions to Botany* **27**, 88 pp.
- Rovainen, H.** 1934. Musci nonnulli ex Chile austrocentrali. *Annales Botanici Societatis Zoologicae-Botanicae Fenniae "Vanamo"* **5**: 30–36.
- Rovainen, H.** 1937. Bryological investigations in Tierra del Fuego. 1. Sphagnaceae-Dicranaceae. *Annales Botanici Societatis Zoologicae-Botanicae Fenniae "Vanamo"* **9**: I–X, 1–58.
- Rovainen, H.** 1955a. Contribution to the fuegian species of the genus *Racomitrium* Bridel. *Archivum Societatis Zoologicae Botanicae Fenniae "Vanamo"* **9**: 85–98.
- Rovainen, H.** 1955b. *Bucklandia bartramii*, a new genus and species of leaf moss from Tierra del Fuego. *Archivum Societatis Zoologicae Botanicae Fenniae "Vanamo"* **9**: 98–100.
- Rushing, A.E.** 1986. A revision of the genus *Bruchia* Schwaegr. (Musci). *Journal of the Hattori Botanical Laboratory* **60**: 35–83.
- Sainsbury, G.O.K.** 1955. A handbook of the New Zealand mosses. *Bulletin of the Royal Society of New Zealand* **5**, 490 pp.
- Salmon, E.S.** 1903. A monograph of the genus *Streptopogon* Wils. *Annals of Botany (London)* **17**: 107–150.
- Sastre-de Jesus, I.** 1987. A revision of the Neckeraceae Schimp. and the Thamnobryaceae Marg. & Dur. in the Neotropics. xi + 233 pp. Doctoral dissertation. University Microfilms, Ann Arbor.
- Schaumann, F.** 2005. Terricolous bryophyte vegetation of Chilean temperate rain forests: communities, adaptive strategies and divergence patterns. *Bryophytorum Bibliotheca* **62**: 1–154 + 14 pp. unpaginated appendices + 3 pp. index + 3 appendices in pocket.
- Schiavone, M.M.** 1993. Bryophyta Musci: Polytrichinales. In: Guarnera, S.A., Gamundi de Amos, I. & Rabinovich de Halperin, D. (eds.), *Flora Criptogámica de Tierra del Fuego* **14**(12): 1–61. Consejo Nacional de Investigaciones Científicas y Técnicas de la República Argentina, Buenos Aires.
- Schiavone, M.M. & Hyvönen, J.** 1991. Distribution maps of mosses from Tierra del Fuego, Argentina. 3. *Lindbergia* **17**: 47–49.
- Schiavone, M.M. & Hyvönen, J.** 1993. Distribution maps of mosses from Tierra del Fuego, Argentina. 4. *Lindbergia* **18**: 113–115.
- Schimpfer, W.P.** 1836. Muscorum chilensium species novas descriptis. *Annales des Sciences Naturelles, Botanique, sér. 2*, **6**: 145–149.
- Schultze-Motel, W.** 1970. Monographie der Laubmoosgattung *Andreaea* I. Die costataen Arten. *Willdenowia* **6**: 25–110.
- Seki, T.** 1974. A moss flora of provincia de Aisén, Chile. Results of the second scientific expedition to Patagonia by Hokkaido and Hiroshima Universities, 1967. *Journal of Science of Hiroshima University, Series B, Division 2 (Botany)* **15**(1): 9–101.
- Seppelt, R.D.** 1982. A monographic revision of the genus *Ditrichum* (Musci: Ditrichaceae). I. Australian and New Zealand species. *Journal of the Hattori Botanical Laboratory* **51**: 99–150.
- Sérgio, C.** 1981. Une nouvelle mousse de Madère *Thamnobryum fernandesii* n. sp. *Boletim da Sociedade Broteriana, Series 2*, **53**: 1123–1136.
- Shaw, J.** 1982. *Pohlia* Hedw. (Musci) in North and Central America and the West Indies. *Contributions from the University of Michigan Herbarium* **15**: 219–295.
- Shaw, J.** 1987. Systematic studies on the Bryaceae. *Memoirs of the New York Botanical Garden* **45**: 682–690.
- Shaw, A.J. & Goffinet, B.** 2000. Molecular evidence of reticulate evolution in the peatmosses (*Sphagnum*), including *S. ehyalinum* sp. nov. *The Bryologist* **103**: 357–374.
- Smith, A.J.E.** 2004. The Moss Flora of Britain and Ireland. 2nd ed. Cambridge, 1012 pp.
- Smith, G.L.** 1969. On *Atrichopsis*, with notes on some austral *Psilotypum* species (Polytrichaceae). *Bulletin of the Torrey Botanical Club* **96**: 60–69.
- Smith, G.L.** 1971. Conspectus of the genera of Polytrichaceae. *Memoirs of the New York Botanical Garden* **21**(3): 1–83.

- Smith Merrill, G.L.** 1996. *Hebantia*, a new genus of Polytrichaceae (Bryophyta). *Journal of the Hattori Botanical Laboratory* **80**: 247–250.
- Sollman, P.** 1995 [1996]. Studies on Australian pottiaceous mosses. *Lindbergia* **20**: 144–146.
- Stech, M., Pfeiffer, T. & Frey, W.** 2002. Chloroplast DNA relationship in palaeoaustral *Polytrichadelphus magellanicus* (Hedw.) Mitt. (Polytrichaceae, Bryopsida). *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* **124**: 217–226.
- Stone, I.G.** 1994. *Fissidens* section *Crenularia* C. Muell. in Australia. *Journal of Bryology* **18**: 169–180.
- Stone, I.G. & Scott, G.A.M.** 1973. Name changes in Australian mosses. *Journal of Bryology* **7**: 603–605.
- Streimann, H.** 1999. Taxonomic studies on Australian Hookeriaceae (Musci) 2. The genera *Distichophyllum* and *Bryobrothera*. *Journal of the Hattori Botanical Laboratory* **86**: 89–119.
- Streimann, H.** 2001. *Weymouthia cochlearifolia* (Schwägr.) Dixon (Lembophyllaceae-Musci) in Australia, and some notes on *W. mollis* (Hedw.) Broth. *Journal of the Hattori Botanical Laboratory* **91**: 289–294.
- Suárez, G. & Schiavone, M.** 2005. [Abstract] Sobre la filogenia de *Pohlia integra* (Cardot) Shaw (Bryaceae, Musci). *Boletín de la Sociedad Argentina de Botánica* **40** (Suplemento): 41.
- Suárez, G. & Schiavone, M.** 2008. *Pohlia chilensis* (Mniaceae), an Afro-American moss. *The Bryologist* **111**: 318–322.
- Sullivant, W.S.** 1850. Notices of several new species of mosses and Hepaticae from Tierra del Fuego. *Hooker's Journal of Botany and Kew Garden Miscellany* **2**: 315–318.
- Tangney, R.S. & Fife, A.J.** 1997. The occurrence of *Ptychomnion densifolium* in New Zealand. *Journal of Bryology* **19**: 819–825.
- Tangney, R.S. & Fife, A.J.** 2003. A review of the genus *Fallaciella* (Bryopsida: Lembophyllaceae), including a new species from South Island, New Zealand. *Journal of Bryology* **25**: 121–128.
- Thériot, I.** 1911. *Breutelia* (Eubreutelia) *subplicata* Broth. sp. nov. *Revista Chilena de Historia Natural* **15**: 38–39.
- Thériot, I.** 1915. Sur quelques mousses recueillies au Chili par le Prof. Carlos E. Porter. *Revista Chilena de Historia Natural* **19**: 30–37.
- Thériot, I.** 1917. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **21**: 6–37.
- Thériot, I.** 1918. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **22**: 79–94.
- Thériot, I.** 1921. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **25**: 289–312.
- Thériot, I.** 1923. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **27**: 9–15.
- Thériot, I.** 1924. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **28**: 129–139.
- Thériot, I.** 1925. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **29**: 287–292.
- Thériot, I.** 1926. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **30**: 341–361.
- Thériot, I.** 1927a. Mousses recoltees dans l'ile Mas a Tierra (Juan Fernández) en 1927, por M. Gualterio Looser. *Revista Chilena de Historia Natural* **31**: 257.
- Thériot, I.** 1927b. Le genre *Funaria* au Chili. *Revista Chilena de Historia Natural* **31**: 30–37.
- Thériot, I.** 1928. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **32**: 252–255.
- Thériot, I.** 1929a. Le genre *Leptodontium* au Chili. *Revista Chilena de Historia Natural* **33**: 515–517.
- Thériot, I.** 1929b. Mousses du Chili austral. Recoltees par le Prof. Thaxter, de Cambridge, Massachusetts. *Revue Bryologique, n. s., 2*: 165–166.
- Thériot, I.** 1930. Contribution a la flore bryologique du Chili. *Revista Chilena de Historia Natural* **34**: 258–262.
- Thériot, I.** 1933. *Bryoporteria* nouveau genre de la famille Seligeriaceae. *Revista Chilena de Historia Natural* **37**: 23–25.
- Thériot, I.** 1934a [1935]. Quelques mousses du Chili austral recoltees a Freire par Mr. Raul Gillet L., en Fevrier 1934. *Revista Chilena de Historia Natural* **38**: 83–85.
- Thériot, I.** 1934b [1935]. Contribution a la flore bryologique du Chili. *Revue Bryologique et Lichenologique* **7**: 167–183.

- Thériot, I.** 1935 [1936]. Contribution à la flore bryologique du Chili. *Revista Chilena de Historia Natural* **39**: 16–21.
- Thériot, I.** 1937. Mousses de l'île-de-Pâques. *Revue Bryologique et Lichenologique* **10**: 74–77.
- Touw, A.** 2001. A review of the Thuidiaceae (Musci) and a realignment of taxa traditionally accommodated in *Thuidium* sensu amplio (*Thuidium* Schimp., *Thuidiopsis* (Broth.) M.Fleisch., and *Pelekium* Mitt.), including *Aequatoriella* gen. nov. and *Indothuidium* gen. nov. *Journal of the Hattori Botanical Laboratory* **90**: 167–209.
- Vanderpoorten, A., Goffinet, B., Hedenäs, L., Cox, C.J. & Shaw, A.J.** 2003. A taxonomic reassessment of the Vittiacae (Hypnales, Bryopsida): evidence from phylogenetic analyses of combined chloroplast and nuclear sequence data. *Plant Systematics and Evolution* **241**: 1–12.
- Villagrán, C., Barrera, E., Cuvertino, J. & García, N.** 2003. Musgos de la Isla Grande de Chiloé, X region, Chile: Lista de especies y rasgos fitogeográficos. *Boletín del Museo Nacional de Historia Natural, Chile*, **52**: 17–44.
- Villagran, C., Armesto, J., Hinojosa, L.F., Cuvertino, J., Perez, C. & Medina, C.** 2004. El enigmático origen del bosque relicto de Fray Jorge. – In: Squeo, F.A., Gutierrez, J.R. & Hernandez, I.R. (eds.), Historia Natural del Parque Nacional Bosque Fray Jorge. La Serena.
- Vitt, D.H.** 1976. A monograph of the genus *Muelleriella* Dusén. *Journal of the Hattori Botanical Laboratory* **40**: 91–113.
- Vitt, D.H.** 1979. The moss flora of the Auckland Islands, New Zealand, with a consideration of habitats, origins and adaptations. *Canadian Journal of Botany* **57**: 2226–2263.
- Vitt, D.H.** 1980. The genus *Macrocoma* I. Typification of names and taxonomy of the species. *The Bryologist* **83**: 405–436.
- Vitt, D.H. & Marsh, C.** 1988. Population variation and phytogeography of *Racomitrium lanuginosum* and *R. pruiniosum*. *Nova Hedwigia* **90**: 235–260.
- Walther, K.** 1940. Revision des Verwandtschaftskreises von *Polytrichum piliferum* Schreb. *Repertorium Specierum Novarum Regni Vegetabilis* **48** (12–20): 251–255.
- Warburg, E.F.** 1962. New combinations in British mosses. *Transactions of the British Bryological Society* **4** (2): 247–248.
- Warnstorff, C.** 1911. Sphagnales-Sphagnaceae. – In: Engler, A. (ed.): Das Pflanzenreich. Regni vegetabilis conspectus. Leipzig: Engelmann.
- Warnstorff, C.** 1916. *Pottia*-Studien als Vorarbeiten zu einer Monographie des Genus *Pottia* Ehrh. sens. str. *Hedwigia* **58**: 35–152.
- Wijk, R. van der & Margadant, W.D.** 1959. New Combinations in mosses II. *Taxon* **8**: 70–75.
- Wijk, R. van der, Margadant, W.D. & Florschuetz, P.A.** 1959. Index Muscorum. 1 (A–C). *Regnum Vegetabile* **17**: i–xxviii, 1–548.
- Wijk, R. van der & Margadant, W.D.** 1961. New combinations in mosses. VI. *Taxon* **10**: 24–26.
- Wijk, R. van der, Margadant, W.D. & Florschuetz, P.A.** 1962. Index Muscorum. 2 (D–Hypno). *Regnum Vegetabile* **26**: 1–535.
- Wijk, R. van der, Margadant, W.D. & Florschuetz, P.A.** 1964. Index Muscorum. 3 (Hypnum–O). *Regnum Vegetabile* **33**: 1–529.
- Wijk, R. van der, Margadant, W.D. & Florschuetz, P.A.** 1967. Index Muscorum 4 (P–S). *Regnum Vegetabile* **48**: 1–604.
- Wijk, R. van der, Margadant, W.D. & Florschuetz, P.A.** 1969. Index Muscorum. 5 (T–Z, Appendix). *Regnum Vegetabile* **65**: i–xii, 1–922.
- Williams, R.S.** 1915. Mosses from the west coast of South America. *Bulletin of the Torrey Botanical Club* **42**: 393–404.
- Williams, R.S.** 1924. *Orthorrhynchium chilensis* sp. nov. *The Bryologist* **27**: 87–88.
- Zander, R.H.** 1972. Revision of the genus *Leptodontium* (Musci) in the New World. *The Bryologist* **75**: 213–280.
- Zander, R. H.** 1977. The tribe Pleuroweisieae (Pottiaceae, Musci) in Middle America. *The Bryologist* **80**: 233–269.
- Zander, R.H.** 1978. A synopsis of *Bryoerythrophyllum* and *Morinia* (Pottiaceae) in the New World. *The Bryologist* **81**: 539–560.

- Zander, R.H. 1979. Notes on *Barbula* and *Pseudocrossidium* (Bryopsida) in North America and an annotated key to the taxa. *Phytologia* **44**: 177–214.
- Zander, R. H. 1989. Seven new genera in Pottiaceae (Musci) and a lectotype for *Syntrichia*. *Phytologia* **65**: 424–436.
- Zander, R.H. 1993. Genera of the Pottiaceae: mosses of harsh environments. *Bulletin of the Buffalo Society of Natural Sciences* **32**. vi + 378 pp.
- Zander, R.H. & Mahu, M. 1999. A New Species of *Hennediella* from Chile. *The Bryologist* **102**: 349–351.
- Zanten, B.O. van 1971. Musci. In: Zinderen Bakker, E.M. van, Winterbottom, J.M. & Dyer, R.A. (eds), Marion and Prince Edward Islands. Balkema, Capetown, pp 173–236.
- Zanten, B.O. van 1993. Beschouwingen over de identiteit en herkomst van *Racopilum chilense*. *Buxbaumiella* **30**: 45–49.
- Zanten, B.O. van 2006. A synoptic review of the Racopilaceae (Bryophyta, Musci). 1. Asian, Pacific and Australasian species of the genus *Racopilum*. *Journal of the Hattori Botanical Laboratory* **100**: 527–552.
- Zomlefer, W. 1993. A revision of *Rigodium* (Musci: Rigodiaceae). *The Bryologist* **96**: 1–72.

**Internet sources:**

NY: Online Specimen Catalogues of the herbarium of the New York Botanical Garden, 03 Jun 2009, <<http://www.nybg.org/bsci/herb/>>

Tropicos: Tropicos.org. Missouri Botanical Garden. 03 Jun 2009 <<http://www.tropicos.org>>

**Address of the author:**

Frank Müller, Technische Universität Dresden, Institut für Botanik, D-01062 Dresden, Germany;  
e-mail: Frank.Mueller@tu-dresden.de