

# INSECTA MUNDI

A Journal of World Insect Systematics

---

**0494**

Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae)  
types of the Field Museum of Natural History (FMNH),  
with a brief history of the Coleoptera collection

Eugenio H. Nears  
Purdue Entomological Research Collection  
Department of Entomology, Purdue University  
B28 Smith Hall, 901 West State Street  
West Lafayette, IN 47907 U.S.A.

Crystal A. Maier  
Field Museum of Natural History  
Chicago, IL 60605 U.S.A.

Date of Issue: June 24, 2016

Eugenio H. Nearn and Crystal A. Maier  
Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the  
Field Museum of Natural History (FMNH), with a brief history of the Coleoptera  
collection  
Insecta Mundi 0494: 1–7

ZooBank Registered: [urn:lsid:zoobank.org:pub:5ED4D384-58EE-44D2-92F5-F3F5AFD00679](http://urn:lsid:zoobank.org:pub:5ED4D384-58EE-44D2-92F5-F3F5AFD00679)

**Published in 2016 by**

Center for Systematic Entomology, Inc.  
P. O. Box 141874  
Gainesville, FL 32614-1874 USA  
<http://centerforsystematicentomology.org/>

**Insecta Mundi** is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

**Insecta Mundi** is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

**Chief Editor:** Paul E. Skelley, e-mail: [insectamundi@gmail.com](mailto:insectamundi@gmail.com)  
**Assistant Editor:** David Plotkin, e-mail: [insectamundi@gmail.com](mailto:insectamundi@gmail.com)  
**Head Layout Editor:** Eugenio H. Nearn  
**Editorial Board:** J. H. Frank, M. J. Paulsen, Michael C. Thomas  
**Review Editors:** Listed on the **Insecta Mundi** webpage

**Manuscript Preparation Guidelines and Submission Requirements** available on the **Insecta Mundi** webpage at: <http://centerforsystematicentomology.org/insectamundi/>

**Printed copies (ISSN 0749-6737) annually deposited in libraries:**

CSIRO, Canberra, ACT, Australia  
Museu de Zoologia, São Paulo, Brazil  
Agriculture and Agrifood Canada, Ottawa, ON, Canada  
The Natural History Museum, London, UK  
Muzeum i Instytut Zoologii PAN, Warsaw, Poland  
National Taiwan University, Taipei, Taiwan  
California Academy of Sciences, San Francisco, CA, USA  
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA  
Field Museum of Natural History, Chicago, IL, USA  
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA  
Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

**Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:**

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.  
Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>  
University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>  
Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

**Copyright** held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

**Layout Editor for this article:** Eugenio H. Nearn

---

---

Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the Field Museum of Natural History (FMNH), with a brief history of the Coleoptera collection

Eugenio H. Nearn

Purdue Entomological Research Collection  
Department of Entomology, Purdue University  
B28 Smith Hall, 901 West State Street  
West Lafayette, IN 47907 U.S.A.  
enearn@purdue.edu

Crystal A. Maier

Field Museum of Natural History  
Chicago, IL 60605 U.S.A.  
cmaier@fieldmuseum.org

**Abstract.** The primary types of Onciderini Thomson, 1860 of the Field Museum of Natural History (FMNH) are catalogued and illustrated. Data on the original combination, current name, gender, and type locality are verified and presented. There are 14 primary types of Onciderini including five in *Oncideres* Lacordaire, 1830; three in *Charoides* Dillon and Dillon, 1945; and two in *Jamesia* Jekel, 1861. Of the 14 primary types, 13 were described by L.S. Dillon and E.S. Dillon. One lectotype is designated. A brief history of the Coleoptera collection at the FMNH is also presented.

**Key words.** Catalog, Holotypes, Neotropical

## Introduction

The tribe Onciderini Thomson, 1860 (Cerambycidae: Lamiinae) is widely distributed in the New World from North America to southern South America (Monné 2016; Tavakilian and Chevillotte 2015). Dillon and Dillon (1945, 1946) provided the only major revision of the tribe and Nearn and Swift (2011) provided a brief review of the taxonomic history of the tribe.

Recent work by Lingafelter et al. (2014), Nearn and Androw (2013), Nearn and Santos-Silva (in press), Nearn and Swift (2011), Nearn and Tavakilian (2012a, 2012b, 2015a, 2015b), and Nearn et al. (2011, 2014) has resulted in the photography of nearly all Onciderini primary type specimens. In this work, we present the 14 primary types of Onciderini deposited at the Field Museum of Natural History (FMNH), Chicago, USA, most of which have never been published in color. Among these are five primary types in *Oncideres* Lacordaire, 1830; three in *Charoides* Dillon and Dillon, 1945; and two in *Jamesia* Jekel, 1861. Nearly all (13 of 14) of the primary types were described by Lawrence S. Dillon and Elizabeth S. Dillon. In addition, one lectotype is here designated in order to stabilize the taxonomy and facilitate further identifications within this tribe. A brief history of the FMNH Coleoptera collection is also presented.

## A Brief History of the FMNH Coleoptera Collection (emphasis on Cerambycidae)

The Field Museum of Natural History (FMNH) was established in 1893 in Jackson Park, Chicago, USA, as part of the World's Columbian Exposition. After the exposition, Marshall Field donated funds to establish a permanent museum and the museum's name was changed to the Field Museum of Natural History in 1903. In 1921, the museum moved to its current home on the shores of Lake Michigan. The museum is home to over 30 million specimens across the fields of zoology, botany, anthropology, and geology. The Division of Insects' holdings of worldwide Arthropoda (excluding Crustacea) rank fifth in overall size among North American collections and are of worldwide importance for many groups. The collection presently includes roughly 4.2 million pinned insects plus 8.4 million specimens or lots in alcohol or on microscope slides. In addition, there are over 17,000 partly sorted "bulk samples" from

traps or leaf litter extractions. Collection strengths include ants, bat flies, lice, Coleoptera, myriapods, scorpions, butterflies, and moths.

The best represented and most heavily used order in the collection is the Coleoptera, with comprehensive material at family and generic levels. The strongest collection is the Staphylinidae or rove beetle collection, with nearly one million specimens in nearly 20,000 described species. The Palaearctic (Eurasian and North African) holdings are the most extensive in the Western Hemisphere, as are collections from Australia, New Zealand, the Philippines, and Micronesia for many families. Central and South America are also well represented, including the Luis Peña collection, which is possibly the largest collection of Chilean beetles in existence. From North America, the Norville M. Downie collection provides nearly complete species representation for the northeastern United States (Downie and Arnett 1994). The holdings of Histeridae, Ptiliidae, Leiodidae, Cleridae, Mordellidae, and Lucanidae are unmatched among New World collections for world representation of genera and species. Other families of Coleoptera with significant holdings include South American and world genera of Tenebrionidae, and North American Elateridae, Buprestidae, Cleridae, aquatic Byrrhoidea, and Cerambycidae.

At last inventory (Chemsak 1977), the FMNH's insect collection had over 23,000 specimens of Cerambycidae with 125 primary types. The collection has grown substantially since then. For example, in 2015, an inventory of material from the Great Lakes states alone yielded nearly 22,000 specimens of longhorn beetles. Cerambycidae in the FMNH received a huge boost from the acquisition in 1965 of the Dillon and Dillon collection, an assemblage of over 3,700 Cerambycidae, comprising 919 identified species, 19 holotypes, and 272 paratypes. The Cerambycidae collection grew further with the donation of the Josef N. Knull collection, which represents 80–90% of the known cerambycid fauna for North America and the Norville M. Downie collection, which provided complete species representation for the northeastern USA. The FMNH is also home to an unusual collection of longhorn beetles — the collection of retired radiologist Dr. Ulrich Danckers. This odd collection was donated to the FMNH in 2011, and is specially focused on beetles, mostly Cerambycidae, that are larger than 50 mm. This collection also includes several types of species described by Dr. Danckers himself.

## Methods

Type specimens are listed in alphabetical order by original combination. The text for each primary type is arranged as follows: the first line contains the original combination, author, year, and page number. This is followed by the figure number of the dorsal habitus and label images if available. The second line is the type of type (holotype or lectotype) and gender if known. The third line is the type locality to the most specific level possible based on the label data, literature, and other data. Country and province/state are listed in most cases, even if these data are not present on the label or in the original literature. The fourth line is the current name, if different from the original combination, based on Bezark (2016), Monné (2016), and Tavakilian and Chevillotte (2015). In some instances, there is a “Remarks” section where additional information such as inconsistencies with the label(s), or other applicable historical information is presented. Details concerning specimens and label data can be seen in Fig. 1–14.

Photographs were taken with Visionary Digital's Passport Storm imaging system fitted with a Canon EOS 40D.

## Primary Types of Onciderini Thomson, 1860

***Cacostola fuscata* Dillon and Dillon, 1952: 71** (Fig. 1a, b)

Holotype, female

**Type locality.** “Amazonas”

***Charoides hebes* Dillon and Dillon, 1945: 59** (Fig. 2a, b)

Holotype, female

**Type locality.** Peru, Quiroz

**Current name.** *Tulcus hebes* (Dillon and Dillon, 1945)



Figures 1–6. Six species of Onciderini. **Fig. 1.** *Cacostola fuscata* Dillon and Dillon (a, dorsal habitus; b, labels). **Fig. 2.** *Charoides hebes* Dillon and Dillon (a, dorsal habitus; b, labels). **Fig. 3.** *Charoides obliquefasciata* Dillon and Dillon (a, dorsal habitus; b, labels). **Fig. 4.** *Charoides subcostata* Dillon and Dillon (a, dorsal habitus; b, labels). **Fig. 5.** *Clavidesmus indistinctus* Dillon and Dillon (a, dorsal habitus; b, labels). **Fig. 6.** *Delilah subfasciata* Dillon and Dillon (a, dorsal habitus; b, labels).

***Charoides obliquefasciata* Dillon and Dillon, 1952: 61** (Fig. 3a, b)

Holotype, female

**Type locality.** Brazil, Amazonas, São Paulo de Olivença**Current name.** *Tulcus obliquefasciatus* (Dillon and Dillon, 1952)***Charoides subcostata* Dillon and Dillon, 1945: 61** (Fig. 4a, b)

Holotype, male

**Type locality.** Peru, Quiroz**Current name.** *Tulcus crudus* (Erichson, 1847)***Clavidesmus indistinctus* Dillon and Dillon, 1952: 74** (Fig. 5a, b)

Holotype, female

**Type locality.** Brazil, Bahia***Delilah subfasciata* Dillon and Dillon, 1952: 61** (Fig. 6a, b)

Holotype, female

**Type locality.** Peru, San Martín, Tarapoto***Jamesia duofasciata* Dillon and Dillon, 1952: 59** (Fig. 7a, b)

Holotype, male

**Type locality.** Ecuador, Bolívar, Balzapamba***Jamesia fuscofasciata* Dillon and Dillon, 1952: 60** (Fig. 8a, b)

Holotype, female

**Type locality.** Ecuador, Bolívar, Balzapamba***Oncideres albifasciata* Dillon and Dillon, 1952: 78** (Fig. 9a, b)

Holotype, male

**Type locality.** Brazil**Current name.** *Oncideres bondari* Melzer, 1923***Oncideres albistillata* Dillon and Dillon, 1952: 75** (Fig. 10a, b)

Holotype, male

**Type locality.** Peru, San Martín, Tarapoto***Oncideres jatai* Bondar, 1953: 31** (Fig. 11a, b)

Lectotype, male

**Type locality.** Brazil, Maranhão, Ilha São Luiz**Remarks.** This species was described from a series of four male syntype specimens. This specimen (Fig. 11a, b) is herein designated as the lectotype in order to stabilize the taxonomy and facilitate further identifications of this species.***Oncideres ochreomaculata* Dillon and Dillon, 1952: 77** (Fig. 12a, b)

Holotype, female

**Type locality.** Guyana, Oricabo**Current name.** *Oncideres voetii* Thomson, 1868***Oncideres ochreostillata* Dillon and Dillon, 1952: 75** (Fig. 13a, b)

Holotype, female

**Type locality.** “Santa Dounrya”?***Tybalmia breuningi* Dillon and Dillon, 1952: 66** (Fig. 14a, b)

Holotype, female

**Type locality.** Colombia



Figures 7–12. Six species of Onciderini. Fig. 7. *Jamesia duofasciata* Dillon and Dillon (a, dorsal habitus; b, labels). Fig. 8. *Jamesia fuscofasciata* Dillon and Dillon (a, dorsal habitus; b, labels). Fig. 9. *Oncideres albifasciata* Dillon and Dillon (a, dorsal habitus; b, labels). Fig. 10. *Oncideres albistillata* Dillon and Dillon (a, dorsal habitus; b, labels). Fig. 11. *Oncideres jatai* Bondar (a, dorsal habitus; b, labels). Fig. 12. *Oncideres ochreomaculata* Dillon and Dillon (a, dorsal habitus; b, labels).



Figures 13–14. Two species of Onciderini. **Fig. 13.** *Oncideres ochreostillata* Dillon and Dillon (a, dorsal habitus; b, labels). **Fig. 14.** *Tybalmia breuningi* Dillon and Dillon (a, dorsal habitus; b, labels).

### Acknowledgments

We greatly appreciate assistance from Rebekah Shuman Baquiran (FMNH) and Steven W. Lingafelter (Systematic Entomology Lab, National Museum of Natural History, Washington, DC, USA). Antonio Santos-Silva (São Paulo, Brazil) and Alicia M. Hodson (Integrated Taxonomic Information System (ITIS), National Museum of Natural History, Washington, DC, USA) provided helpful comments to a previous version of this manuscript. For funding and support of this research we thank Jennifer M. Zaspel (Purdue Entomological Research Collection, Purdue University, West Lafayette, IN, USA).

### Literature Cited

- Bezark, L. G. 2016.** Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae, (Coleoptera) of the Western Hemisphere. (Available at ~ <https://apps2.cdfa.ca.gov/publicApps/plant/bycidDB/wdefault.asp> . Last accessed June 2016).
- Bondar, G. 1953.** A biologia do gênero *Oncideres* (Col., Cerambycidae) e descrição de nova espécie. *Agronomia* 12(2): 29–31.
- Chemsak, J. A. 1977.** A list of types of Cerambycidae at the Field Museum of Natural History, Chicago. *The Coleopterists Bulletin* 31(2): 173–179.
- Dillon, L. S., and E. S. Dillon. 1945.** The tribe Onciderini (Coleoptera: Cerambycidae) Part I. Reading, Scientific Publications, Reading Public Museum and Art Gallery 5: 1–186.
- Dillon, L. S., and E. S. Dillon. 1946.** The tribe Onciderini (Coleoptera: Cerambycidae) Part II. Reading, Scientific Publications, Reading Public Museum and Art Gallery 6: 189–413.
- Dillon, L. S., and E. S. Dillon. 1952.** The tribe Onciderini. Supplementary notes. *Annals of the Entomological Society of America* 45: 59–79.
- Downie, N. M., and R. H. Arnett, Jr. 1994.** The Beetles of Northeastern North America: A manual of the Coleoptera found in Northeastern North America. 3 volumes. Sandhill Crane Press; Gainesville. 1735 p.
- Lingafelter, S. W., E. H. Nearns, G. L. Tavakilian, M. A. Monné, and M. Biondi. 2014.** Longhorned woodboring beetles (Coleoptera: Cerambycidae and Disteniidae): Primary types of the Smithsonian Institution. Smithsonian Institution Scholarly Press. 390 p.
- Monné, M. A. 2016.** Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. (Available at ~ [http://cerambyxcat.com/Parte2\\_Lamiinae.pdf](http://cerambyxcat.com/Parte2_Lamiinae.pdf) . Last accessed June 2016).



- Nearns, E. H., and R. A. Androw. 2013.** Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) holotypes of the Carnegie Museum of Natural History (CMNH), with a brief history of the Coleoptera collection. *Insecta Mundi* 0316: 1–13.
- Nearns, E. H., and A. Santos-Silva.** [in press] Two new species of Onciderini Thomson, 1860 (Coleoptera, Cerambycidae, Lamiinae) from South America. *Zootaxa*.
- Nearns, E. H., and I. P. Swift. 2011.** New taxa and combinations in Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae). *Insecta Mundi* 0192: 1–27.
- Nearns, E. H., and G. L. Tavakilian. 2012a.** New taxa and combinations in Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from Central and South America, with notes on additional taxa. *Insecta Mundi* 0231: 1–24.
- Nearns, E. H., and G. L. Tavakilian. 2012b.** A new genus and five new species of Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from South America, with notes on additional taxa. *Insecta Mundi* 0266: 1–23.
- Nearns, E. H., and G. L. Tavakilian. 2015a.** Seven new species of *Oncideres* Lacordaire, 1830 (Coleoptera: Cerambycidae: Lamiinae: Onciderini) from South America, with notes on additional taxa. *Arquivos de Zoologia* 46(7): 87–113.
- Nearns, E. H., and G. L. Tavakilian. 2015b.** Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the Muséum national d'Histoire naturelle (MNHN), with a brief history of the Coleoptera collection. *Insecta Mundi* 0459: 1–47.
- Nearns, E. H., Barclay, M. V. L., and G. L. Tavakilian. 2014.** Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of The Natural History Museum (BMNH). *Zootaxa* 3857(2): 261–274.
- Nearns, E. H., Lord, N. P., and K. B. Miller. 2011.** Oncid ID: Tool for diagnosing adult twig girdlers (Cerambycidae: Lamiinae: Onciderini). The University of New Mexico and Center for Plant Health Science and Technology, USDA, APHIS, PPQ. (Available at ~ <http://cerambycids.com/OncidID/> . Last accessed June 2016).
- Tavakilian, G. L., and H. Chevillotte. 2015.** Titan: base de données internationales sur les Cerambycidae ou Longicornes. Version 3.0. (Available at ~ <http://lis-02.snv.jussieu.fr/titan/> . Last accessed June 2016).

**Received June 11, 2016; Accepted June 13, 2016.**

**Review Editor Michael L. Ferro.**

