

Poster presentation

A correspondence-based neural mechanism for position invariant feature processing

Yasuomi D Sato*, Jenia Jistev, Philipp Wolfrum and Christoph von der Malsburg

Address: Frankfurt Institute for Advanced Studies (FIAS), Johann Wolfgang Goethe-University, Ruth-Moufang-Str. 1, Frankfurt am Main, 60438, Germany

Email: Yasuomi D Sato* - sato@fias.uni-frankfurt.de

* Corresponding author

from Eighteenth Annual Computational Neuroscience Meeting: CNS*2009
Berlin, Germany. 18–23 July 2009

Published: 13 July 2009

BMC Neuroscience 2009, **10**(Suppl 1):P366 doi:10.1186/1471-2202-10-S1-P366

This abstract is available from: <http://www.biomedcentral.com/1471-2202/10/S1/P366>

© 2009 Sato et al; licensee BioMed Central Ltd.

Introduction

We here focus on constructing a hierarchical neural system for position-invariant recognition, which is one of the most fundamental invariant recognition achieved in visual processing [1,2]. The invariant recognition have been hypothesized to be done by matching a sensory image of a particular object stimulated on the retina to the most suitable representation stored in memory of the higher visual cortical area. Here arises a general problem: In such a visual processing, the position of the object image on the retina must be initially uncertain. Furthermore, the retinal activities possessing sensory information are being far from the ones in the higher area with a loss of the sensory object information. Nevertheless, with such recognition ambiguity, the particular object can effortlessly and easily be recognized. Our aim in this work is an attempt to resolve such a general recognition problem.

Mechanisms

A first resolution to the problem mentioned above is that we have to show information flow preservation of the object image in the input layer to the higher model layer even through some intermediate layers. This should be achieved even though some object information (here, positions of the object on the input) has been losing. For this, we employ marginalization of feature components over the corresponding positional region on each layer.

The advantage of this marginalization is that the features extracted from an input image are being preserved to project through the higher intermediate layers to the model layer, keeping only necessary positional information of the input. The second problem about positional uncertainty should be resolved by establishing most appropriate projections of earlier layer to the next higher layer. To find the most appropriate projections, a similarity is measured between the model reference features and marginalized features for each layer. Then, taking a maximum operation of the similarity measures, the most appropriate projections are detected to establish a whole connection between the input and model layers, specifying the object position on the input image. Finally, employing a dynamic model of cortical columns [3], we propose a position-invariant object recognition system in a dynamic routing circuit, without any loss of concepts about the position-specific marginalized features mentioned above. Then, we will test and discuss the ability of our proposed system for recognition performance, specifying a correct position of a particular object. Figure 1.




Figure 1
A main concept of the feature hierarchical network system.

Acknowledgements

This work was supported by the Hertie Foundation, by the EU project "Daisy", FP6-2005-015803 and by the German Federal Ministry of Education and Research (BMBF) within the "Bernstein Focus: Neurotechnology" through research grant 01GQ0840.

References

1. Wiskott L: **How does our visual system achieve shift and size invariance.** In *23 Problems in Systems Neuroscience* Edited by: van Hemmen JL, Sejnowski TJ. Oxford University Press; 2004.
2. Olshausen B, Anderson C, Van Essen D: **A multiscale dynamic routing circuit for forming size- and position-invariant object representations.** *J Computational Neuroscience* 1995, **2**:45-62.
3. Wolfurm P, Wolff C, Lücke J, Malsburg C von der: **A recurrent dynamic model for correspondence-based face recognition.** *J Vision* 2008, **8**:1-18.

Publish with **BioMed Central** and every scientist can read your work free of charge

"BioMed Central will be the most significant development for disseminating the results of biomedical research in our lifetime."

Sir Paul Nurse, Cancer Research UK

Your research papers will be:

- available free of charge to the entire biomedical community
- peer reviewed and published immediately upon acceptance
- cited in PubMed and archived on PubMed Central
- yours — you keep the copyright

Submit your manuscript here:
http://www.biomedcentral.com/info/publishing_adv.asp