

# INSECTA MUNDI

A Journal of World Insect Systematics

---

0346

Two new synonyms in species of *Pseudopyrochroa*  
(Coleoptera: Pyrochroidae: Pyrochroinae)

Daniel K. Young  
Department of Entomology  
445 Russell Laboratories  
University of Wisconsin  
Madison, WI 53706-1598 USA

Date of Issue: February 7, 2014

Daniel K. Young

Two new synonyms in species of *Pseudopyrochroa* (Coleoptera: Pyrochroidae: Pyrochroinae)

Insecta Mundi 0346: 1–8

ZooBank Registered: urn:lsid:zoobank.org:pub:ADFC2D3E-032D-43A8-9A2A-2447C13E4ACE

**Published in 2014 by**

Center for Systematic Entomology, Inc.

P. O. Box 141874

Gainesville, FL 32614-1874 USA

<http://centerforsystematicentomology.org/>

**Insecta Mundi** is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

**Insecta Mundi** is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology. Manuscript preparation guidelines are available at the CSE website.

**Managing editor:** Eugenio H. Nearn, e-mail: [gino@nearns.com](mailto:gino@nearns.com)

**Production editors:** Michael C. Thomas, Paul E. Skelley, Brian Armitage, Ian Stocks, Eugenio H. Nearn

**Editorial board:** J. H. Frank, M. J. Paulsen

**Subject editors:** G.B. Edwards, Joe Eger, A. Rasmussen, Gary Steck, Ian Stocks, A. Van Pelt, Jennifer M. Zaspel, Nathan P. Lord, Adam Brunke

**Spanish editors:** Julieta Brambila, Angélico Asenjo

**Website coordinator:** Eugenio H. Nearn

**Printed copies (ISSN 0749-6737) annually deposited in libraries:**

CSIRO, Canberra, ACT, Australia

Museu de Zoologia, São Paulo, Brazil

Agriculture and Agrifood Canada, Ottawa, ON, Canada

The Natural History Museum, London, Great Britain

Muzeum i Instytut Zoologii PAN, Warsaw, Poland

National Taiwan University, Taipei, Taiwan

California Academy of Sciences, San Francisco, CA, USA

Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA

Field Museum of Natural History, Chicago, IL, USA

National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

**Electronic copies (On-Line ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:**

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://edocs.ub.uni-frankfurt.de/volltexte/2010/14363/>

**Author instructions** available on the *Insecta Mundi* page at:

<http://centerforsystematicentomology.org/insectamundi/>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Two new synonyms in species of *Pseudopyrochroa* (Coleoptera: Pyrochroidae: Pyrochroinae)

Daniel K. Young  
Department of Entomology  
445 Russell Laboratories  
University of Wisconsin  
Madison, WI 53706-1598 USA  
young@entomology.wisc.edu

**Abstract.** Examination of the type series of *Schizotus gibbifrons* Lewis 1887 and *Pyrochroa higoniae* Lewis 1895, together with examination of the historical Lewis collection of *Pseudopyrochroa japonica* (Heyden 1879), provide hints as to the conspecificity of these binomials. This evidence, together with concurrent collection events spanning more than 100 years and general anatomy suggests *Pseudopyrochroa japonica* (Heyden 1879) and *Pseudopyrochroa gibbifrons* (Lewis 1887) are conspecific. *Schizotus gibbifrons* Lewis is proposed as a **new junior synonym** of *Pyrochroa japonica* Heyden, where it joins the established synonym, *Pyrochroa higoniae* Lewis (1895). *Schizotus theresae* Pic 1911 is also proposed as a **new junior synonym** of *Pyrochroa basalis* Pic 1906, where it joins a long list of synonyms. Complete synonymies are presented for both species.

**Key Words.** *Pseudopyrochroa basalis* (Pic), *Pseudopyrochroa gibbifrons* (Lewis), *Pseudopyrochroa japonica* (Heyden), *Pseudopyrochroa theresae* (Pic), Pyrochroidae, Indonesia, Japan, new synonym

**Introduction**

While updating a species list of *Pseudopyrochroa* Pic (1906) two overlooked synonyms were discovered. Cases are presented for each of the two, along with updated, detailed species synonymies.

***Pseudopyrochroa japonica* (Heyden, 1879a)**

*Pyrochroa japonica* Heyden 1879a: 88; Heyden 1879b; Lewis 1887, 1895; Pic 1912c  
*Pseudopyrochroa japonica* (Heyden); Blair 1914, 1928; Hayashi 1969; Kôno 1929, 1935; Nakane 1960; Nakane and Baba 1961; Osawa 1947; Pollock and Young 2008  
*Pyrochroa higoniae* Lewis 1895: 432  
*Pseudopyrochroa higoniae* (Lewis); Pollock and Young 2008  
*Pseudopyrochroa* var. *higoniae* (Lewis), Blair 1914, 1928, Kôno 1929  
*Pseudopyrochroa* f. *higoniae* (Lewis); Kôno 1935  
*Pseudopyrochroa* ab. *higoniae* (Lewis); Nakane 1960  
*Schizotus gibbifrons* Lewis 1887: 173, **new synonym**  
*Pseudopyrochroa gibbifrons* (Lewis); Blair 1914, 1928; Kôno 1929, 1935; Nakane 1960; Pollock and Young 2008

Heyden’s (1879a: 88) description of *Pyrochroa japonica* (now in *Pseudopyrochroa*) suggests he described the species on the basis of a single female from Kyoto, Japan on the island of Honshū: “Femina ... Prope ab urbe Kioto Japoniae semel capta”. He further noted (1879b: 354): “Kioto, semel capta. Ein nicht gut erhaltenes Ex. (♀) von Kioto.” Within several years this fairly common species was said to be known from both males and females (e.g., Lewis 1887: 171): “Heyden knew only the female. I have a series of about thirty examples from Subashiri, Kiga, and other places lying under mount Fujisan, and also a few from Nikko.”

The nine male and seven female specimens I examined at The Museum of Natural History, London (BMNH) from Miyanoshta, Subashiri, Oyama and Nikko are no doubt part of this historical series. Label dates and locality data correspond exactly with the annotated Lewis itinerary (e.g., Bates 1883). All specimens were collected April – June, 1880. The single female I examined from Ontake bears no date, but examining the Lewis itinerary, it most likely came from a two day interval in late July, 1881.

The considerably later date likely correlates with the much higher elevation at Ontake (reported in the itinerary as 10,000 feet); the 1880 collection locations were recorded at elevations ranging from 1390 to 2723 feet.

In the same paper, Lewis (1887: 173) described *Schizotus gibbifrons* (now in *Pseudopyrochroa*) from what he considered to represent both males and females: “The female is very like the male, except that the interocular space is simply convex and the antennae less pectinate.” He also noted, “Five examples, found on Oyayama in Hiogo, May 1881.” Higo was a historical Japanese province in the area presently known as the Kumamoto Prefecture on the island of Kyūshū.

I located eight “*gibbifrons* Lewis” specimens in the BMNH; contrary to what Lewis wrote, all are conspecific females. Three specimens bear identical “Oyay.” as well as “Kumamoto, 23.IV – 26.IV 81” labels. Two of the three also bear “Type” labels. I consider these three to be part of the “five examples” Lewis alluded to in spite of the difference in date. The lead specimen, bearing a circular, printed “Type” label is presumably the female Nakane (1973) mistakenly referred to as the “type” (infer holotype). In the Lewis itinerary for 1881, a subheading notes: “Oyayama, near Kumamoto, 13 days.” Because this interval spans the end of April and the first part of May, it would be easy to confuse or coningle the months. Two lines below this, the itinerary lists “Kumamoto (Goka temple), 42” [feet elevation]; the time interval was 23–26 April, consistent with the label data. A fourth female bears “Oyam.” and “Nagasaki, 22.V – 3.VI. 81” labels. Per the itinerary, Lewis left Kumamoto on 21 May and began collecting at Nagasaki on 22 May, 1881. The immediate spatial and temporal proximity of this specimen leads me to conclude it is also a syntype, accounting for four of the five specimens Lewis indicated in the description. Three of the eight Lewis specimens bear no locality labels, but on the underside of each mounting card is written “Higo.” While this generally agrees with the specified type locality, whether these specimens are syntypes must be doubted, if for no other reason than it would inflate the syntype series to seven specimens when five were specifically noted by Lewis. Interestingly, the eighth specimen in the “*gibbifrons* Lewis” holdings is labeled “Miyanoshita, 11.V. – 14.V.80.” This female was taken at the exact locality as seven of the historical “Lewis” specimens of *P. japonica*, and within days of his *P. japonica* collections at nearby Subashiri.

Lewis (1895) described *Pyrochroa higoniae* from “three or four specimens” collected at “Oyayama and Yuyama.” Although he did not specifically allude to the sex of the specimens, the species description was based largely on cranial modifications of the male. Presumably, all specimens were males and this agrees with the four males I found at the BMNH under this name. The first bears a “Type” label and the locality, “Higo” is written on the underside of the mounting card. The second specimen also bears a handwritten “Higo” location on the underside of the mounting card. The third male is labeled “Yuyam, 8–13.” If the numbers correspond to a range of days, this is consistent with the itinerary, showing that Lewis was at Yuyama (3000 feet), 10–14 May 1881. A hint as to why Lewis listed the number of specimens as “three or four” can be found on the label attached to the fourth specimen in the *higoniae* series: “var ♂ ?”

It is curious, amidst considerable cranial apparatus diversity in males of Japanese *Pseudopyrochroa*, that neither Lewis nor other pyrochroid researchers such as Blair (1914, 1928), Pic (1912c), Kōno (1929, 1935), or Nakane (1960) questioned the apparent lack of modifications in what was taken to be the Lewis series of both males and females of *P. gibbifrons*. Perhaps, at least for Blair and Pic, part of the confusion stemmed from the misunderstanding of the generic concepts applied to *Schizotus*, *Pyrochroa*, and *Pseudopyrochroa* that prevailed at the time. In any case, as noted above, all specimens in the type series of *P. gibbifrons* are female. From this discovery, and comparison with collection events it is likely that *P. gibbifrons* is no more than the female of *P. japonica*.

Blair (1914) and Kōno (1929) relied on cranial color to distinguish between the two species. The head (*sensu* Blair) or “Strin” (= frons or frontoclypeal region, *sensu* Kōno) of *P. gibbifrons* was said to be black. The “lower part of the face” (*sensu* Blair) or “Kopf vorn” (= head in front, *sensu* Kōno) was described as yellow (Blair) or “gelb oder rot” (= yellow or red, *sensu* Kōno). Color of the head, pronotum and even the elytra can be quite variable in species of *Pseudopyrochroa* (e.g. Young 1996b, Young, 2001a). Even as Lewis (1895: 432) noted when describing *P. higoniae* and comparing it to *P. japonica*, “The colour of the thorax varies in both ... sometimes the lateral margins are infuscate, sometimes the central area also, and in other specimens the thorax is wholly red.”

On the basis of the evidence presented above, I propose *Schizotus gibbifrons* Lewis, 1887 as a **new junior synonym** of *Pyrochroa japonica* Heyden, 1879.

### ***Pseudopyrochroa basalis* (Pic, 1906)**

*Pyrochroa basalis* Pic 1906: 29; Young 1996a, 1996b  
*Schizonotus javanus* Pic 1909 (*lapsus calami*); Young 1996a, 1996b  
*Schizotus javanus* Pic 1909; Young 1996a, 1996b  
*Schizotus theresae* Pic 1911; Young 1996a, **new synonym**  
*Schizotus dohertyi* Pic 1912a; Young 1996a, 1996b  
*Pyrochroa maculata* Pic 1912b; Young 1996a, 1996b  
*Pyrochroa inapicalis* Pic 1912b; Young 1996a, 1996b  
*Pyrochroa* (*Schizotus*) *dohertyi* Pic 1912c  
*Pyrochroa fruhstorferi* Pic, 1912d; Young 1996a, 1996b  
*Pyrochroa apicipennis* Blair 1912; Young 1996b  
*Pyrochroa fulvipennis* Blair 1912; Young 1996b  
*Pyrochroa ruficollis* Blair 1912; Young 1996b  
*Pyrochroa* (*Schizotus*) *testaceipennis* Pic 1913; Young 1996a, 1996b  
*Pyrochroa* (*Schizotus*) *sulcaticeps* Pic 1913; Young 1996a, 1996b  
*Pyrochroa* (*Schizotus*) *javanus* var. *reductus* Pic 1913; Young 1996a, 1996b  
*Pseudopyrochroa basalis* (Pic); Blair 1914, 1928; Young 1996a, 2001b  
*Pseudopyrochroa javana* (Pic); Blair 1914, 1928; Young 1996a  
*Pseudopyrochroa javana* var. *reducta* (Pic); Blair 1914, 1928  
*Pseudopyrochroa dohertyi* (Pic); Blair 1914, 1928; Young 1996a  
*Pseudopyrochroa dohertyi* var. *ruficollis* (Blair); Blair 1914  
*Pseudopyrochroa maculata* (Pic); Blair 1914; Young 1996a  
*Pseudopyrochroa inapicalis* (Pic); Blair 1914, 1928; Young 1996a  
*Pseudopyrochroa fruhstorferi* (Pic); Blair 1914, 1928; Young 1996a  
*Pseudopyrochroa apicipennis* (Blair); Blair 1914, 1928  
*Pseudopyrochroa fulvipennis* (Blair); Blair 1914, 1928  
*Pseudopyrochroa testaceipennis* (Pic); Blair 1914, 1928; Young 1996a  
*Pseudopyrochroa sulcaticeps* (Pic); Blair 1914, 1928; Young 1996a  
*Pseudopyrochroa opacicollis* Pic 1921; Young, 1996a, 1996b  
*Pseudopyrochroa inapicalis* var. *maculata* (Pic); Blair 1928  
*Pseudopyrochroa atra* Pic 1938; Young, 1996a, 1996b  
*Pseudopyrochroa latenigra* Pic 1938; Young, 1996a, 1996b  
*Pseudopyrochroa multiimpressa* Pic 1943; Young, 1996b  
*Pseudopyrochroa javana reducta* (Pic); Young 1996a  
*Pseudopyrochroa theresae* (Pic); Young 1996a

Young (1996a) discussed the status of Pic's material of *P. theresae*, and designated a lectotype and two paralectotypes. When he (Young 1996b) presented a case for an extensive synonymy relating to *P. basalis*, he inadvertently excluded *Schizotus theresae* (Pic 1911: 158) from the list. The same evidence presented in that paper pertains to *S. theresae*. Thus, I belatedly propose *Schizotus theresae* Pic, 1911 as a **new junior synonym** of *Pyrochroa basalis* Pic, 1906.

### **Materials and Methods**

*Material Examined.* Label data are presented verbatim. Line breaks on labels are denoted by a double slash (/); all metadata (not written directly on the original labels) are presented in regular brackets ([]); when data are included on more than one label, this is noted with curved brackets ({}). Scientific names are uniformly presented in *italics*.



Four-letter entomological collection acronyms identify the locations of specimens examined; curators are identified in the acknowledgments. The author's personal collection (DYCC) also houses material as noted in the text, but it is not identified in the acknowledgments. Acronyms and collections pertinent to this study are as follows:

AACC	Albert Allen Collection of Coleoptera, Boise, ID, USA
BMNH	The Natural History Museum, London, England, United Kingdom
MNHN	Museum National d'Histoire Naturelle, Paris, France
TARI	Taiwan Agricultural Research Institute, Wufeng, Taiwan
ZSSM	Zoologische Staatssammlung, Munich, Germany

In the case of *P. basalis*, hundreds of specimens have been examined. In the interest of space, I have recorded only the data for specimens that fit the description of *P. theresae*, *auctorum*.

***Pseudopyrochroa japonica* (Heyden):**

5♂♂, 2♀♀, [Japan] Miyanoshita // 24.IV. – 3.V. [18]80; {2<sup>nd</sup> label} Japan. // G. Lewis. // 1910-320. (BMNH)

1♀, [Japan] Nikko // 3.VI. – 21.VI. [18]80; {2<sup>nd</sup> label} Japan. // G. Lewis. // 1910-320. (BMNH)

1♀, [Japan] Ontake; {2<sup>nd</sup> label} Japan. // G. Lewis. // 1910-320. (BMNH)

1♂, Japan .Lewis. // ? *japonica* [on mounting card with specimen]; {2<sup>nd</sup> label} Sharp Coll. // 1905-313. (BMNH)

4♂♂, 2♀♀, [Japan] Subashiri // 4.V. – 10.V. [18]80 (BMNH)

1♂, Japan. // G. Lewis. // 1910-320. (BMNH)

1♀, [Japan] Oyam[a] // 24.V. – 26.V. [18]80; {2<sup>nd</sup> label} Japan. // G. Lewis. // 1910-320. (BMNH)

1♀, [Japan] Oyama [underside of mounting card]; {2<sup>nd</sup> label} Japan. // G. Lewis. // B.M. 1926-369. (BMNH)

1♂, Japan. // J. E. A. Lewis. // B.M. 1927-466.; {2<sup>nd</sup> label} 403.; {3<sup>rd</sup> label} JAPAN // KYUSHU // MT. UNZEN // AT 2000 ft. // 22.V. [19]'27 // J. E. A. Lewis (BMNH)

1♀, [Japan] Oyay.[ama]; {2<sup>nd</sup> label} Type [printed, circular label]; {3<sup>rd</sup> label} *Schizotus // gibbifrons // Lewis* Type ♂; {4<sup>th</sup> label} Kumamoto. // 23.IV – 26. IV. [18]81.; {5<sup>th</sup> label} Japan// G. Lewis // 1910-320.; {6<sup>th</sup> label} SYNTYPE: // SCHIZOTUS // GIBBIFRONS // Lewis // *fide*: Daniel K. Young (BMNH)

1♀, [Japan] Oyay.[ama]; {2<sup>nd</sup> label} *Pyrochroa // gibbifrons // Lewis* Type ♂; {3<sup>rd</sup> label} Kumamoto. // 23.IV – 26. IV. [18]81. {4<sup>th</sup> label} Japan// G. Lewis // 1910-320.; {5<sup>th</sup> label} SYNTYPE: // SCHIZOTUS // GIBBIFRONS // Lewis // *fide*: Daniel K. Young (BMNH)

1♀, [Japan] Oyay.[ama]; {2<sup>nd</sup> label} Kumamoto. // 23.IV – 26. IV. [18]81. {3<sup>rd</sup> label} Japan// G. Lewis // 1910-320.; {4<sup>th</sup> label} SYNTYPE: // SCHIZOTUS // GIBBIFRONS // Lewis // *fide*: Daniel K. Young (BMNH)

1♀, [Japan] Oyam.[Yuyama?]/ 1.6.[18]81; {2<sup>nd</sup> label} Nagasaki // 22.V – 3.VI. [18]81; {3<sup>rd</sup> label} Japan// G. Lewis // 1910-320.; {4<sup>th</sup> label} SYNTYPE: // SCHIZOTUS // GIBBIFRONS // Lewis // *fide*: Daniel K. Young (BMNH)

1♀, [Japan] Higo [underside of mounting card]; {2<sup>nd</sup> label} Japan// G. Lewis // 1910-320.; {3<sup>rd</sup> label} Probably NOT // a syntype // det. Daniel K. Young (BMNH)

- 1♀, [Japan] Higo [underside of mounting card]; {2<sup>nd</sup> label} Japan// G. Lewis // 1910-320.; {3<sup>rd</sup> label} Probably NOT // a syntype // det. Daniel K. Young (BMNH)
- 1♀, [Japan] Higo [underside of mounting card]; {2<sup>nd</sup> label} Japan// G. Lewis // 1910-320.; {3<sup>rd</sup> label} Probably NOT // a syntype // det. Daniel K. Young (BMNH)
- 1♀, [Japan] Miyan.[oshita]// (S.); {2<sup>nd</sup> label} Miyanoshita. // 11.V. – 14.V. [18]80; {3<sup>rd</sup> label} Japan// G. Lewis // 1910-320.; {4<sup>th</sup> label} NOT a // syntype // det. Daniel K. Young (BMNH)
- 1♂, [Japan] Higo [underside of mounting card]; {2<sup>nd</sup> label} Type [printed, circular label]; {3<sup>rd</sup> label} *Pyrochroa* // *higoniae* // Lewis Type ♂; {4<sup>th</sup> label} Japan// G. Lewis // 1910-320.; {5<sup>th</sup> label} SYNTYPE: // PYROCHROA // HIGONIAE ♂ // Lewis // Daniel K. Young (BMNH)
- 1♂, [Japan] Higo [underside of mounting card]; {2<sup>nd</sup> label} Japan// G. Lewis // 1910-320.; {3<sup>rd</sup> label} SYNTYPE: // PYROCHROA // HIGONIAE ♂ // Lewis // Daniel K. Young (BMNH)
- 1♂, [Japan] Yuyam[a] // 8-13; {2<sup>nd</sup> label} *Pyrochroa higoniae* Lewis; {3<sup>rd</sup> label} Japan// G. Lewis // 1910-320.; {3<sup>rd</sup> label} SYNTYPE: // PYROCHROA // HIGONIAE ♂ // Lewis // Daniel K. Young (BMNH)
- 1♂, [Japan] var ♂ ?; {2<sup>nd</sup> label} Japan// G. Lewis // 1910-320.; {3<sup>rd</sup> label} SYNTYPE: // PYROCHROA // HIGONIAE ♂ // Lewis // Daniel K. Young (BMNH)
- 1♂, 3♀♀ [Japan] MUSEUM PARIS, JAPON, NIPPON MOYEN, ENV. TOKIO, J. HARMAND 1906 (MNHN)
- 4♀♀ [Japan] MUSEUM PARIS, JAPON, NIPPON MOYEN, ENV. DE TOKIO, E. GALLOIS 1906 (MNHN)
- 1♂, 1♀ [Japan] MUSEUM PARIS, NIPPON MOYEN, ENV. TOKIO, ET ALPES DE NIKKO, J. HARMAND 1901 (MNHN)
- 4♀♀, [Japan] MUSEUM PARIS, JAPON, KIOU-SIOU (KIUSHIU), BASSIN SUPÉRIEUR, DE LA SENDAIGAWA, E. GALLOIS 1906 (MNHN)
- 1♀, [Japan] MUSEUM PARIS, JAPON, KIOU-SIOU (KIUSHIU), BASSIN SUPÉRIEUR, DE LA SENDAIGAWA, E. GALLOIS 1906; [label I added]: HOMEOTYPE, *Pseudopyrochroa gibbifrons* (Lewis), Daniel K. Young (DYCC)
- 2♀♀, [Japan] Kumanotaira, pr. Karuizawa, Japon, 25,6,1911, Edme Gallois (MNHN)
- 1♀, [Japan] JAPON: Route, de Chûzenji à, Yumoto, 22-7-09, Edme Gallois (MNHN)
- 1♂, Japan. G. Lewis., 1910-320. (MNHN)
- 1♂, [Japan]: [Ehime: Japan], Mt. Saragamine, 12. V. 1985, M. Sakai leg. (AACC)
- 2♂♂, Japan, Ishigawa Pref. // Shiramine Mt. Hakosan // W slope 900-1200m // 7 Jun 2003, Bolm lgt. (DYCC)
- 1♀, Japan// Fuji – Gebiet// V. [19]70 [remainder looks like collector name – can't make out writing] (ZSSM)
- 1♀, [JAPAN] Mt. Kario:// Hirosimaken // (Japan) 4. VI. 1973 // Col. S. Miyamoto; [2<sup>nd</sup> label, folded – original data, hand written with Japanese (?) characters] (TARI)

- 1♂, [Japan]: Serio, // Kyoto // 22. V. 1951 // T. Nakane ; {2<sup>nd</sup> label} [1st line Japanese characters and distal portion of left antenna afixed] // Kyoto // 22.V.1951. (DYCC)
- 1♂, [Japan]: Komenono // Matsuyama // 23. V. 1965 // Y. Hori leg. (DYCC)
- 1♂, [Japan]: Mt. Akaboshi // Ehime Pref. // 5. V. 1966 // S. Hisamatsu (DYCC)
- 1♀, [Japan]: Omogo Valley // Ehime Pref. // May 25, 1959 // S. Hisamatsu (DYCC)
- 1♀, [Japan]: Mt. Tsurugi // Tokushima Pref. // Jun. 9, 1959 // S. Hisamatsu (DYCC)
- 1♂, [Japan]: KIBUNE // NEAR-KYOTO // 24. V 1962 // leg. Mitsuo Goto (DYCC)
- 1♀, [Japan]: KASUGA // 10-v- 1957 // COL. T. SHIBATA (DYCC)
- 1♀, [Japan]: Kyoto // 15 MAY 1955 // T. Nakane (DYCC)
- 1♀, [Japan]: Yunoyama // MIYE // 21-v-1944 // S. OSAWA (DYCC)
- 1♂, [Japan]: Serio, // Kyoto // 1. VI. 1953 (DYCC)
- 1♀, [Japan]: HASE // 3-V- 1958 // COL. T. SHIBATA (DYCC)
- 1♀, [Japan]: HONSHU // Mt. Ifuri // Fukui Pref.; {2<sup>nd</sup> label} 18.v.1969 // coll. H. Sasaji (DYCC)
- 1♂, [Japan]: Mennoki-tôge // Inabu-chô // Aichi Pref., JPN // 19. V. 1995 // H. Yoshitomi leg. (DYCC)
- 1♂, [Japan]: Uradani // Shitara-chô // Aichi Pref., JPN // 11. VI. 1995 // H. Yoshitomi leg. (DYCC)
- 1♀, [Japan]: Togakushi // Kamiminochi-gun // Nagano pref., JPN // 25. VI. 1993 // H. Yoshitomi leg. (DYCC)
- 1♂, 3♀♀, [Japan]: Hirakura // Misugi-mura // Mie pref. // 23. V. 1993 // H. Yoshitomi leg. (DYCC)
- 1♀, [Japan]: Hirakura // Misugi-mura // Mie pref. // 23. V. 1993 // K. Fukuzumi leg (DYCC)
- 1♀, [Japan]: Menoki-tôge // Kitashitara-gun // Aichi pref. // 13. VI. 1992 // K. Ishida leg. (DYCC)

***Pseudopyrochroa basalis* (Pic):**

- 1♂, [Indonesia]: SUMATRA // SI-RAMBÉ // XII.[18]90 – III.[18]91 // E. MODIGLIANI; {2<sup>nd</sup> label} type [handwritten]; {3<sup>rd</sup> label} TYPE [red label]; {4<sup>th</sup> label} *Schizotus // theresae* Pic; {5<sup>th</sup> label} LECTOTYPE: ♂ // SCHIZOTUS // THERESAE // Pic // Daniel K. Young (MNHN)
- 1♂, [Indonesia]: SUMATRA // SI-RAMBÉ // XII.[18]90 – III.[18]91 // E. MODIGLIANI; {2<sup>nd</sup> label} 347; {3<sup>rd</sup> label} type [handwritten]; {4<sup>th</sup> label} PARALECTOTYPE: ♂ // SCHIZOTUS // THERESAE // Pic // Daniel K. Young (MNHN)
- 1♂, [Indonesia]: SUMATRA // SI-RAMBÉ // XII.[18]90 – III.[18]91 // E. MODIGLIANI; {2<sup>nd</sup> label} PARALECTOTYPE: ♂ // SCHIZOTUS // THERESAE // Pic // Daniel K. Young (MNHN)
- 1♂, [Indonesia]: M. B. Corporaal // Brastagi // 27.5.1918; {2<sup>nd</sup> label} NOT a // syntype // det. Daniel K. Young // 1991 (MNHN)



1♂, [Indonesia]: Corporaal // Brastagi // 14.5.1918; {2<sup>nd</sup> label} *theresae* Pic; {3<sup>rd</sup> label} NOT a // syntype // det. Daniel K. Young // 1991 (MNHN)

1♂, [Indonesia]: Corporaal // Brastagi // 5.1918; {2<sup>nd</sup> label} Sumatra // (Corporaal); {3<sup>rd</sup> label} NOT a // syntype // det. Daniel K. Young // 1991 (MNHN)

1♀, [Indonesia]: Sumatra // [? looks like] Tingalacy; {2<sup>nd</sup> label} NOT a // syntype // det. Daniel K. Young // 1991 (MNHN)

1♂, INDONESIA: West Java // Gede Pangrango N. P. // 3 June 1989 // Daniel K. Young; {2<sup>nd</sup> label} Along trail from // Guest House // to Cibereum // Elev. 4400-6000' (DYCC)

3♂♂, [Indonesia]: SUMATRA, Jambi // Kersik Tua, Gn. Kerinci // 19-22.Jan 2005 // 1600-2200m., Bolm lgt. (DYCC)

2♀♀, [Indonesia]: SUMATRA Gn Talamau // 17km E Simpangempat // 21-25 May 2001 750m // Bolm lgt., (Ophir mis) (DYCC)

### Acknowledgments

I am grateful to Maxwell Barclay and Claude Girard, for assistance they provided me during several visits to examine material at The Natural History Museum, London (BMNH) and the Museum National d'Histoire Naturelle, Paris (MNHP), respectively. I also thank Albert Allen (AACC), Chi-Feng Lee (TARI), as well as Gerhard Scherer and Michael Balke (ZSSM). I am grateful to Paul Johnson, South Dakota State University, and Daren Pollock, Eastern New Mexico University, for their time and care in reviewing the manuscript. This research was supported in part by the University of Wisconsin's Natural History Museums Council through a Block Grant to the UW Insect Research Collection.

### Literature Cited

- Bates, H. W. 1883.** XI. Supplement to the Geodephagous Coleoptera of Japan, chiefly from the collection of Mr. George Lewis, made during his second visit, from February, 1880 to September, 1881. Transactions of the Royal Entomological Society of London 31: 205–290.
- Blair, K. G. 1912.** LVIII. – Descriptions of new species of Pyrochroidae. The Annals and Magazine of Natural History (8)9: 527–533.
- Blair, K. G. 1914.** A revision of the family Pyrochroidae (Coleoptera). The Annals and Magazine of Natural History (8)13: 310–326.
- Blair, K. G. 1928.** Pars. 99: Pythidae, Pyrochroidae. p. 1–14. *In*: S. Schenkling (ed.). Coleopterorum Catalogus. Junk, Berlin.
- Hayashi, N. 1969.** On the larvae of Pyrochroidae occurring in Japan (Coleoptera: Cucujoidea). Kontyû 37: 444–452.
- Heyden, L. F. J. D. von. 1879a.** Diagnoses Coleopterorum aliquot novorum in Japonia a Dom. Prof. J. J. Rein, Doct. phil., collectorum. Bericht über die Senckenbergische Naturforschende Gesellschaft in Frankfurt am Main 1878–1879: 87–88.
- Heyden, L. F. J. D. von. 1879b.** Die coleopterologische Ausbeute des Prof. Dr. Rein in Japan 1874–1875. Deutsche Entomologische Zeitschrift XXIII (II): 321–365.
- Kôno, H. 1929.** Die Pyrochroiden Japans. Insecta Matsumurana 3: 62–72.
- Kôno, H. 1935.** Drei neue Heteromeren aus Japan und Formosa, mit einer Liste der geographischen Verbreitung der japanischen Pyrochroiden und Pediliden. Insecta Matsumurana 9: 157–161.
- Lewis, G. 1887.** On the Pyrochroidae of Japan. The Annals and Magazine of Natural History (5)20: 165–175.

- Lewis, G. 1895.** On Cistelidae and other Heteromorous species of Japan. The Annals and Magazine of Natural History (6)15: 250–278, 422–448.
- Nakane, T. 1960.** On the Pyrochroidae of Japan (Coleoptera). Entomological Review of Japan 11(2): 59–66.
- Nakane, T. 1973.** Notes on the synonymy and on some types of Japanese Coleoptera in certain European collections. Bulletin of the National Science Museum, Tokyo 16: 1–8.
- Nakane, T., and K. Baba. 1961.** Lycidae, Lampyridae, Drilidae and Pyrochroidae of Niigata Prefecture (Coleoptera). Insects of Niigata Prefecture, Japan 6: 2–5.
- Osawa, S. 1947.** Larva and pupa of *Pseudopyrochroa japonica* Heyden. Insect Ecology 2: 7–10.
- Pic, M. 1906.** Contribution à l'étude des Pyrochroides. L'Échange, Revue Linnéenne 22: 28–30.
- Pic, M. 1909.** Pyrochroidae nouveaux [Col. Heteromera]. Bulletin de le Société Entomologique de France [1909]: 330–331.
- Pic, M. 1911.** Coléoptères exotiques nouveaux ou peu connus. L'Échange, Revue Linnéenne 27: 99–101, 117–118, 127–128, 132–134, 142–144, 149–152, 155–159, 164–167, 172–174, 181–183, 190–191.
- Pic, M. 1912a.** Nouveaux Pyrochroides de Java et de Sumatra. Bulletin de le Société Entomologique de France [1912]: 62–63.
- Pic, M. 1912b.** Étude dichotomique des *Pyrochroa* Geoffr. de Malacca [Col. Heteromera]. Bulletin de le Société Entomologique de France [1912]: 98–99.
- Pic, M. 1912c.** Sur les Pyrochroidae du Muséum de Paris (Hétéromères). Bulletin du Muséum National d'Histoire Naturelle, Paris 18: 142–144.
- Pic, M. 1912d.** Coléoptères exotiques nouveaux ou peu connus. L'Échange, Revue Linnéenne 28: 5–6, 13–16, 22–23, 29–32, 38–39, 46–47, 53, 63–64, 68–69, 75–77, 93–94.
- Pic, M. 1913.** Espèces et variétés nouvelles, ou peu connues, rentrant dans diverses familles. Mélanges Exotico-Entomologiques 7: 10–20.
- Pic, M. 1921.** Nouveautés diverses. Mélanges Exotico-Entomologiques 33: 132.
- Pic, M. 1938.** Coléoptères exotiques en partie nouveaux. L'Échange, Revue Linnéenne 54: 3–4, 8, 12.
- Pic, M. 1943.** Opuscula martialia X. L'Échange, Revue Linnéenne. Numéro Spécial 9: 1–16.
- Pollock, D. A., and D. K. Young. 2008.** Family Pyrochroidae Latreille 1807. p. 414–417. *In*: I. Löbl, and A. Smetana, (eds.) Catalogue of Palearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, Denmark, 670 p.
- Young, D. K. 1996a.** Status of *Pseudopyrochroa* types in the Museum National d'histoire Naturelle, Paris (Coleoptera: Pyrochroidae: Pyrochroinae). Oriental Insects 30: 213–235.
- Young, D. K. 1996b.** Evidence supporting an extensive new synonymy for *Pseudopyrochroa basalis* (Pic) (Coleoptera: Pyrochroidae: Pyrochroinae), with description of the mature larva and redescription of the adult. Oriental Insects 30: 237–250.
- Young, D. K. 2001a.** Proposed new synonymy for *Pseudopyrochroa longa* (Perty) (Coleoptera: Pyrochroidae: Pyrochroinae), with description of the presumed mature larva and redescription of the adult. Oriental Insects 35: 259–70.
- Young, D. K. 2001b.** A change in status for the primary type of *Pseudopyrochroa basalis* (Pic) (Coleoptera: Pyrochroidae: Pyrochroinae). Oriental Insects 35: 271–272.

Received December 31, 2013; Accepted February 3, 2014.